Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,67

Price List to the Trade Fall 1941

TERMS, CONDITIONS OF SALE, PACKING CHARGES, SUPPLIES, PAGE 80 BALLING SCHEDULE, PAGE 79 LINING OUT STOCK, PAGES 75 to 78, INSIDE BACK COVER

The Cole Nursery Co.

PAINESVILLE, OHIOT TO A FE

RECEIVED

U. S. Department of Agriculture

Introducers of Patented

Truehedge Columnberry

and

Fuchsia riccartoni "Scarlet Beauty"

See Inside Covers



Hedges made from Columnberry growing in the nursery row. The first and only trimming, consuming one hours time, made these finished hedges.

COLE'S New Truehedge Columnberry

BERBERIS THUNBERGI ERECTA (PLANT PAT. No. 110)

Wholesale Prices

		5 Each	25 Each	250 Each
0 to 19	inch\$		\$.10	\$.08 1/2
			φ .10 .12	
	inch			, _
	inch		.14	$.12\frac{1}{2}$
	feet		.16	.14
	$f \epsilon et_{}$.20	.18
$2\frac{1}{2}$ to 3	$feet_{}$.35	.28	.25

MINIMUM RETAIL PRICES

1	Each	5 Each	25 Each	100 Each 25	60 Each
9 to 12 inch\$		\$.22		\$.14	\$.13
12 to 15 inch	.32	.25	.20	$.17\frac{1}{2}$.16
15 to 18 inch	.37	.29	.24	.21	.19
1½ to 2 feet	.40	.32	.27	.24	.22
2 to 2½ feet	.50	.38	.33	.30	.27
2½ to 3 feet		.50	.46	.42	.38

Complete Descriptive Folder on Request

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to Page 79 for charges.

ACER—campestre. Hedge Maple—25'	1 Each	5 Each	25 Each
5 to 6'	\$ 2.10	\$ 1.85	\$ 1.60
6 to 8'	2.75	2.50	2.25
8 to 10'		3.35	3.00
10 to 12'	5.50	5.00	4.50
			2,00
dasycarpum. Silver Maple—60'			
5 to 6' (\$250.00 per 1000)	.60	.40	.30
6 to 8' (\$300.00 per 1000)	75	.50	.38
8 to 10' (\$450.00 per 1000)	95	.70	.55
1 ½ to 1½"	1.25	1.00	.75
1½ to 1¾"		1.25	1.00
1 % to 2" 2 to 2 ½"	2.00	1.75	1.50
2 to 2½"	2.25	2.00	1.75
2½ to 3″	2.75	2.50	2.25
3 to 3½"	3.75	3.35	3.00
2 ½ to 3"	5.00	4.50	4.00
4 to 5"	7.25	6.50	6.00
5 to 7", Prices on Application			
dasycarpum wieri. Wier Cutleaf Maple	2—50'		
6 to 8'		.95	.75
8 to 10'	1.50	1.25	1.00
1 ¼ to 1 ½"	1.75	1.50	1.25
1½ to 1¾ "	2.00	1.75	1.50
1 % to 2"	2.50	2.25	2.00
2 to 2½"	3.25	2.90	2.00
	0.20	2.00	
ginnala. Amur Maple—15'			
4 to 5'		.65	.50
5 to 6'		.95	.75
6 to 8'	1.50	1.25	1.00
8 to 10'		1.85	1.60
10 to 12'		2.65	2.40
12 to 14'	4.00	3.60	3.25
negundo. Boxelder—60'			
2½ to 3"	3.10	2.75	
3 to 4"	4.00	$\frac{2.75}{3.65}$	
4 to 5"	7.25	6.50	
	1.20	0.00	
palmatum. Japanese Maple—14'			
3 to 4', (15" Ball)	2.00	1.75	
4 to 5' (16" Ball)	2.50	2.25	
5 to 6', (18" Ball)	3.40	3.00	
6 to 7' (21" Ball)	5.00	4.50	
,			

ACER—Continued	1 Each	5 Each	25 Each
palmatum atropurpureum. Bloodleaf Japan			20 Bach
1½ to 2', Grafted (11" Ball)	e 9 95	\$ 2.00	@ 1 7E
2 to 2, Graffed (11 Dail)	9 4.40	$\frac{9}{2.50}$	\$ 1.75
2 to 2½', Grafted (12" Ball) 2½ to 3', Grafted (13" Ball)	2.75		2.25
2 ½ to 5, Gratted (15 Dan)	. 3.50	3.10	2.75
3 to 4', Grafted (15" Ball)	4.50	4.00	3.65
4 to 5', Grafted (16" Ball) 5 to 6', Grafted (18" Ball)	5.50	5.00	4.50
5 to 6', Grafted (18" Ball)	6.75	6.00	5.50
6 to 7', Grafted (21" Ball)	9.00	8.00	
palmatum dissectum atropurpureum.			
Purple Threadleaf Japanese Maple—5	<i>i'</i>		
Purple Threadleaf Japanese Maple—5 2 to 2½' spread (13" Ball)	5.50	5.00	
2½ to 3' spread (14" Ball)	7.75	7.00	
3 to 3½' spread (16" Ball)	11.50	10.00	
platanoides. Norway Maple—50'			
	1.60	1.35	1.10
8 to 10'	2.00	1.75	1.50
6 to 8' 8 to 10' 1 1/4 to 1 1/2 "	2.35	2.10	1.85
1½ to 1¾"	2.65	2.40	2.15
13/ +0 9"	2.90	2.40 2.65	$\frac{2.15}{2.40}$
1 ½ to 2"	2.90		
2 to 2½"2½ to 3"3 to 3½"	3.50	3.15	2.85
2½ to 3	4.25	3.85	3.50
3 to 3 ½ "	6.00	5.50	4.50
3½ to 4"	6.75	6.00	5.50
4 to 5"	8.75	7.75	7.00
5 to 6"6 to 7"	15.50	13.50	12.00
6 to 7"	22.50	20.00	18.00
7 to 8"	35.00	30.00	
platanoides globosum. Globe Norway Maple	8'		
4 year head, 6' stem	-6.25	5.50	
platanoides schwedleri. Purple Norway Mo			
		2.25	0.00
6 to 8' 8 to 10'			$\frac{2.00}{2.65}$
8 to 10'		2.90	2.00
1 1/4 to 1 1/2	3.75	3.35	
2 ½ to 3"	6.25	5.50	
3 to 3 ½	8.00	7.25	
3 ½ to 4	11.50	10.00	9.00
4 to 5" 5 to 6"	16.50	14.50	13.00
		20.00	
6 to 7"	35.00	30.00	
platanoides variegatum. Variegated			
Leaved Norway Maple—25'			
8 to 10'	8.00	7.00	
pseudoplatanus. Sycamore Maple—60'			
3 to 4"	8.50	7.50	
4 to 5"	12.50	11.00	
rubrum. Red or Scarlet Maple-50'			
5 to 6'	1.35	1.10	.90
6 to 8'	1.65	1.40	1.15
	2.00	1.75	1.50
8 to 10' 1½ to 1½"	2.65	2.40	2.15
1 ½ to 1½"	$\frac{2.60}{3.60}$	3.25	$\frac{2.15}{2.90}$
1½ to 1¾"	5.00		2.90
0 40 01/"	5.00	4.50	
Z to Z ½	6.75	6.00	
2 ½ 10 5	9.25	8.25	
1 ¾ to 2"	12.50	11.00	
3 ½ to 4"	18.00	16.00	

ACER—Continued	1 Each	5 Each	25 Each
tataricum. Tatarian Maple—12'			
4 to 5'	1	\$.75	\$.60
5 to 6'		1.00	.80
6 to 8'		1.50	1.25
8 to 10'		2.00	1.75
10 to 12'	3.15	2.80	2.50
saccharum. Sugar or Rock Maple—60'	1.00	1.05	4.40
6 to 8'		1.35	1.10
8 to 10'		1.75	1.50
1½ to 1½	2.35	2.10	1.85
1½ to 1¾"	2.75	2.50	2.25
1 ½ to 2"	3.50	3.10	2.75
2 to 2½"	4.00	3.60	3.25
2½ to 3" 3 to 3½"	5.00	4.50	4.00
3 to 3½"	6.75	6.00	5.50
3½ to 4″	8.75	7.75	7.00
4 to 5"	11.50	10.00	9.00
5 to 6"	16.50	14.50	13.00
6 to 7"	22.50	20.00	
7 to 8"	35.00	30.00	
AESCULUS_			
carnea. Red Horsechestnut—35'			
3 to 4'	2.75	2.50	
glabra. Ohio Buckeye-30'			
5 to 6'	1.50	1.25	
6 to 8'	2.00	1.75	1.50
1½ to 1½"	-2.75	2.50	2.25
1¼ to 1½"	3.75	3.35	3.00
2 to 2½"	5.00	4.50	4.00
2½ to 3″	- 7.25	6.50	6.00
2½ to 3"	11.00	10.00	
hippocastanum. European Horse Chestnu	t-40'		
5 to 6'		1.25	1.00
6 to 8'	2.00	1.75	1.50
1½ to 2"	$_{}$ 3.15	2.80	2.50
2 to 2½"	-4.50	4.00	
2½ to 3″	6.75	6.00	
3 to 4"	10.00	9.00	
4 to 5"		15.00	
octandra. Yellow Buckeye—30'			
4 to 6'	1.75	1.50	1.25
6 to 8'	-2.25	2.00	1.75
1½ to 2″	- 3.50	3.15	
2 to 2½"	5.00	4.50	
pavia. Red Buckeye-30'			
3 to 4'	-2.75	2.50	
4 to 5'	3.75	3.40	
AILANTHUS—glandulosa. Tree of Heaven—	40'		
4 to 6'	1.15	.90	.70
6 to 8'	1.40	1.25	1.00
8 to 10'	1.85	1.60	1.35
1½ to 2"	2.35	2.10	1.85
8 to 10'	3.15	2.80	2.50
2½ to 3"	4.50	4.00	
= /2 00 0 =====			

ALNUS—glutinosa—60'	1 Each	5 Each	25 Each
8 to 10'	1.15	\$ 1.50	
1 ½ to 2"	2.50	2.25	
1 ½ to 2"	4.00	3.65	
2½ to 3″	5.50	5.00	
incana. Speckled Alder—50'			
6 to 8'	1.60	1.35	\$ 1.10
8 to 10'	2.00	1.75	
AMYGDALUS			
alboplena. Double White Flowering Peach-	-20′		
rubroplena. Double Red Flowering Peach-			
2 to 3'	.35	.25	.20
3 to 4'	.40	.30	.25
4 to 5'	.50	.40	.35
6 to 8', specimens (20" Ball) 8 to 10', specimens (23" Ball)	$\frac{5.00}{7.75}$	$\frac{4.50}{7.00}$	
8 to 10, specimens (25 Ban)	1.10	1.00	
ARALIA—spinosa. Devils Walking Stick—25'			
4 to 5'	.85	.60	.45
5 to 6'	1.00	.75	.60
6 to 8'	1.35	1.10	.90
8 to 10'	1.85	1.60	1.35
10 to 12'	2.40	2.15	1.90
(Clumps, 50% additional)			
BETULA—alba. European White Birch—40'			
5 to 6' (14" Ball Extra)	1.10	.85	.70
6 to 8', (16" Ball Extra)	1.35	1.10	.90
8 to 10' (18" Ball Extra)	1.85	1.60	1.35
1 ½ to 1 ½" (20" Ball Extra) 1 ½ to 1 ¾" (22" Ball Extra)	2.25	2.00	1.75
1½ to 1¾" (22" Ball Extra)	2.75	2.50	
alba fastigiata. Pyramidal White Birch—45		1.05	1.00
4 to 5'	2.10	$\frac{1.85}{14.50}$	1.60
3 to 3½" (36" Ball Extra)	22.50	$\frac{14.50}{20.00}$	
alba pendula. European Weeping Birch—35		20.00	
6 to 8' (16" Rall Extra)	1.85	1.60	1.35
8 to 10' (18" Ball Extra)	$\frac{1.55}{2.50}$	$\frac{1.00}{2.25}$	$\frac{1.33}{2.00}$
6 to 8' (16" Ball Extra) 8 to 10' (18" Ball Extra) 10 to 12' (20" Ball Extra)	3.50	3.10	$\frac{2.00}{2.75}$
lenta. Sweet Birch—45'		0.20	20
5 to 6' (14" Ball Extra)	1.20	.95	.75
5 to 6' (14" Ball Extra)	1.50	1.25	1.00
8 to 10' (18" Ball Extra)	2.10	1.85	1.60
1½ to 2" (24" Ball Extra)	3.15	2.80	2.50
2 to 2½" (28" Ball Extra)	4.00	3.65	
2½ to 3" (32" Ball Extra)	5.50	5.00	
3 to 3½" (38" Ball Extra)	7.50	6.75	
3½ to 4" (42" Ball Extra)	11.50	10.00	
Clumps, 3 to 6 stems	0.75		
8 to 10' (22" Ball Extra) 10 to 12' (26" Ball Extra)	3.75	3.35	
10 to 12' (26" Ball Extra) 12 to 14' (30" Ball Extra)	$\frac{5.00}{7.50}$	$\frac{4.50}{6.75}$	
lutea. Yellow Birch—50'	7.50	6.75	
6 to 8' (16" Ball Extra)	1.85	1.60	1.35
8 to 10' (18" Ball Extra)	$\frac{1.65}{2.35}$	$\frac{1.60}{2.10}$	$\frac{1.55}{1.85}$
10 to 12' (22" Ball Extra)	$\frac{2.35}{3.35}$	$\frac{2.10}{3.00}$	$\frac{1.05}{2.75}$
2 to 2½" (28" Ball Extra)	4.50	4.00	2.10
		2.00	

BETULA—Continued	1 Each	5 Each	25 Each
nigra. River Birch—40'			
3 to 4" (36" Ball Extra)	\$ 8.00	\$ 7.25	
4 to 5" (42" Ball Extra)	13.50	12.00	
5 to 9" Prices on Application			
Clumps, 2 to 4 stems			
12 to 14' (27" Ball Extra)	-7.50	6.75	
14 to 16' (30" Ball Extra)	-9.25	8.25	
16 to 18' (34" Ball Extra)	12.50	11.00	
18 to 20' (38" Ball Extra)	18.00	16.00	
papyrifera. Canoe Birch—60'			
6 to 8' (16" Ball Extra)	1.75	1.50	
8 to 10' (18" Ball Extra)	2.10	1.85	1.60
1 1/4 to 1 1/4" (20" Ball Extra)	2.75	$\frac{2.50}{2.50}$	$\frac{1.00}{2.25}$
1½ to 2" (24" Ball Extra) 2 to 2½" (28" Ball Extra)	3.75	$\frac{2.30}{3.35}$	$\frac{2.25}{3.00}$
2 to 216" (28" Ball Extra)	5.00	4.50	
2½ to 3" (32" Ball Extra)	- 6.75	6.00	
populifolia. Gray Birch—40'	_ 0.10	0.00	
6 to 8' (16 Ball Extra)	1.75	1 50	1.05
8 to 10' (18" Ball Extra)	1.70	1.50	1.25
11/ to 11/" (90" Doll Estra)	$\frac{2.10}{2.75}$	1.85	1.60
1¼ to 1½" (20" Ball Extra)	2.75	2.50	2.25
1½ to 2" (24" Ball Extra)	$\frac{3.75}{1}$	3.35	3.00
2 to 2½" (28" Ball Extra)	5.00	4.50	
2½ to 3" (32" Ball Extra)	-6.75	6.00	
purpurea. Purpleleaf Birch—40'			
12 to 14' Specimens (30" Ball Extra).	18.00	16.00	
CARPINUS—betulus. European Hornbeam—6	o'		
2 to 3' (13" Ball Extra)	1.75	1.50	1.25
3 to 4' (14" Ball Extra)	2.50	$\frac{1.50}{2.25}$	2.00
4 to 5' (16" Ball Extra)	3.60	$\frac{2.25}{3.25}$	$\frac{2.00}{2.90}$
5 to 6' (18" Ball Extra)	5.00	$\frac{3.25}{4.50}$	$\frac{2.30}{4.00}$
	- 5.00 - 7.25	6.50	6.00
6 to 8' (20" Ball Extra) 8 to 10' (22" Ball Extra)	10.00		
	- 10.00	9.00	8.00
caroliniana. (americana) American Hornb	eum—5		0.0
2 to 3' (13" Ball Extra)	1.25	1.00	.80
3 to 4' (14" Ball Extra)	1.65	1.40	1.10
4 to 5' (16" Ball Extra)	. 1.85	1.60	1.35
5 to 6' (18" Ball Extra)	2.50	2.25	2.00
6 to 8' (20" Ball Extra)	-3.75	3.35	3.00
8 to 10' (23" Ball Extra)		4.50	4.00
10 to 12' (26" Ball Extra)	7.25	6.50	
turczaninowii			
2 to 3' (13" Ball Extra)	2.00	1.75	1.50
3 to 4' (14" Ball Extra)	2.75	2.50	2.25
CASTANEA-mollissima. Hairy Chestnut-40			
3 to 4'		1.75	1.50
4 to 5'		2.25	2.00
5 to 6'	~ ==	3.35	
CATALPA—bignonioides nana. Umbrella Cate		1.75	1.50
3 year head, specimens			$\frac{1.30}{2.25}$
4 year head, specimens	2.75	2.50	2.23
speciosa. Western Catalpa—35'	0.0		40
6 to 8'		.55	.40
8 to 10'	1.15	.90	
1 ½ to 2"	1.60	1.35	1.00
2 to 2½"	2.10	1.85	1.60
1 ½ to 2"	2.75	2.50	2.25
3 to 4"	4.00	3.65	

CELTIS—mississippiensis. Sugarberry—60'	1 Each	5 Each	25 Each
5 to 6'	\$ 1.25	\$ 1.00	\$.80
		1.25	,
			1.00
8 to 10'	2.10	1.85	1.60
10 to 12'	2.50	2.25	2.00
12 to 14'	3.35	3.00	
occidentalis. $Hackberry$ —45'			
4 to 5'	1.00	.75	.60
5 to 6'	1.25	1.00	.80
6 to 8'	1.50	1.25	1.00
8 to 10′	2.00	1.75	
CERCIDIPHYLLUM-japonicum. Katsura-tree	24'		
3 to 4' (14" Ball Extra)	1.60	1.35	1.10
4 to 5' (15" Ball Extra)	2.00	1.75	1.50
4 to 5 (15 Dall Extra)			
5 to 6' (16" Ball Extra)	2.50	2.25	2.00
6 to 8' (18" Ball Extra)	3.15	2.80	2.50
8 to 10' (22" Ball Extra)		3.85	3.50
CERCIS—canadensis. Judas Tree, American Re	edbud—	-30'	
2 to 3' (12" Ball Extra)	.45	.35	.25
3 to 4' (13" Ball Extra)		.45	.35
4 to 5' (15" Ball Extra)	.70	.55	.45
4 to 5 (15 Dall Extra)	1.00		
5 to 6' (16" Ball Extra)		.80	.65
6 to 8' (18" Ball Extra)	1.50	1.25	1.00
8 to 10' (22" Ball Extra)	3.10	2.75	
10 to 12' (26" Ball Extra)	5.00	4.50	
12 to 14' (30" Ball Extra)	7.00	6.25	
CLADRASTIS—lutea. Yellow-wood—35'			
5 to 6' (18" Ball Extra)	3.15	2.80	2.50
	4.00	$\frac{2.60}{3.60}$	$\frac{2.50}{3.25}$
6 to 8' (20" Ball Extra)	4.00		
8 to 10' (22" Ball Extra)	5.00	4.50	4.00
1¼ to 1½" (24" Ball Extra)	6.00	5.50	5.00
1½ to 2" (26" Ball Extra)	7.75	7.00	6.50
2 to 2½" (28" Ball Extra)	10.00	9.00	8.00
2 to 2½" (28" Ball Extra) 2½ to 3" (32" Ball Extra)	12.50	11.00	10.00
3 to 3½" (35" Ball Extra)	16.00	14.00	12.50
3½ to 4" (38" Ball Extra)	20.00	18.00	
CORNUS—florida. White Flowering Dogwood—		20.00	
COMNOS—norida. Write Flowering Dogwood—		1.00	20
2 to 3' (12" Ball)	1.25	1.00	.80
3 to 4' (13" Ball)	1.60	1.35	1.10
4 to 5' (14" Ball)	2.25	2.00	1.75
5 to 6' (15" Ball)	3.10	2.75	2.50
6 to 8' (17" Ball)	5.00	4.50	4.00
8 to 10' (19" Ball)	7.25	6.50	6.00
10 to 12' (22" Ball)	11.50	10.00	9.00
florida rubra. Redflowering Dogwood-20'			
norida rubra. Reajiowering Dogwood—20	1 50	1.05	1.00
1½ to 2′ (11″ Ball)	1.50	1.25	1.00
2 to 3' (12" Ball)	1.75	1.50	1.25
3 to 4' (13" Ball)	2.35	2.10	1.85
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	5.00	4.50	4.00
6 to 8' (18" Ball)	6.25	5.50	5.00
8 to 10' (22" Ball)	9.00	8.00	
10 to 12' (26" Ball)	13.50	12.00	
	10.00	22.00	
kousa. Kousa Dogwood—18'	0.50		
5 to 6' (15" Ball Extra)	2.50	2.25	
6 to 8' (17" Ball Extra)		2.75	
8 to 10' (20" Ball Extra)	4.50	4.00	

							1 Each	5 Each	25 Each
\mathbf{CR}	ATAEG	US	3—a	rnold	iana.	Arnold Hawthorn-	-20'		
	6	to	8′	(18'')	Ball	Extra)	\$ 2.75	\$ 2.50	
	8	to	10'	(22'')	Ball	Extra)	3.65	3.25	
	coccine	ea.	Scar			d Hawthorn—20'			
	2	to	3'	(12'')	Ball	Extra)	1.10	.85	\$.70
	3	to	4'	(13"	Ball	Extra)	1.35	1.10	.90
	4	to	5'	(15"	Rall	Extra)	1.60	1.35	1.10
	5	to		(16"	Rall	Extra)	2.00	1.75	1.50
	6	to		(18"	Ball	Extra)	2.00		
	8		10'	(20"	Dall	Extra)	$\frac{2.50}{2.75}$	2.25	2.00
	_			(90"	Dall	Extra)	3.75	3.35	3.00
			12'	(20	Бап	Extra)	5.50	5.00	4.50
	12	to	14'	(30"	Ball	Extra)	8.25	7.50	6.75
						son Fruits—20'			
	2	to		(12'')	Ball	Extra)	1.15	.90	.75
	3	to	4'	(13'')	Ball	Extra	1.50	1.25	1.00
	4	to	5'	(15'')	Ball	Extra)	1.75	1.50	1.25
	5	to	6'	(16'')	Ball	Extra)	2.10	1.85	1.60
	aordata	n 1	Mag.			awthorn—20'			
	2	to	91	(19"	Rall	Extra)	1.10	OF.	70
			3 4'	(12"	Dall	Extra)		.85	.70
	3	to	_	(15"	Dan	Extra)	1.50	1.25	1.00
	4	to	5'	(15	Ball	Extra	1.85	1.60	1.35
	5	to	6'	(17	Ball	Extra)	2.25	2.00	1.75
	6	to	8′	(19"	Ball	Extra	2.75	2.50	2.25
	crusga	lli.	Coc	kspu	r The	orn—20'			
	2	to	3'	(12'')	Ball	Extra)	1.10	.85	.70
	3	to	4'	(13'')	Ball	Extra	1.35	1.10	.90
	4	to	5'	(15"	Ball	Extra	1.75	1.50	1.25
	5	to	6'	(17"	Ball	Extra	2.00	1.75	1.50
	6		* 8′	(19"	Ball	Extra)	2.50	2.25	2.00
	8			(22"	Ball	Extra)	$\frac{2.00}{3.75}$	3.35	3.00
							00	0.00	0.00
	mollis.						4.40	0.5	
	2	to		(12'')	Ball	Extra)	1.10	.85	.70
	- 3	to	4'	(13'')	Ball	Extra	1.35	1.10	.90
	4	to	5'	(15'')	Ball	Extra	1.60	1.35	1.10
	5	to	6'	(16'')	Ball	Extra)	2.00	1.75	1.50
	6	to	8'	(18'')	Ball	Extra)	2.50	2.25	2.00
	8	to	10'			Extra)	3.75	3.35	3.00
	nitida			`					
	nitida	4	0/	(10"	D = 11	Extua)	1 95	1.10	0.0
	2	to				Extra)	1.35		.90
	3	to	4'	(13	Ball	Extra)	1.60	1.35	1.10
	4	to	5'	(15)	Ball	Extra)	2.00	1.75	1.50
	5	to				Extra)	2.35	2.10	1.85
	6	to	-	(Extra)	2.75	2.50	2.25
	oxycan	itha	E	nglish	Har	wthorn—20'	1.00		00
		to	3'	(12'')	Ball	Extra)	1.00		.60
	3	to	4'	(13'')	Ball	Extra)	1.10	.85	.70
	4	to	5'	(15'')	Ball	Extra)	1.50	1.25	1.00
	5	to	6'	(16'')	Ball	Extra)	2.00	1.75	1.50
	Oxycan	the	alk	a nle	na I	Double White Hawth	orn-1	5′	
	4	to	5'	(15"	Rall	Extra)	2.00	1.75	1.50
			0	(10	-				
	oxycan	itha	ro	sea p	lena.	Double Pink Hawt	norn1	.5	4 50
	4	to	5'	(15'')	Ball	Double Pink Hawt Extra)	2.00	1.75	1.50

CRATAEGUS—Continued	1 Each	5 Each	25 Each
oxycantha splendens. Pauls Double Scarlet	Hawthe	orn—15'	
2 to 3' (12" Ball Extra)	\$ 1.00	\$.80	\$.65
3 to 4' (13" Ball Extra)	1.20	.95	.80
4 to 5' (15" Ball Extra)		1.15	1.00
5 to 6' (16" Ball Extra)	. 1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.75	2.50	2.25
8 to 10' (21" Ball Extra)	4.50	4.00	
10 to 12' (24" Ball Extra)	6.25	5.50	
tomentosa. Pear Hawthorn—15'		1 50	1.05
4 to 5' (15" Ball Extra) 5 to 6' (16" Ball Extra)	1.75	$\frac{1.50}{1.75}$	$1.25 \\ 1.50$
		$\frac{1.75}{2.50}$	$\frac{1.50}{2.25}$
6 to 8' (18" Ball Extra)		3.35	3.00
10 to 12' (26" Ball Extra)	5.50	5.00	$\frac{3.00}{4.50}$
12 to 15' (30" Ball Extra)	8.25	7.50	6.75
		*****	00
DIOSPYROS-virginiana. Common Persimmon		1 50	
5 to 6'		1.50	
6 to 8' 8 to 10'		$\frac{2.00}{2.75}$	
8 to 10	4.15	$\frac{2.75}{3.65}$	
1 ½ to 2" 2 to 2½"	5.00	$\frac{3.05}{4.50}$	
2 to 2 72	6.75	6.00	
3 to 3 ½"	9.25	8.25	
	- 0.20	0.20	
FAGUS—americana. American Beech—60' 4 to 5' (16" Ball)	9.95	9.00	
4 to 5' (16" Ball)	3.35 4.25	$\frac{3.00}{3.85}$	3.50
5 to 6' (18" Ball) 6 to 8' (20" Ball)	4.25 5.75	5.25	$\frac{3.50}{4.75}$
8 to 10' (24" Ball)	- 8.00	$\frac{5.25}{7.25}$	$\frac{4.75}{6.50}$
10 to 12' (27" Ball)	10.50	9.50	8.50
sylvatica riversi. Rivers Purple Beech—45		0.00	0.00
2 to 3' (12" Ball)		3.15	
3 to 4' (14" Ball)	4.25	3.85	
4 to 5' (16" Ball)	5.50	5.00	
5 to 6' (18" Ball)	7.25	6.50	
6 to 7' (20" Ball)	8.50	7.50	
7 to 8' (22" Ball)	10.00	9.00	
8 to 10' (26" Ball)		12.00	
10 to 12' (30" Ball)	_ 18.00	16.00	
FRAXINUS—americana. White Ash—60'			
6 to 8'		.95	.75
8 to 10'	_ 1.50	1.25	1.00
1 ½ to 1½"	_ 1.75	1.50	1.25
1½ to 2″ 2 to 2½″	2.50	2.25	2.00
2 to 2 ½ "	_ 3.75	3.35	3.00
2 ½ to 3"	_ 5.50	$5.00 \\ 6.50$	$\frac{4.50}{6.00}$
3 \(\text{1/2} \) to 4"	$\begin{array}{ccc} & 7.25 \\ - & 10.00 \end{array}$	9.00	8.00
	_ 10.00	9.00	0.00
GINKGO—biloba. Maiden Hair Tree—50'			1.50
	2 00	1 1/1	L (i. I
4 to 6'	2.50	$\frac{1.75}{2.25}$	
6 to 8'	2.50	2.25	2.00
6 to 8'	2.50	$2.25 \\ 2.75$	2.00
6 to 8'	2.50	2.25	2.00
6 to 8' 8 to 10' 1 ½ to 1½" 1½ to 1¾" 1¾ to 2"	- 2.50 - 3.10 - 3.75 - 5.00 - 6.25	2.25 2.75 3.35	2.00
6 to 8'	- 2.50 - 3.10 - 3.75 - 5.00 - 6.25	2.25 2.75 3.35 4.50	2.00

	1 Each	5 Each	25 Each
GLEDITSIA-triacanthos. Common Honeylocus	st—60'		
5 to 6'	\$ 1.20	\$.95	\$.75
6 to 8'	1.50	1.25	1.00
9 to 10'	0.00	1.75	1.50
1½ to 2″	3.10	2.75	
1 ½ to 2"	4.50	4.00	
4 72 LO 0	6.00	6.25	
triacanthos inermis. Thornless Honeylocust	50	1.05	1 00
5 to 6'		1.25	1.00
6 to 8'		1.75	1.50
GYMNOCLADUS—dioica. Kentucky Coffee Tr	ee-40'		
4 to 5'		1.25	1.00
5 to 6'	2.00	1.75	
6 to 8'		2.25	
8 to 10'	3.50	3.15	
HICORIA—laciniosa. Shellbark Hickory—75'			
6 to 8'	3.10	2.75	
8 to 10'	4.00	3.65	
JUGLANS-nigra. Black Walnut-80'			
3 to 4'	.75	.50	.40
4 to 6'	1.00	.75	.65
6 to 8'	1.50	1.25	1.00
8 to 10'	2.00	1.75	1.50
1 ½ to 2"	2.75	2.50	
2 to 2 ½ ″	3.75	3.35	
2½ to 3″	5.00	4.50	
KOELREUTARIA—paniculata. Goldenrain Tre	ee—25'		
4 to 5'	1.50	1.25	1.00
5 to 6'	1.75	1.50	1.25
6 to 8'	2.25	2.00	
LARIX—leptolepis. Japanese Larch—45'			
2 to 3' (13" Ball)	2.00	1.75	1.50
3 to 4' (15" Ball)	2.75	2.50	2.25
4 to 5' (16" Ball)	3.75	3.35	3.00
5 to 6' (18" Ball)	4.50	4.00	
LIQUIDAMBER-styraciflua. Sweet Gum 50'			
2 to 21/2"	5.50	5.00	
2 to 2 ½" 2 ½ to 3"	7.75	7.00	
3 to 4"	11.00	10.00	
4 to 5"	17.00	15.00	
5 to 6"	25.00	22.50	
LIRIODENDRON—tulipifera. Tulip Tree—60'			
5 to 6'	1.25	1.00	
6 to 8'	1.65	1.40	
8 to 10'	2.00	1.75	
1 1/4 to 1 1/2"	2.50	2.25	
1 ½ LO Z	3.25	2.90	
2 to 2 ½"	4.75	4.25	
2½ to 3″	7.25	6.50	
3 to 4"	10.00	9.00	
4 to 5"	16.00	14.00	
5 to 6"	42.50	20.00	

	1 Each	5 Each	25 Each
MAGNOLIA—acuminata. Cucumber Tree—70'	0.05	Φ 0.00	
4 to 5' (15" Ball)\$		\$ 2.00	A 0 00
5 to 6' (16" Ball)	3.20	2.85	\$ 2.60
6 to 8' (18" Ball)	4.25	3.85	3.50
8 to 10' (20" Ball)	6.00	5.50	5.00
10 to 12' (22" Ball)	9.00	8.00	
	11.50	10.00	
2 00 2 /2 (20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16.00	14.00	
glauca. Sweet Bay—20'			
2 to 3' (12" Ball)	1.40	1.15	1.00
3 to 4' (14" Ball)	2.35	2.10	1.85
4 to 5' (15" Ball)	3.15	2.80	2.50
5 to 6' (16" Ball)	4.15	3.75	3.40
6 to 8' (18" Ball)	5.50	5.00	4.50
8 to 10' (20" Ball)	8.75	7.75	7.00
kobus—25'			
2 to 3' (12" Ball)	2.25	2.00	1.75
3 to 4' (14" Ball)	2.75	2.50	
soulangeana. Saucer Magnolia-18'			
2 to 3' (12" Ball)	2.50	2.25	2.00
2 to 3' (12" Ball) 3 to 4' (14" Ball)	3.50	3.10	2.75
4 to 5' (15" Ball) 5 to 6' (16" Ball)	5.00	4.50	4.00
5 to 6' (16" Ball)	6.75	6.00	
6 to 7' (18" Ball)	9.25	8.25	
		0.20	
soulangeana nigra. Purple Lily Magnolia—1 2 to 3' (12" Ball)	2.75	2.50	2.25
3 to 4' (14" Ball)	$\frac{2.75}{3.75}$	$\frac{2.30}{3.35}$	$\frac{2.25}{3.00}$
4 to 5' (15" Ball)	5.00	$\frac{3.55}{4.50}$	4.50
5 to 6' (16" Ball)	7.25	6.50	
5 to 6' (16" Ball) 6 to 7' (18" Ball)	9.75	8.75	
	3.10	0.10	
tripetala. Umbrella Magnolia—30'	F 05	4.77	
0 00 0 (20 200)	5.25	4.75	
8 to 10' (24" Ball) 10 to 12 (28" Ball)	6.75	6.00	
10 to 12 (28 Ball)	9.25	8.25	
MALUS—arnoldiana. Arnold Crab—10'			
3 to 4'	1.00	.75	.60
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7'	2.00	1.75	
atrosanguinea. Carmine Crab-12'			
3 to 4'	1.00	.75	.60
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7'	2.00	1.75	
baccata. Siberian Crab—25'			
4 to 5'	1.15	.90	
5 to 6'	1.50	1.25	
6 to 8'	2.00	1.75	
8 to 10'	2.75	2.50	
baccata mandshurica. Manchurian Crab-25'			
3 to 4'	1.00	.75	.60
4 to 5'	1.15	.90	.75
5 to 6'	1.50	1.25	1.00
6 to 7'	2.00	1.75	1.50

MALUS—Continued	1 Each	5 Each	25 Each
coronaria. Wild Sweet Crab. Fragrant blus	sh bloo	m—15′	
3 to 4'	\$.90	\$.65	\$.50
4 to 5'	1.00	.80	.65
5 to 6'	1.25	1.00	.80
6 to 8'	1.60	1.35	1.10
8 to 10'	3.35	3.00	
10 to 12'		4.50	
eleyii. Best red variety—12'			
3 to 4'	.90	.65	.50
4 to 5'		.80	.65
5 to 6'		.95	.80
6 to 8'	1.60	1.35	1.10
8 to 10'		2.50	$\frac{1.10}{2.25}$
10 to 12'		4.00	
floribunda. Japanese Flowering Crab—12'	4.00	4.00	
3 to 4'	0.0	C.E	FO
		.65	.50
4 to 5'		.80	.65
5 to 6'		1.10	.90
6 to 8'		1.75	1.50
halliana parkmani. Parkman Crab-12'		louble, r	
3 to 4'		1.10	.90
4 to 5′		1.50	1.25
5 to 6'		1.85	1.60
6 to 8'	3.10	2.75	
hopa. Red Flowering Crab-12'			
3 to 4'	.85	.60	.45
4 to 5'		.75	.60
5 to 6'		1.00	.85
6 to 8'	1.70	1.45	1.20
8 to 10'		2.50	
10 to 12'		4.00	
ioensis plena. Bechtel Double Pink Crab—1	4'		
1½ to 2'	.60	.45	.35
2 to 3'		.55	.45
3 to 4'	.90	.70	.60
4 to 5'		1.00	.90
5 to 6'		1.75	
	2.00	1.10	
niedzwetzkyana. Redvein Crab—12'	1.35	1.10	.90
5 to 6'		1.10 1.50	1.25
6 to 8'	1.75		
8 to 10'		3.10	2.75
10 to 12'	4.50	4.00	3.65
prunifolia rinki. Chinese Apple-15'	1 05	1 10	
5 to 6'	1.35	1.10	1.05
6 to 8'	1.75	1.50	1.25
8 to 10'	3.50	3.10	2.75
10 to 12'	4.50	4.00	3.65
purpurea. Purple Crab—14'			
5 to 6'	1.10	.90	.80
6 to 8'	1.50	1.25	1.10
8 to 10'	3.50	3.10	2.75
10 to 12'	4.50	4.00	3.65
sargenti. Sargent Crab. Dwarf, pure white	6'		
3 to 4'	1.10	.85	.70
4 to 5'	1.50	1.25	1.00
5 to 6'	2.00	1.75	1.50
8 to 10'	3.75	3.35	
10 to 12'	5.00	4.50	
10 00 12	0.00		

MALUS—Continued scheideckeri. Double rose—12'	1 Each	5 Each	25 Each
3 to 4'	\$.85	\$.60	\$.45
4 to 5'	1.00	.75	.60
5 to 6'	1.35	1.10	.90
6 to 8'	1.75	1.50	1.25
sieboldi. Toringo Crab—15'			
3 to 4'	1.00	.75	.60
4 to 5'	$\frac{1.15}{1.50}$	$\frac{.90}{1.25}$	1.00
5 to 6' 6 to 8'	1.85	1.60	1.35
8 to 10'	3.35	3.00	1.00
10 to 12'	4.50	4.00	
spectabilis fl. pl. Double Chinese Flowering	Crab-	-15'	7.5
4 to 5'	$\frac{1.15}{1.50}$	$\frac{.90}{1.25}$.75
5 to 6' 6 to 8'	$\frac{1.50}{1.90}$	$\frac{1.25}{1.65}$	1.00
8 to 10'	$\frac{1.30}{3.35}$	3.00	
	0.00	0.00	
sublobata. Yellow Autumn Crab—12' 6 to 8'	2.00	1.75	1.50
8 to 10'	$\frac{2.00}{3.50}$	3.10	$\frac{1.50}{2.75}$
10 to 12'	$\frac{3.50}{4.50}$	4.00	$\frac{2.15}{3.65}$
theifera. Tea Crab—18'	1.00	4.00	
3 to 4'	1.15	.90	.75
4 to 5'	1.75	1.25	1.00
5 to 6'	2.00	1.75	1.50
6 to 8'	2.75	$\frac{2.50}{3.65}$	2.25
8 to 10'toringoides. Cutleaf Crab—15'	4.00	5.05	
3 to 4'	1.10	.85	.75
4 to 5'	1.40	1.15	1.00
5 to 6'	1.90	1.65	1.50
6 to 8'	2.75	2.50	2.25
zumi. Zumi Crab—12' 3 to 4'	1.00	O.E.	75
4 to 5'	1.40	$0.85 \\ 1.15$	$\frac{.75}{1.00}$
5 to 6'	1.40 1.90	$1.15 \\ 1.65$	
MORUS—alba globosa. Globe Mulberry—10'	1.00	1.00	
4 year head, 5 to 7'	4.50	4.00	
alba pendula. Tea's Weeping Mulberry—8'	2.00	2100	
3 year headalba tatarica. Russian Mulberry—30'	2.75	2.50	2.25
4 to 6'	.80	.55	.40
6 to 8'	1.00	.75	.60
8 to 10'	1.40	1.15	.90
1 ½ to 2"	1.85	1.60	1.35
2 to 2½"	2.50	2.25	2.00
OXYDENDRUM—arboreum. Andromeda, Sourwood, Sorrel Tree—30'			
2 to 3' (13" Rall Extra)	.90	.65	.50
3 to 4 (15" Ball Extra)	1.15	.90	.75
4 to 5' (16" Ball Extra)	1.50	1.25	1.00
5 to 6' (18" Ball Extra)	2.25	2.00	
6 to 8' (20" Ball Extra) 8 to 10' (24" Ball Extra)	2.75	2.50	2.25
10 to 12' (28" Ball Extra)	4.00 5.50	3.60	3.25
TO TO TE (20 Dan Extra)	5.50	5.00	

	· ILLED, OIII		13
PHELLODENDRON—amurense. Amur	1 Each	5 Each	25 Each
Corktree -50'	0.1.10		
4 to 6'	\$ 1.10	\$.85	\$.65
6 to 8'		1.10	.90
8 to 10'	1.75	1.50	1.25
1½ to 1½"	2.25	2.00	1.75
1 ½ to 2"	2.75	2.50	2.25
2 to 2 ½	4.00	3.60	3.25
Z½ t0 3	6.25	5.50	5.00
3 to 4"	9.25	8.25	7.50
4 to 5"	13.50	12.00	11.00
PLATANUS occidentalis. American Planetree			
6 to 8'	1.25	1.00	05
8 to 10'		1.00 1.35	.85
1 1/4 to 1 1/2"	2.00	$\frac{1.35}{1.75}$	1.10
1½ to 1¾"	2.50	$\frac{1.75}{2.25}$	1.50
1 3/4 to 2"	3.15	$\frac{2.25}{2.80}$	$\frac{2.00}{2.50}$
		4.00	2.50
orientalis. European Sycamore or Plane- 6 to 8'		1.25	1.00
8 to 10'		$\frac{1.25}{1.50}$	$1.00 \\ 1.25$
1¼ to 1½"	2.10	1.85	
174 00 172	2.50		1.65
1½ to 1¾"	3.15	2.25	2.00
1 ¾ to 2"	3.15	2.80	$\frac{2.50}{2.00}$
21/ +0 2"	5.75	3.35	3.00
2 /2 10 3	0.00	5.00	4.50
3 to 3 ½"	10.00	7.25	6.50
5 ½ t0 4	10.00	9.00	8.00
4 to 4 ½" 4 ½ to 5" 5 to 5½"	17.00	12.00	11.00
4 /2 0 5	17.00	15.00	13.50
5 to 5 ½	21.50	19.00	17.00
5½ to 6" 6 to 6½"	26.00 35.00	$\frac{23.00}{30.00}$	
POPULUS		00.00	
alba nivea. Silver Poplar—40'			
6 to 8'	.90	.65	.50
8 to 10'		.95	.75
1 1/4 to 1 1/2"	1.60	1.35	1.10
1½ to 2"	2.50	2.25	2.00
2 to 2½"	3.50	3.10	2.75
bolleana. Bolleana Silver Poplar—50'			
5 to 6'	.80	.55	.40
6 to 8'		.65	.50
		.90	.75
8 to 10' 1 1/4 to 1 1/2 "	1.50	1.25	1.00
1½ to 1¾"	2.10	1.85	1.60
13/ to 9"	2.75	2.50	2.25
2 to 2½"	4.00	3.60	3.25
2 ½ to 3"	5.50	5.00	4.50
2 to 2 ½"	7.75	7.00	6.25
3 ½ to 4"	10.00	9.00	8.00
4 to 41/2"	_ 13.50	12.00	11.00
3 ½ to 4"	17.00	15.00	13.50
5 to 6"	22.50	20.00	18.00
6 to 7"	32.00	28.00	25.00
6 to 7" 7 to 8"	40.00	35.00	

POPULUS—Continued	1 Each	5 Each	25 Each
eugenie. Carolina Poplar—75'			
8 to 10'	.80	\$.55	\$.40
1 ½ to 1 ½ "	1.00	.75	.55
1 ½ to 2"	1.35	1.10	.90
2 to 2½"	2.00	1.75	
2 % to 3"	2.85	2.50	
3 to 4"	4.00	3.60	
maximowiczi. Japanese Poplar—70'			
6 to 8'	1.20	.95	.75
8 to 10'	1.60	1.35	1.10
1½ to 1½"	2.00	1.75	1.50
1 ½ to 2"	2.50	2.25	2.00
2 to 2½"	3.75	3.35	3.00
2½ to 3	5.00	4.50	4.00
niora italica Lombardu Ponlar70'			
4 to 6', (\$160.00 per 1000) 6 to 8', (\$225.00 per 1000) 8 to 10', (\$325.00 per 1000) 1½ to 1½", (\$400.00 per 1000) 1½ to 1¾", (\$550.00 per 1000)	.50	.30	.20
6 to 8'. (\$225.00 per 1000)	.60	.40	.28
8 to 10'. (\$325.00 per 1000)	.70	.50	.38
1 ½ to 1 ½". (\$400.00 per 1000)	.80	.60	.50
1½ to 1¾" (\$550.00 per 1000)	1.10	.85	.70
1 3/2 to 1 /4 , (\$\phi 0 0 0 0 0 0 per 1000) = = = = = = = = = = = = = = = = = =	1.60	1.35	1.10
1 \(\frac{1}{2} \) to 2"	$\frac{1.00}{2.10}$	1.85	1.60
01/ +- 9"	$\frac{2.10}{3.50}$	3.10	2.75
2 ½ t0 3			
3 to 3½"	5.00	4.50	4.00
3 ½ to 4"	6.75	6.00	
4 to 5"	10.00	9.00	
simoni. Simon Poplar-30'	0.0		
6 to 8'	.90	.65	.50
8 to 10'	1.20	.95	.75
1 ½ to 1 ½"	1.50	1.25	1.00
1½ to 1¾"	1.75	1.50	1.25
1 ½ to 2"	2.10	1.85	1.60
2 to 2½"	2.50	2.25	2.00
2 ½ to 3"	3.75	3.35	3.00
3 to 4"	5.50	5.00	4.50
PRUNUS—(See Shrubs for other Prunus).			
americana. American Plum—20'			0.0
3 to 4'	.60	.40	.30
4 to 6'	.70	.50	.40
6 to 7'	.90	.70	.55
americana Newport. Purple-leaved America			0.5
3 to 4'	.65	.45	.35
4 to 5'	.75	.55	.45
5 to 6'	1.00	.75	.60
6 to 8'	1.20	.95	.80
8 to 10'	1.75	1.50	1.25
blireiana—15'. A fine new variety with purple tinted foliage and semi-double apple-blossom-pink flowers.			
4 to 5'	1.35	1.10	.90
cerasifera pissardi nigra. Deepest purple—		0	
4 to 5'	.80	.60	.50
5 to 6'	1.10	.85	.70
6 to 8'	1.50	1.25	1.00
V VV U	1.00	1.40	1.00

PRUNUS—Continued	1 Each	5 Each	25 Each
cistina. Hansen's Purpleleaf Plum-6'		1:	
A semi-dwarf, very hardy variety wit	h brilli: \$.50		
3 to 4'	ф .50 .60	\$.38 .45	\$.28 .35
4 to 5'	.75	.55	.45
5 to 6'	1.00	.80	.65
6 to 7'	1.50	1.25	1.00
Othello. Purpleleaf Plum—12'			
4 to 5'	.75	.55	.45
5 to 6'	1.00	.75	.60
6 to 8'	1.25	1.00	.80
padus. European Bird Cherry—30'			
4 to 5'	.75	.50	
5 to 6'		.60	
6 to 8'	1.10	.85	
pennsylvanica. Pin Cherry—25'			
6 to 8'	1.00	.80	
8 to 10'	1.50	1.25	
serotina. Black Cherry—60'			
4 to 6'	.70	.50	.40
6 to 8'	1.00	.75	.60
8 to 10'	1.25	1.00	.80
subhirtella. Higan Cherry—30'			
5 to 6'	1.75	1.50	
6 to 8'	2.25	2.00	
subhirtella autumnalis. Autumn Flowering			
Higan Cherry—25'			
5 to 6'	3.75	3.35	3.00
subhirtella pendula. Weeping Shidare-higan			
2 year head	3.00	2.75	2.50
4 year head, specimens	6.25	5.50	
6 year head, specimens	11.00	10.00	
subhirtella pendula fl. pl. Double Weeping Shidare-higan Cherry. 12'. Beautiful			
double dark pink flowers.			
4 year head, specimens.	7.25	6.50	
virginiana. Common Chokecherry—30'	***	0,00	
3 to 4'	.60	.40	.30
4 to 5'	.75	.50	.40
5 to 6'	.90	.65	.50
6 to 8'	1.00	.75	.60
JAPANESE DOUBLE FLOWERING	CHER	RIES	
Prices following varieties:			
	1 Each	5 Each	25 Each
3 to 4'	\$ 1.10	\$.85	\$.75
4 to 5'	1.40	1.15	1.00
5 to 6'	1.75	1.50	1.25
6 to 8'	2.10	1.85	1.60
8 to 10'	3.35	3.00	

fugenzo. Kofugen. James H. Veitch—30'. Double pink. sekiyama. Kwanzan Cherry—30'. Double dark pink. sieboldi. Naden. Siebold Cherry—30'. Double pink.

Japanese Flowering Cherries NEWER AND FINER VARIETIES

			1 Each	5 Each	25 Each
3	to	4'	1.25	\$ 1.00	\$.90
4	to	5'	1.65	1.40	1.20
5	to	6'	2.00	1.75	1.50
6	to	8'	2.50	2.25	2.00
8	to	10'	3.60	3.25	

Amanagawa-Semi-double pale pink.

Horinjii-Double pale pink.

Ichiyo-Double pink.

Ojochin-Semi-double pink.

Senriko-Semi-double pale pink.

Shirofugen—Double light pink. Shirotae—Mount Fuji—25' Double White.

Shogetsu-Double pink. Takinioi-Single white.

Ukon-Double tea colored.

Okon-Double tea colored.			
PTELEA—trifoliata. Common Hoptree—25'	1 Each	5 Each	25 Each
2 to 3'	8 .60	\$.40	\$.30
3 to 4'		.50	.40
4 to 5'	.90	.65	.50
1 00 0		.00	.00
QUERCUS—coccinea. Scarlet Oak—75'			
4 to 6'	1.50	1.25	1.00
6 to 8'	2.10	1.85	1.60
8 to 10'	3.50	3.10	2.75
1½ to 2"	4.75	4.25	
2 to 2 1/6"	6.75	6.00	
2 ½ to 3"	10.00	9.00	
3 to 3½"	14.50	13.00	
3½ to 4″	19.00	17.00	
4 to 4½"	25.00	22.50	
Manage 75'			
macrocarpa. <i>Mossy-cup</i> —75' 1½ to 1¾"	4.00	0.05	3.25
	$\frac{4.00}{5.00}$	$\frac{3.65}{4.50}$	$\frac{3.25}{4.00}$
1 ¾ to 2"	6.25	$\frac{4.50}{5.50}$	$\frac{4.00}{5.00}$
2 to 2½" 2½ to 3"	8.25	$\frac{5.50}{7.50}$	5.00
4 72 10 0	0.29	7.50	
palustris. Pin Oak—75'			
5 to 6'	-1.15	.90	.75
6 to 8'	1.50	1.25	1.00
8 to 10'	2.00	1.75	1.50
1 ¼ to 1 ½"	2.40	2.15	1.90
1½ to 1¾"	2.90	2.65	2.40
1 3/4 to 2"	3.65	3.25	2.90
2 to 2½"	4.25	3.85	3.50
2½ to 3″	5.50	5.00	4.50
2 to 2½"	7.00	6.25	5.75
$3\frac{1}{2}$ to $4''$	9.25	8.25	7.50
4 to 5"	13.50	12.00	11.00
5 to 6"	20.00	18.00	16.00
6 to 7"	28.00	25.00	22.00

QUERCUS—Continued	1 Each	5 Each	25 Eac
robur. English Oak—70'			
robur. English Oak—70' 2 to 2½"	-\$ 5.50	\$ 5.00	\$ 4.5
2½ to 3″ 3 to 3½″	7.50	6.75	6.0
3 to 3 ½ "	_ 10.00	9.00	8.0
3½ to 4"	$_{-}$ 13.50	12.00	11.0
4 to 5"	18.00	16.00	14.0
5 to 6"	22.50	20.00	18.0
6 to 7'	27.50	25.00	22.5
robur fastigiata. Pyramidal English Oak-	-60'		
3 to 4'		3.00	
rubra. Red Oak—75'	- 0.00	0.00	
4 to 6'	_ 1.50	1.25	1.0
6 to 8'		1.75	1.5
8 to 10'	-2.50	2.25	2.0
1 ½ to 1 ½ "	-3.50	3.10	2.7
1 ½ to 1½"	-4.25	3.85	
1 ¾ to 2" 2 to 2 ½" 2 ½ to 3"	5.00	4.50	
2 to 2½"	_ 6.75	6.00	
2 1/2 to 3"	8.50	7.50	
2 to 21/2"	11.00	10.00	
3 to 3 ½"	16.00	14.00	
0 72 10 4	16.00		
4 to 5"	$_{-}$ 22.50	20.00	
5 to 6"	_ 30.00	27.00	
6 to 7"	_ 40.00	35.00	
OBINIA—pseudoacacia. Common Locust—55	,		
6 to 8'		.60	
8 to 10'	_ 1.20	.95	
1 ¼ to 1 ½"	_ 1.50	1.25	1.0
1 7/2 to 2	_ 2.00	1.75	1.5
1½ to 2"	$_{-}$ 2.75	2.50	2.2
2 to 2½"	_ 4.00	3.60	3.2
SALISBURIA—(See Ginkgo)			
SALIX alba. White Willow—50'			
6 to 8'	_ 1.10	.85	.'
		1 0 5	
8 to 10'	$_{-}$ 1.50	1.25	1.0
8 to 10'	$\begin{array}{ccc} - & 1.50 \\ - & 1.85 \end{array}$	$\frac{1.25}{1.60}$	
8 to 10'	_ 1.50 _ 1.85 _ 2.15	1.60	1.
8 to 10'	_ 1.50 _ 1.85 _ 2.15 _ 2.50	$\frac{1.60}{1.90}$	1.
8 to 10'	$_{-}$ 2.50	1.60	1.
8 to 10'	_ 2.50	1.60 1.90 2.25	1.5
8 to 10'	90	1.60 1.90 2.25	1.3
8 to 10'	.90 90 _ 1.15	1.60 1.90 2.25 .65 .90	1.:
8 to 10'	90 - 1.15 - 1.50	1.60 1.90 2.25 .65 .90 1.25	1.3
8 to 10'	90 _ 1.15 _ 1.50 _ 2.15	1.60 1.90 2.25 .65 .90 1.25 1.90	1.:
8 to 10'	90 _ 1.15 _ 1.50 _ 2.15	1.60 1.90 2.25 .65 .90 1.25	1.:
8 to 10'	90 _ 1.15 _ 1.50 _ 2.15	1.60 1.90 2.25 .65 .90 1.25 1.90	1.:
8 to 10'	2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50	1.:
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25	1.:
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60	1.:
8 to 10'	90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00 - 11.00	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.3 1.4 1.4 2.3
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00 - 11.00	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.: 1.: 1.: 2.: 3.:
8 to 10'	2.50 2.90 1.15 1.50 2.15 2.75 4.00 8.00 11.00 85 1.10	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.: 1.: 1.: 2.: 3.:
8 to 10'	2.50 2.90 1.15 1.50 2.15 2.75 4.00 8.00 11.00 85 1.10	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.3 1.4 1.4 2.3 3.5 1.4
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00 - 11.00 85 - 1.10 - 1.50 - 2.10	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.: 1.0 1.0 2.: 3.: 1.0
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00 - 11.00 85 - 1.10 - 1.50 - 2.10	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00 .60 .85 1.25 1.85 2.25	1.: 1.0 1.0 1.0 2.: 3.: 1.0 1.1 1.1 2.:
8 to 10'	- 2.50 90 - 1.15 - 1.50 - 2.15 - 2.75 - 4.00 - 8.00 - 11.00 85 - 1.10 - 1.50 - 2.10	1.60 1.90 2.25 .65 .90 1.25 1.90 2.50 3.60 7.25 10.00	1.0 1.3 1.0 1.0 2.2 3.5 1.0 1.0 1.0 2.3 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3

(For Other Willow See Shrub Section)

SALIX—Continued	1 Each	5 Each	25 Each
matsudana tortuosa. Marcel or Corkscrew V	Villow-	-22'	
4 to 5'	\$ 1.10	\$.85	\$.65
5 to 6'	1.50	1.25	1.00
5 to 6' 6 to 8'	1.85	1.60	1.35
8 to 10'	2.35	2.10	1.85
Niobe. Golden Weeping Willow-50'			
6 to 8'	90	.65	.55
8 to 10'	1.15	.90	.75
11/ 1 11/ 11	1 60	1.35	1.10
1 ½ to 1 ½ 1 ½ to 2" (\$1500.00 per 1000) 2 to 2 ½" (\$1900.00 per 1000) 2 ½ to 3" 3 to 3 ½" 3 ½ to 4" 4 to 4 ½"	2.25	2.00	1.75
2 to 21/2" (\$1000.00 per 1000)	2.75	$\frac{2.50}{2.50}$	2.25
2 to 2 72 (\$1300.00 per 1000) =======	4.00	$\frac{2.50}{3.60}$	3.25
2 72 10 0	5.50	5.00	$\frac{3.25}{4.50}$
5 to 5 ½	7.50	6.75	6.00
5 ½ t0 4	10.00	9.00	
4 to 4 ½	10.00		
regalis. Royal Willow—Beautiful silver fo	liage— 5	35'	
8 to 10', Shrub form	1.85	1.60	1.35
salamoni. Salamon Weeping Willow-50'			
8 to 10'	1.60	1.35	1.10
1 1/4 to 1 1/6"	1.90	1.65	1.40
1½ to 2"	2.50	2.25	2.00
1 ½ to 2" 2 to 2½" 2 ½ to 3" 3 to 3½"	3.50	3.10	2.75
2½ to 3"	4.50	4.00	3.65
3 to 3 1/4"	6.75	6.00	
vitellina. Golden-barked Willow—40'	. 0.10	0.00	
6 to 8'	.90	.65	.50
8 to 10'	1.15	.90	.75
8 to 10'	1.35	1.10	.90
1 ½ to 2 ½	1.75	1.50	1.25
0 +0 01/"	2.40	$\frac{1.50}{2.15}$	1.20
2 ½ to 3"	3.60	$\frac{2.15}{3.25}$	
2 72 to 0	. 5.00	5.45	
SORBUS—aucuparia. European Mt. Ash—30'			
6 to 8'	1.50	1.25	1.00
8 to 10'	1.75	1.50	1.25
1 ½ to 1½"	2.25	2.00	1.75
1½ to 2"	3.35	3.00	2.65
2 to 2½"	4.50	4.00	
aucuparia pendula. Weeping Mountain-Ash	—12'		
5 year head, specimens	6.25	5.50	
quercifolia. Oak-leaf Mountain Ash—25'		0.00	
6 to 8'	2.00	1.75	1.50
8 to 10'	2.50	2.25	
		2.20	
TAXODIUM—distichum. Common Baldcypress	80'		
2 to 3' (13" Ball)	2.00	1.75	1.50
3 to 4' (15" Ball)	2.50	2.25	
4 to 5' (17" Ball)	3.35	3.00	
TILIA—americana. American Linden—80'		4.05	
8 to 10'	1.50	1.25	
8 to 10'	2.10	1.85	1.65
1 3/4 to 2"	2.50	2.25	2.00
2 to 2½"	3.15	2.80	2.50
2½ to 3"	4.00	3.60	3.25
3 to 3½"	5.50	5.00	4.50
3½ to 4″	8.75	7.75	7.00
4 to 5"	15.50	13.50	12.00
5 to 6"	22.00	19.00	

Cordata				
6 to 8"	TILIA—Continued	1 Each	5 Each	25 Each
8 to 10'	cordata. Littleleaf European Linden—70'	A 4 0 W		
1½ to 2"				
2½ to 3"	8 to 10	2.35		
2½ to 3"	1 ½ to 2"	3.75		3.00
3 to 3 ½ " 12.50 11.00	2 to 2½"	5.50		
3 ½ to 4"	2½ to 3"			
platyphyllos. Bigleaf European Linden—75' 2 to 2 ½" — 3.75 3.35 3.00 2 ½ to 3" — 5.00 4.50 4.00 3 to 3 ½ " — 7.25 6.50 5.75 3 ½ to 4" — 10.00 9.00 8.00 4 to 5" — 16.00 14.00 12.50 vulgaris. Common European Linden—60' 6 to 8' — 1.50 1.25 1.00 2 ½ to 3" — 3.00 2.75 2 to 2 ½" — 4.00 3.60 2 ½ to 3" — 5.50 5.00 — 2.33 3 ½ to 4" — 12.50 11.00 4 to 5" — 20.00 18.00 5 to 6" — 30.00 25.00 ULMUS—americana. White or American Elm—80' 6 to 8' — 95 .70 8 to 10' — 1.20 .95 .75 1¼ to 1½" — 1.40 1.15 .90 1½ to 1¾" — 1.65 1.40 1.15 1¾ to 2" — 2.10 1.85 1.60 2 to 2½" — 2.50 2.25 2.00 3 ½ to 3" — 3.75 3.35 3.00 3 to 3½ — 5.00 4.50 4.00 3 ½ to 4" — 1.50 1.20 9.5 .75 5 to 6" — 3.00 3.75 5 to 6" — 3.75	3 to 3½"	12.50	11.00	
2 to 2 ½ "			15.00	
2 to 2 ½ "	platyphyllos. Bigleaf European Linden—75	i'		
3 to 3½" 7.25 6.50 5.75 3½ to 4" 10.00 9.00 8.00 4 to 5" 16.00 14.00 12.50 vulgaris. Common European Linden—60' 6 to 8' 1.50 1.25 1.00 1½ to 2" 3.00 2.75 2 to 2½" 4.00 3.60 2.75 3½ to 4" 12.50 11.00 4.00 3.00 3½ to 4" 12.50 11.00 2.00 18.00 5 to 6" 30.00 25.00 ULMUS—americana. White or American Elm—80' 6 to 8' 95 75 1¼ to 1½" 1.40 1.15 9.0 1½ to 1½" 1.40 1.15 9.0 1½ to 1¾" 1.65 1.40 1.15 1¾ to 2" 2.50 2.25 2.00 2½ to 3" 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	2 to 2 ½"	3.75	3.35	3.00
3 to 3½" 7.25 6.50 5.75 3½ to 4" 10.00 9.00 8.00 4 to 5" 16.00 14.00 12.50 vulgaris. Common European Linden—60' 6 to 8' 1.50 1.25 1.00 1½ to 2" 3.00 2.75 2 to 2½" 4.00 3.60 2.75 3½ to 4" 12.50 11.00 4.00 3.00 3½ to 4" 12.50 11.00 2.00 18.00 5 to 6" 30.00 25.00 ULMUS—americana. White or American Elm—80' 6 to 8' 95 75 1¼ to 1½" 1.40 1.15 9.0 1½ to 1½" 1.40 1.15 9.0 1½ to 1¾" 1.65 1.40 1.15 1¾ to 2" 2.50 2.25 2.00 2½ to 3" 3.50 3.50 3.50 3.50 3.50 3.50 3.50 3.50	2½ to 3"	5.00		
Valuaris. Common European Linden—60' 6 to 8' 1.50 1.25 1.00 1.250 1.12 1.00 1.250 1.12 1.00 1.250 1.12 1.00 1.250 1.12 1.00 1.250 1.12 1.00 1.250 1.12 1.00 1.250 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25 1.25 1.00 1.25	3 to 31/2"	7.25		
4 to 5" 16.00 14.00 12.50 vulgaris. Common European Linden—60' 1.50 1.25 1.00 1½ to 2" 3.00 2.75 2.00 2 to 2½" 4.00 3.60 2.2½ 2 to 3" 5.50 5.00 5.00 5.00 3 to 3½" 8.00 7.25 5.00 <td>31/2 to 4"</td> <td>10.00</td> <td></td> <td></td>	31/2 to 4"	10.00		
vulgaris. Common European Linden—60' 6 to 8' 1.50 1.25 1.00 1½ to 2" 3.00 2.75 2.00 3.60 2.275 2 to 2½" 4.00 3.60<				
6 to 8'		10.00	14.00	12.00
2 to 2 ½ "	vulgaris. Common European Linden-60	4 50		
2 to 2 ½ "	6 to 8	1.50	1.25	1.00
2½ to 3" 5.50 5.00 3 to 3½" 8.00 7.25 3½ to 4" 12.50 11.00 4 to 5" 20.00 18.00 5 to 6" 30.00 25.00 ULMUS—americana. White or American Elm—80' 6 to 8' 95 .70 .50 8 to 10' 1.20 .95 .75 1¼ to 1½" 1.40 1.15 .90 1½ to 1¾" 1.65 1.40 1.15 1¾ to 2" 2.10 1.85 1.60 2 to 2½" 2.50 2.25 2.00 2½ to 3" 3.75 3.35 3.00 3½ to 4" 6.75 6.00 5.50 4 to 5" 9.50 8.50 7.75 5 to 6" 15.50 13.50 12.00 americana urni—Vase-Shaped Elm—60' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1¼ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¼ to 2" 2.75 2	1 ½ to 2"	3.00		
3 to 3½" 8.00 7.25 3½ to 4" 12.50 11.00 4 to 5" 20.00 18.00 5 to 6" 30.00 25.00 ULMUS—americana. White or American Elm—80' 6 to 8' 95 .70 .50 8 to 10' 1.20 .95 .75 1¼ to 1½" 1.40 1.15 .90 1½ to 1¾" 1.65 1.40 1.15 1½ to 1¾" 1.65 1.40 1.15 1½ to 3" 3.75 3.35 3.00 2½ to 3" 3.75 3.35 3.00 3½ to 4" 6.75 6.00 5.50 4 to 5" 9.50 8.50 7.75 5 to 6" 15.50 13.50 12.00 6 to 7" 23.00 20.00 americana urni—Vase-Shaped Elm—60' 6 to 8' 1.20 .95 .75 3 to 1¾" 2.25 2.00 1.75 1¼ to 1½" 1.75 1.50 1.25 2½ to 3" 3.75 3.35 3.00	2 to 2½"	4.00		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2½ to 3″	5.50	5.00	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 to 3½"	8.00	7.25	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3½ to 4″	12.50	11.00	
ULMUS—americana. White or American Elm—80' 6 to 8'	4 to 5"	20.00	18.00	
ULMUS—americana. White or American Elm—80' 6 to 8'	5 to 6"	30.00	25.00	
6 to 8'				
8 to 10' 1.20 .95 .75 1½ to 1½" 1.40 1.15 .90 1½ to 1¾" 1.65 1.40 1.15 1¼ to 2" 2.10 1.85 1.60 2 to 2½" 2.50 2.25 2.00 2½ to 3" 3.75 3.35 3.00 3 to 3½ 5.00 4.50 4.00 3½ to 4" 6.75 6.00 5.50 4 to 5" 9.50 8.50 7.75 5 to 6" 15.50 13.50 12.00 6 to 7" 23.00 20.00 americana urni—Vase-Shaped Elm—60' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1¼ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¼ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' <td></td> <td></td> <td>70</td> <td>F0</td>			70	F0
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0 to 8	95		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	8 to 10	. 1.20		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 ½ to 1 ½	1.40		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1½ to 1¾	1.65		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 % to 2"	2.10		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 2½"	2.50		
3½ to 4" 6.75 6.00 5.50 4 to 5" 9.50 8.50 7.75 5 to 6" 15.50 13.50 12.00 6 to 7" 23.00 20.00 20.00 americana urni—Vase-Shaped Elm—60' 6 to 8' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1½ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1¼ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1½ to 1¾" 2.25 2.00 1.75 1½ to 2" 1.75 1.50 1.25 1½ to 3" 3.75 3.35 3.00	2½ to 3″	. 3.75		
4 to 5" 9.50 8.50 7.75 5 to 6" 15.50 13.50 12.00 6 to 7" 23.00 20.00	3 to 3½	5.00	4.50	
6 to 7" americana urni—Vase-Shaped Elm—60' 6 to 8' 8 to 10' 1.35 1.10 90 1.4 to 1½" 1.75 1.50 1.25 2.25 2.00 1.75 1.34 to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3 to 3½" americana moline. Moline Elm—90' 6 to 8' 8 to 10' 1.35 1.10 90 1.75 1.50 1.25 1.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 3.75 3.80 7.25 americana moline. Moline Elm—90' 6 to 8' 8 to 10' 1.35 1.10 90 1.4 to 1½" 1.75 1.50 1.25 1.4 to 1¾" 2.25 2.00 1.75 1.4 to 2" 2.75 2.50 2.25 2.00 1.75 1.35 1.20 3.75 3.85 3.00 3.42 3.75 3.85 3.00 3.50 3.50 4.50 3.50 3.50 4.50 3.50	3½ to 4"	6.75		5.50
6 to 7" americana urni—Vase-Shaped Elm—60' 6 to 8' 8 to 10' 1.35 1.10 90 1.4 to 1½" 1.75 1.50 1.25 2.25 2.00 1.75 1.34 to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3 to 3½" americana moline. Moline Elm—90' 6 to 8' 8 to 10' 1.35 1.10 90 1.75 1.50 1.25 1.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 2.25 2.50 3.75 3.80 7.25 americana moline. Moline Elm—90' 6 to 8' 8 to 10' 1.35 1.10 90 1.4 to 1½" 1.75 1.50 1.25 1.4 to 1¾" 2.25 2.00 1.75 1.4 to 2" 2.75 2.50 2.25 2.00 1.75 1.35 1.20 3.75 3.85 3.00 3.42 3.75 3.85 3.00 3.50 3.50 4.50 3.50 3.50 4.50 3.50	4 to 5"	9.50	8.50	7.75
americana urni—Vase-Shaped Elm—60' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1½ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1¼ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1½ to 1¾" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.00 4.50 4.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	5 to 6"	15.50	13.50	12.00
6 to 8'.	6 to 7"	23.00	20.00	
6 to 8'.	americana urni—Vase-Shaped Elm—60'			
8 to 10' 1.35 1.10 .90 1½ to 1½" 1.75 1.50 1.25 1½ to 1¼" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' 6 to 8' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1¼ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.00 4.50 4.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00		1.20	.95	.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 to 10'	1.35	1.10	.90
1 ¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1 ¼ to 1½" 1.75 1.50 1.25 1 ½ to 1¾" 2.25 2.00 1.75 1 ¼ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.00 4.50 4.00 3 to 3½" 6.00 5.50 5.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	1¼ to 1½"	1.75	1.50	1.25
1 ¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.50 5.00 5.00 3 to 3½" 8.00 7.25 americana moline. Moline Elm—90' 1.20 .95 .75 8 to 10' 1.35 1.10 .90 1 ¼ to 1½" 1.75 1.50 1.25 1 ½ to 1¾" 2.25 2.00 1.75 1 ¼ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.35 3.00 2½ to 3" 5.00 4.50 4.00 3 to 3½" 6.00 5.50 5.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	1½ to 1¾"	2.25	. 2.00	1.75
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 % to 2"	2.75		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 21/6"	3.75		
americana moline. Moline Elm—90' 6 to 8'	216 to 2"	5.50		0.00
americana moline. Moline Elm—90' 6 to 8'	2 +0 21/2"	8.00		
6 to 8'	amorianna malina Malina Flm 00'	0.00	1.20	
8 to 10'		1 20	95	75
1½ to 1½" 1.75 1.50 1.25 1½ to 1¾" 2.25 2.00 1.75 1¾ to 2" 2.75 2.50 2.25 2 to 2½" 3.75 3.85 3.00 2½ to 3" 5.00 4.50 4.00 3 to 3½" 6.00 5.50 5.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00				.10
1 % to 2" 2.75 2.50 2.25 2 to 2 ½" 3.75 3.35 3.00 2 ½ to 3" 5.00 4.50 4.00 3 to 3 ½" 6.00 5.50 5.00 3 ½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00				
1 % to 2" 2.75 2.50 2.25 2 to 2 ½" 3.75 3.35 3.00 2 ½ to 3" 5.00 4.50 4.00 3 to 3 ½" 6.00 5.50 5.00 3 ½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	1 1/4 to 1 1/2	. 1.75		
2 to 2½" 3.75 3.85 3.00 2½ to 3" 5.00 4.50 4.00 3 to 3½" 6.00 5.50 5.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	1 ½ to 1 ¼	2.25		
2½ to 3" 5.00 4.50 4.00 3 to 3½" 6.00 5.50 5.00 3½ to 4" 8.00 7.25 6.50 4 to 5" 11.00 10.00 9.00	1 % to 2"	2.75		
4 to 5	2 to 2½"	3.75		
4 to 5	2½ to 3″	5.00		
4 to 5	3 to 3½"	6.00		5.00
4 to 5	3 1/2 to 4"	8.00		6.50
5 to 6" 17.00 15.00	4 to 5"	11.00		9.00
	5 to 6"	17.00	15.00	

ULMUS—Continued	1 Each	5 Each	25 Each
campestris. English Cork Elm—80'			
6 to 8' (\$1000.00 per 1000)	\$1.75	\$ 1.50	\$ 1.25
8 to 10' (\$1250.00 per 1000)		1.75	1.50
1 1/4 to 1 1/2" (\$1750.00 per 1000)		2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ " (\$2250.00 per 1000)		2.80	2.50
1 % to 2"		3.35	3.00
2 to 2½"		5.00	4.50
2½ to 3"	_ 8.00	7.25	
glabra camperdowni. Camperdown Elm-			
4 year head, specimens	_ 5.75	5.00	4.50
pumila. Chinese Elm. New—45'			
6 to 8'	_ 1.20	.95	.75
8 to 10'	_ 1.50	1.25	1.00
1 ½ to 1½"	_ 2.00	1.75	1.50
1 ½ to 1 ¾ "	_ 2.50	2.25	2.00
1 % to 2"		2.75	2.50
2 to 2½"	_ 3.75	3.35	3.00
2 ½ to 3"			
3 to 3 ½ "			
3½ to 4"			
4 to 5"			
5 to 6"	_ 22.50		
ZANTHOXYLUM—americanum. Prickly Ash-			
2 to 3'		.35	.25
3 to 4'		.40	.30
4 to 5'		.50	.40
4 10 0	00	.50	.40
and the second s			

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

	-		
	1 Each	5 Each	25 Each
ACANTHOPANAX—pentaphyllum. Five-leaved	Aralio	ι <u>—8</u> ′	
1½ to 2′\$		\$.23	\$.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.55	.45	.40
AMELANCHIER—canadensis. Downy Servicebe	erry—2	25'	
1½ to 2'	.35	.30	.25
2 to 3'	.55	.45	.40
3 to 4'	.75	.65	.55
4 to 5'	1.00	.85	
5 to 6'	1.50	1.25	
AMORPHA—fruiticosa. False Indigo—10'			
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.55	.45	.40
6 to 8'	.75	.60	.50
ALTHEA—(See Hibiscus).			
ARONIA—(Pyrus) arbutifolia. Red Chokeberry	6'		
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.90	.75	

ARONIA—Continued	1 Each	5 Each	25 Each
atropurpurea. Purple Chokeberry-6'	•		
1½ to 2'	\$.30	\$.23	\$.18
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
brilliantissima. Brilliant Chokeberry—6'			
1½ to 2'	.35	.30	.25
2 to 3'	.45	.35	.30
melanocarpa. (nigra). Black Chokeberry-	6'		
1½ to 2'	.30	.23	.18
2 to 3'		.30	.25
3 to 4'		.40	
	•00		
AZALEA—(All Azalea B&B)			
amoena. Dark red—4'			
12 to 15" (10" Ball)	1.50	1.30	
amoena coccinea. Scarlet—3'			
12 to 15" (10" Ball)	1.75	1.50	
calendulacea. Flame Azalea—Yellow—8'	0.00	1 77	1 50
1 ½ 10 ½ (11 Dall)	2.00	1.75	1.50
1½ to 2' (11" Ball) 2 to 3' (12" Ball) 3 to 4' (13" Ball)	$\frac{2.50}{2.75}$	2.25	2.00
5 to 4 (15 Dall)	3.75	3.35	3.00
canescens roseum. Downy Pinxterbloom—6 1½ to 2' (11" Ball)			
1 ½ to 2' (11" Ball)		1.75	1.50
2 to 3' (12" Ball)	2.50	2.25	2.00
gandavensis. Ghent Azalea-5'			
1½ to 2' (12" Ball)	3.10	2.75	
2 to 2½' (13" Ball)	4.15	3.75	
hinodegeri. Carmine Azalea-3'			
8 to 10" (9" Ball)	1.50	1.25	1.00
10 to 12" (10" Ball)	1.65	1.40	1.15
kaempferi. Torch Azalea-4'			
12 to 15" (10" Ball)	1.60	1.35	
15 to 18" (11" Ball)	2.00	1.75	
1½ to 2' (12" Ball)	2.50	2.25	
mollis. Chinese Azalea—3'			
9 to 12" (9" Ball)	1.00	.80	.60
12 to 15" (10" Ball)	1.35	1.10	.90
15 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (13" Ball)	3.50	3.10	2.75
mucronulatum. Dahurian Azalea-5'			
1½ to 2' (12" Ball)	2.25	2.00	
2 to 2½' (13" Ball)	2.75	2.50	
2½ to 3' (14" Ball)	3.35	3.00	
nudiflora. Pinxterbloom			
	2.00	1.75	1.50
1½ to 2' (11" Ball) 2 to 3' (12" Ball)	2.50	2.25	2.00
poukhanensis. Korean Azalea—6'			
19 to 94"	2.50	2.25	2.00
18 to 24" 24 to 30"	$\frac{2.50}{3.75}$	3.35	۵.00
	0.10	0.00	
yodogawa. Deep Lavender—3'	1 75	1.50	1.25
12 to 15" (10" Ball)	$\frac{1.75}{2.10}$	1.85	1.60
15 to 18" (11" Ball) 1½ to 2' (12" Ball)	$\frac{2.10}{2.50}$	2.25	
1 72 to Z (1Z Ball)	2.00	4.40	

	1	Each	5	Each	25]	Each
BENZOIN (Lindera), aestivale, Spicebush-	-10'					
1½ to 2'	\$.25	\$.20	\$.16
2 to 3'		.35		.30		.25
3 to $4'_{}$.50		.40		.35
4 to 5'		.65		.55		.45
BERBERIS						
koreana. Korean Barberry—6' New						~ =
1½ to 2′		.35		.30		.25
2 to 2½'		.45		.35		.30
2½ to 3'		.50		.45		.40
3 to 4'		.70		.60		.50
4 to 5'		.90		.80		.70
5 to 6'		1.40		1.15		1.00
thunbergi. Japanese Barberry—4'	5 E	ach 2		ach		
12 to 15"	\$.10	\$.071	$\frac{1}{2}$.0)6
15 to 18"		.13		.10	.0	-
1½ to 2′		.15		.12	.1	
2 to 2½'		.20		.16	.1	
2½ to 3′		.30		.23	.2	20
thunbergi atropurpurea. Red Leaved Japa	anes	e Bar	$\cdot ber$	ry—4	1'	
12 to 15" 15 to 18"		.13		.10	.0	$17\frac{1}{2}$
15 to 18"		.16		.13	.1	1
1½ to 2'		.22		.17	.1	.5
2 to 2½'		.25		.20	.1	.8
2½ to 3'		.35		.30	.2	25
3 to 4'		.50		.40		
thunbergi erecta-Price, inside Front C		•				
thunbergi minor. Box Barberry—3'						
9 to 12"		.17		.14	.1	2
12 to 15"		.20		.17	.1	15
12 to 15" 15 to 18"		.27		.23	.2	20
1½ to 2'		.35		.30		25
2 to 2½'		.45		.35	.5	30
DEDDEDIG						
BERBERIS—mentorensis.	mı.	D		N.T.	0.0	.
(The Evergreen Barberry)—4'. U. S.						
New. A fine, hardy, practically evergreen	oarb 1 Ea		Eac		e ard Eacl	
licensed to sell. 12 to 15"						
12 10 10	စာ မ	· · ·		25 \$.18	
15 to 18"		55		$27\frac{1}{2}$.20	
1½ to 2′		15		33½	.2	
2 to 2½'		0		$37\frac{1}{2}$.30	
2½ to 3′		0		55	.4	-
3 to 3½'	.0	0	.7	70	.60	o I

BUDDLEIA-alternifolia. 6'

1 Each 5 Each 25 Each

A sensational introduction. Unlike all other "Butterfly Bushes" this variety is Hardy and does not freeze down in the winter. Charming lilac-purple flowers borne on long arching branches. Profuse in flower in early summer. Beautifully distinct foliage.

1	1/2	to 2'\$.25	\$.20	\$.16
		3'	.30	.25	.20
3	to	4'	.35	.30	.25
4	to	5'	.45	.35	.30
5	to	6'	.55	.45	.40

BUDDLEIA—Butterflybush or Summer Lilac	1 Each	5 Each	25 Each
Fortune. Plant Patent No. 206. Clear layend	ler-blue	e. 5'	
2 years, field grown (\$225 per 1000)3 Ile de France. Dark claret-purple.	.35	\$.30	\$.25
Long spikes: free flowering. Vigorous.			
1 year	.20	.16	.12
2 years	.25	.20	.16

New Buddleias

Charming			1
New outstanding PINK Buddleia beari	no thro	nghout	late
summer and autumn, long sprays of lav	render r	ink flov	vore
We like this variety the best of all and re	ecomme	nd it his	rhly
1 Each 5 1	Each 25	Each 250	Each
		.15 \$.12
	25	.10 ¢	.17
Concord. Purplish blue.	20	.20	.11
Dubonnet. Reddish purple; fine improvement	nt on II.	do Enc	maa
Nearest true red introduction to date.	iit on iii	e de Fia	ince.
Price of above new introductions—			
	Each 5	Each 25	Each
	30	.25	.20
z years	90	.40	.20
	1 Each	5 Each	25 Each
CALLICARPA—japonica. Japanese Beautyber	rru—4'		
CALLICARPA—japonica. Japanese Beautybes 2 to 3'	.30	\$.25	\$.20
3 to 4'	45	.35	.30
purpurea. Chinese Beautyberry—5'			
2 to 3'	30	.25	.20
3 to 4'		.30	.25
0 00 1	00	•00	
CALYCANTHUS—floridus. Strawberry Shrub	٠.		
Sweetshrub-5'			
12 to 18"	20	.16	.12
1½ to 2'	30	.23	.18
2 to 3'		.30	.25
CARAGANA-arborescens. Siberian Pea-tree-			
2 to 3'		.23	.18
3 to 4'	35	.30	.25
CEANOTHUS—americanus. Jersey-tea—3'			
	30	.25	.20
2 years		.20	•==0
CEPHALANTHUS—occidentalis. Buttonbush-			
1½ to 2'		.20	.15
2 to 3'	30	.25	.20
3 to 4'		.30	.25
4 to 5'		.40	.32
CERCIS—See Ornamental Trees.			
CHIONANTHUS—virginica. White Fringe—1	.5'		
2 to 3'	50	.40	.35
3 to 4'	60	.50	.45
4 to 5'	85	.75	.65
5 to 6'	_ 1.15	1.00	.90
6 to 8'		1.50	1.35

	1 Each	5 Each	25 Each
CLETHRA—alnifolia. Sweet Pepper Bush—5'	0.00	Φ 00	
12 to 18"	_\$.30	\$.23	\$.18
1½ to 2′		.30	.25
2 to 2½'COLUTEA—arborescens. Common Bladder-sen		.40	.35
2 to 3'	30	.25	.20
2 to 5	40	.33	.28
3 to 4'COMPTONIA—asplenifolia. Sweetfern—3'	40	.00	.40
1½ to 2'	.45	.35	.30
2 to 2½'	.55	.45	.40
CORNUS			• • • •
alba elegantissima. Silverblotch Dogwood-	-6'		
1½ to 2'	.35	.30	.25
2 to 3'	.50	.40	.35
3 to 4'		.50	.45
alba sibirica. Coral Dogwood—8'			
2 to 3'	.30	.22	.17
3 to 4'	.35	.27	.22
4 to 5'		.35	.30
alba spaethi. Golden-leaved Dogwood-6'			
1 ½ to 2'		.30	.25
2 to 3'		.37	.32
3 to 4'	55	.45	.40
alternifolia. Pagoda Dogwood—18'			
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'		.60	.50
5 to 6'	.95	.80	.70
amomum (sericea). Silky Dogwood—8'	20	99	10
2 to 3'3 to 4'		.23 .30	.18 .25
4 to 5'		.35	.30
baileyi. Bailey Dogwood—10'	40	.66.	.50
2 to 3'	.30	.25	.20
3 to 4'		.30	.25
4 to 5'		.40	.32
florida—See Ornamental Trees.	00	•=0	.02
kousa—See Ornamental Trees.			
mas. Cornelian-cherry—20' 2 to 3'	70	0.0	F0
		.60	.50
3 to 4'paniculata. Gray Dogwood—12'	1.00	.85	
1½ to 2'	.25	.20	.14
2 to 3'		.23	.18
3 to 4'		.30	.25
4 to 5'		.40	.25
5 to 6'		.60	.50
6 to 8'		.90	.80
sanguinea. Bloodtwig Dogwood-10'	1.00		.00
1½ to 2'	.25	.20	.14
2 to 3'	.30	.22	.17
3 to 4'	.35	.27	.22
. 4 to 5'	.45	.35	.30
5 to 6'	.55	.45	.40

Secure a supply of Truehedge Columnberry. America's Greatest Plant Sensation.

cornus—Continued stolonifera. Red-osier Dogwood—10'	1 Each	5 Each	25 Each
2 to 3'	\$.30	e 00	0 17
3 to 4'		\$.22	\$.17
4 to 5'		.27	.22
5 to 6'		.35	.30
6 to 8'	$.50 \\ .75$.40	.35
6 to 8'stolonifera flaviramea. Goldentwig Dogwood	.10	.60	.50
1½ to 2'	20	99	10
2 to 3'		.23	.18
3 to 4'		.27	.22
CORYLUS—americana. American Hazelnut—		.35	.30
1½ to 2'		.30	.25
2 to 3'		.35	
3 to 4'			.30
4 to 5'		.45	
	.75	.60	.50
avellana. Filbert—15'	4.05		
6 to 8', Specimens		1.00	.90
8 to 10', Specimens	1.60	1.35	1.15
COTONEASTER			
acutifolia. Peking Cotoneaster—10'			
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
adpressa. Creeping Cotoneaster—2'			
9 to 12" (9" Ball)	.95	.75	.60
12 to 15" (10" Ball)	1.35	1.10	.90
15 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (13" Ball)	3.10	$\frac{2.75}{2.75}$	
bullata. Bigleaf Cotoneaster—6'	3,1		
3 to4' (14" Ball)	1.75	1.50	1.25
4 to 5' (15" Ball)	2.25	2.00	1.75
dielsiana. Diels Cotoneaster—6'	2.20	2.00	2.10
1½ to 2' (11" Ball)	1.15	.90	.75
		1.25	1.00
2 to 3' (13" Ball)	1.50	1.20	1.00
divaricata. Spreading Cotoneaster-6'	1 10	05	70
1½ to 2' (11" Ball)	1.10	.85	.70
2 to 3' (13" Ball)	1.35	1.10	.90
3 to 4' (14" Ball)	1.65	1.40	1.15
4 to 5' (15" Ball)	2.25	2.00	1.75
foveolata—10'			
1½ to 2' (11" Ball)	1.15	.90	.75
2 to 2½' (13" Ball)	1.50	1.25	1.00
horizontalis. Rock Cotoneaster—3'			
9 to 12", 5" Pots	.85	.60	.50
12 to 15" (10" Ball)	1.15	.90	.75
15 to 18" (11" Ball)	1.40	1.15	1.00
1½ to 2' (12" Ball)	1.75	1.50	1.25
2 to 2½' (13" Ball)	2.25	2.00	1.75
hupehensis. Hupeh Cotoneaster—6'			
1½ to 2' (11" Ball)	1.25	1.00	.85
2 to 3' (13" Ball)	1.65	1.40	1.15
integerrima. European Cotoneaster—4'	_,00	2,20	
1½ to 2' (11" Ball)	1.25	1.00	.85
2 to 3' (13" Ball)		1.40	1.15
2 (0) (10 Dail)			

20 , , , , , , , , , , , , , , , , , , ,			
COTONEASTER—Continued	1 Each	5 Each	25 Each
rogersiana			
Fine New Variety Glossy foliage; masses	of brilli	ant fru	its.
10 to 12" (9" Ball)\$	1.25	\$ 1.00	\$.85
12 to 15" (10" Ball)	1.60	1.35	1.10
15 to 18" (11" Ball)	1.85	1.60	1.35
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (14" Ball)	2.75	2.50	2.25
salicifolia. Willowleaf Cotoneaster-8'			
1½ to 2' (11" Ball)	_ 2.00	1.75	1.50
CRATAEGUS—See Ornamental Trees.			
CYDONIA—japonica. Japan Quince—5'			
1½ to 2'	30	.23	.18
2 to 2½'		.30	.25
japonica pygmea. Dwarf Japan Quince—8	- 	.00	.20
12 to 18"	30	.25	.20
		.30	
1½ to 2′	55	.50	.25
maulei. Lesser Flowering Quince—5'	9.0	95	0.0
1½ to 2′	30	.25	.20
2 to 2½'	45	.35	.28
DAPHNE—mezereum. February Daphne—4'			
12 to 15" (9" Ball)	_ 1.00	.80	.65
15 to 18" (10" Ball)	_ 1.25	1.00	.80
1½ to 2' (12" Ball)	$_{-}$ 1.75	1.50	
DEUTZIA—gracilis. Stender Deutzia—3'			
12 to 15" 15 to 18"	25	.20	.16
15 to 18"	30	.25	.20
1½ to 2'	35	.30	.25
2 to 2½'		.40	.35
gracilis rosea. Rose Panicle Deutzia-4'			•••
1½ to 2'	35	.30	.25
2 to 21/6'	50	.40	.35
2 to 2½'	60	.50	.40
3 to 31/6'	70	.60	.50
3 to $3\frac{1}{2}$ 'lemoinei. Dwarf White—5'		.00	.00
19 to 18"	25	.20	1.4
12 to 18" 1 ½ to 2'	20		.14
		.23	.18
2 to 2½'	35	.30	.25
magnifica. Beautiful Double White—7'	9.0	25	4.0
2 to 3'		.25	.18
3 to 4'		.30	.25
4 to 5'		.40	.35
5 to 6'	65	.55	.45
scabra candidissima. Snowflake Deutzia—	9'		
2 to 3'	30	.23	.18
3 to 4'	35	.30	.25
4 to 5'	45	.35	.30
5 to 6'	.60	.50	.40
scabra crenata rosea. Scallop-leaf Deutzia	7'		
2 to 3'	30	.23	.18
3 to 4'		.30	.25
4 to 5'	35 45	.35	.30
5 to 6'	60	.50	.40
scabra. Pride of Rochester. Double Pink—	00	.50	.40
2 to 3'		0.0	4 =
		.22	.17
3 to 4'	35	.27	.22
4 to 5'	40	.33	.28
5 to 6'	60	.50	.40
DESMODIUM—penduliflorum. (See Lespedeza	a).		

	4 73 1		
DIEDNIII I A	1 Each	5 Each	25 Each
DIERVILLA—sessilifolia. Southern Bush-hon			
1½ to 2'		\$.23	\$.18
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
ELEAGNUS-angustifolia. Russian Olive-15	,		
2 to 3'		.22	.17
3 to 4'		.27	.22
4 to 5'		.33	.28
5 to 6'	.50	.40	.35
6 to 8'	75	.60	.50
8 to 10'	1.40	1.15	.90
umbellata. Autumn Eleagnus—12'			***
2 to 3'	35	.30	.25
3 to 4'		.40	.35
4 to 5'		.55	.45
5 to 6'		.75	.65
ELSHOLTZIA—stauntoni	00	.10	.00
2 years	.45	.35	.30
ENKIANTHUS—campanulatus. Redvein Enkie	±0	–15′	.00.
1½ to 2' (11" Ball)		1.75	1.50
campanulatus rubus.	2.00	1.70	1.50
	0.00	1.77	1 50
1½ to 2' (11" Ball)	2.00	1.75	1.50
EUONYMUS— alatus. Winged Euonymus—8'			
1½ to 2'	55	.45	.40
2 to 3'	80	.70	.60
3 to 4'	. 1.10	.95	.85
alatus compacta, New, Compact, dwarf—5'			
12 to 18"1½ to 2'	.55	.45	.40
1 ½ to 2'	.80	.70	.60
2 to 2½'	1.15	1.00	.90
americanus. Brook Euonymus—5'	. 1.10	1.00	
1½ to 2'	.30	.25	.20
2 to 3'		.30	.25
atropurpureus. Wahoo—15'	. ,00	.00	.20
4 to 5'	.75	.60	
4 10 0	90	.75	
5 to 6'	90		
6 to 8'	1.25	1.00	
8 to 10'	1.65	1.40	
bungeanus. Winterberry Euonymus—15'	0.5	0.0	25
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'	.75	.60	.50
5 to 6'	.85	.70	.60
europaeus. Burning Bush-15'			
2 to 3'		.27	.22
3 to 4'	.45	.35	.30
4 to 5'	.65	.55	.40
5 to 6'		.65	.55
6 to 8*	1.00	.85	.75
latifolius. Broadleaf Burning Bush—10'			
3 to 4', Specimens	.75	.60	.50
4 to 5', Specimens	1.00	.80	.70
yedoensis. Yeddo Euonymus—10'			
2 to 3'	.35	.30	.25
3 to 4'		.40	.35
4 to 5'		.60	.50
- VV U	.,.		

For EVERGREEN EUONYMUS see "Evergreen Shrubs"

3 to 4'	.25 .35 .60 .75 .00
2 to 3'\$.35 \$.30	.35 .60 .75 .00
3 to 4'	.60 .75 .00
6 to 8'	.75 .00
8 to 10'1.10 .90	.75 .00
	.00
10 to 12' 1.50 1.25 1.	.17
FORSYTHIA—intermedia. Border Forsythia—7'	
	22
	30
	40
ıntermedia primulina. Primrose Forsythia—8'	nΛ
	$\frac{20}{25}$
9 70 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	.40 .35
	.00
intermedia spectabilis. Showy Border Forsythia—8'	1.77
	$\frac{17}{22}$
	30
	40
	60
	.00
suspensa. Weeping Forsythia—5' 2 to 3'	.18
	.25
	35
	45
6 to 7'85 .70	.60
suspensa atrocaulis. Purplestem Forsythia—6'	
5 to 6'	
suspensa aurea. Goldenleaf Forsythia—7'	
	.20
	.25
4 to 5'55 .45 .suspensa fortunei. Fortune Forsythia—8'	40
	.18
	25
4 to 5'50 .40	35
viridissima. Greenstem Forsythia—8'	
	18
3 to 4'35 .30	25
HAMAMELIS—japonica. Japanese Witch Hazel—18'	
2 to 3'	.50
3 to 4'85 .70 virginiana. <i>Witch Hazel</i> —15'	60
virginiana. Witch Hazel—15'	0.0
	30
	40
w . at	.60 .00
6 to 8'	

	1 Each	5 Each	25 Each
HIBISCUS-syriacus. Althea-Rose of Sharon-	-15'		
1½ to 2'	\$.25	\$.20	\$.15
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.45	.35	.30
5 to 6'	.50	.40	.35
6 to 7' (Varieties *only)	.65	.55	.45
4 to 5', Tree Shape (Varieties † Only)	.65	.55	.45
5 to 6', Tree Shape (Varieties † Only)	.80	.70	.60
Amplissima. Flesh pink.		•••	•00
†Anemoneflora. Double pink.			
*Ardens. Double violet purple.			
Banner. Double white; decided crimson strip	nes		
Bicolor. Double White; streaked pink.	ocs.		
Coelestis. Single blue. Add 10c each. Sizes	to 2 t	0.4'	
†Duchesse de Brabant. Double red.	10 0 0	0 4	
*Jeanne d'Arc. Double pure white.			
†Lady Stanley. Mottled pink and white.			
*Lucy. Semi-double, clear deep pink.			
†Purpurea. Semi-plena. Semi-double purple.			
†Rubis. Single red. Add 10c each.			
†*Totus Albus. Large single white.			
Variegatus. Variegated leaved. Add 15c each	ch. Size	es to 4 t	o 5'
HYDRANGEA arborescens grandiflora. Hills of	Smann	e [,]	
1½ to 2'			1.0
1 ½ to Z	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.45	.35	.30
Nikko Blue. Hardy Blue Hydrangea—5'			
5" Pots	1.00	.85	.75
paniculata (type). Panicle Hydrangea—12'			
3 to 4'	.50	.40	.35
	.00	• • • •	.00
paniculata grandiflora. Peegee-7'	20	1.0	4.0
12 to 18"	.20	.16	.13
1½ to 2'	.25	.20	.16
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.30
3 to 4', Tree Shape	1.00	.85	.75
quercifolia. Oakleaf Hydrangea-4'			
1½ to 2'	.60	.50	
2 to 2½'	.70	.60	
2 00 2 72	.10	.00	
HYPERICUM—arnoldianum. Arnold St. Johnson	vort-3	3'	
1½ to 2'	.30	.25	.20
2 to 2½'	.50	.40	.35
2½ to 3′	.60	.50	
	•00		
aureum. Golden St. Johnswort-4'	0.0	0.5	90
1½ to 2′	.30	.25	.20
2 to 2½'	.35	.30	.25
2½ to 3′	.45	.35	.30
densiflorum. St. Johnswort-4'			
1 1/2 to 2'	.30	.25	.20
1½ to 2′ 2 to 2½′	.35	.30	.25
kalmianum. Kalm Hypericum—3'			_
12 to 18"	.30	.25	.20
	.35	.30	.25
1½ to 2′	.45	.35	.30
4 10 4 /2	.40	.00	.00

HYPERICUM—Continued	1 Eac	h 5	Each	25 Each
lobocarpum. Golden—6'				
$1\frac{1}{2}$ to $2'_{$	\$.30		.25	\$.20
2 to 2½'	.38		.30	.25
2 to 2½'	.45)	.35	.30
moserianum. Goldflower—1½'			۰	
2 years	.30)	.25	.20
patulum henryi. Henry Hypericum—3'				
2 years	30		.25	.20
3 years	.38)	.30	.25
ILEX-verticillata. Black Alder or Winterberr	y-6'			
1½ to 2'	.30)	.25	.20
2 to 3'	.4	5	.35	.30
3 to 4'	.55	5	.45	
KERRIA—japonica fil pl. Double Kerria—5'				
1½ to 2'	.50)	.40	.35
KOLKWITZIA—amabilis. Beauty Bush—6'	•00		.10	,00
	4.5	-	25	20
1½ to 2'			.35	.30
2 to 3'			.45	.40
3 to 4'			.60	.50
4 to 5'	.98)	.80	.70
LABURNUM—vulgare. Goldenchain—20'				
3 to 4'			1.10	1.00
4 to 5'			1.40	1.25
5 to 6'	1.90	-	1.65	1.50
6 to 8', Specimens (20" Ball) 8 to 10' ,Specimens (24" Ball)	5.00)	4.50	4.00
8 to 10', Specimens (24" Ball)	8.28		7.25	6.50
LESPEDEZA—formosa (Desmodium) Purple I	Bushc	lover		
1 year			.23	.13
2 years			.30	.25
3 years, clumps			.35	.30
4 years, heavy clumps	.58	5	.45	.40
5	Each	25 F	lach	250 Each
LIGUSTRUM-amurense. Amur River Privet-				
12 to 18", 3 canes and up		3 \$.04	\$.03
$1\frac{1}{2}$ to $2'$, 3 canes and up	.07	т т	.05	.04
2 to 3', 4 canes and up			.07	.06
3 to 4', 5 canes and up	.14		.11	.09
ibolium. Hardy California Privet—10'	•±.	•		.00
12 to 18"	.06	,	.04	0.9
			.05	.03 .04
$1\frac{1}{2}$ to 2', 3 canes and up	.00		.03	
2 to 3', 4 canes and up 3 to 4', 5 canes and up	.09		.11	.06 .09
ibota. Chinese Privet—8'	.14	ŧ	.11	.09
12 to 18"	0.0)	O.C	٥٢
11/ 40 0'			.06	.05
1½ to 2'	.10		.08	.07
2 to 3' 3 to 4'	.14		.11	.10
iboto momelia numa. Danal Duinat Cl	.22	2	.17	.15
ibota regelianum. Regel Privet—6' 12 to 18"	0.0		4 77	4.4
			.17	.14
1½ to 2′	.23		.20	.18
2 to 2½'			.27	.25
2½ to 3'			.38	.35
3 to 4'	.60)	.55	.50
nanum compactum. Lodense Privet—2½'	~ ~			
9 to 12"	.20		.15	
12 to 15	.25)	.20	

LIGUSTRUM—Continued	5	Each	25	Each	250	Each
ovalifolum. California Privet—10'	4		Φ.			
12 to 18 ", 2 canes and up	9	.06	\$		\$	
$1\frac{1}{2}$ to 2, 3 canes and up	-			.05		.04
2 to 3', 4 canes and up	-	.09		.07		.06
3 to 4', 6 canes and up, extra heavy	_	.14		.11		.09
4 to 5', Heavy	_	.30		.25	_	
ovalifolium variegatum. Golden California	I	Privet-	-5	,		
12 to 18"	_	.20		.16		.14
1½ to 2'		.30		.25		.20
2 to 2½'		.35		.30		.25
vulgare. English Privet-10'				*30		120
12 to 18"		.11		.081	/.	$.07\frac{1}{2}$
1½ to 2'		.14		.11	/2	
2 to 3'		.20		.17		.10
3 to 4		.25		.221	1/	.15
0 W 4	_	.40		.22	/2	.20
LONICERA—Bush Honeysuckle		1 Each	5	Each	25	Each
bella albida. White Belle Honeysuckle—8	,					
2 to 3′			\$.22	\$.17
3 to 4'		.35		.27		.22
4 to 5'		.45		.35		.30
5 to 6'	_	.55		.45		.37
6 to 7'	_	.75		.60		.50
belle rosea. Pink Belle Honeysuckle—8'						
2 to 3'	_	.30		.22		.17
3 to 4'		.35		.27		.22
4 to 5'	_	.50		.42		.37
5 to 6'		.65		.55		.45
fragrantissima. Winter Honeysuckle-8'						
2 to 3'	_	.30		.23		.18
3 to 4'	_	.35		.30		.25
4 to 5'	_	.50		.40		.35
korolkowi floribunda. Broad Blueleaf Hone	eu.	suckle	1	.0'		
1½ to 2'		.35		.30		.25
2 to 3'	_	.50		.40		.35
maacki. Amur Honeysuckle—10'						
2 to 3'	_	.35		.27		.22
3 to 4'	_	.40		.32		.27
4 to 5'		.55		.45		.38
5 to 6'		.65		.55		.45
morrowi. Morrow Honeysuckle-8'						
2 to 3'	_	.30		.22		.17
3 to 4'	_	.35		.27		.22
4 to 5'	_	.50		.40		.35
ruprechtiana xanthocarpa, Golden Fruited						
Manchurian Honeysuckle—10'						
2 to 3'	_	.45		.35		.30
3 to 4'	_	.50		.40		.35
tatarica alba. White Tatarian Honeysuckle		10'				
2 to 3'	_	.30		.23		.18
3 to 4'		.35		.30		.25
4 to 5'	_	.50		.40		.35
5 to 6'		.70		.55		.45
6 to 7'		.80		.65		.55

Truehedge Columnberry is America's finest hardy hedge plant. See inside front cover.

LONICERA—Continued	1 Each	5 Each	25 Each
tatarica rosea grandiflora. Pink Tatarian H	Ioneusu	ckle-1	oʻ
2 to 3'	\$.30	\$.22	\$.17
3 to 4'	.35	.27	.22
4 to 5'	.50	.40	.35
	.65	.55	.45
* ** * * * * * * * * * * * * * * * * * *			.40
tatarica sibirica rubra. Red Tatarian Hone 2 to 3'	ysuckie. 30	.23	.18
3 to 4'	.35	.30	.25
	.00	,50	.20
xylosteum. European Fly Honeysuckle-2'	0.0	25	20
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
MYRICA—carolinensis. Northern Bayberry—5'	,		
		.35	.30
15 to 18" 1½ to 2'	.60	.50	.40
2 to 2½'	.75	.60	.50
- · · · · · · · · · · · · · · · · · · ·		.00	.00
PHILADELPHUS. Syringa or Mockorange			
avalanche. Prolific. Single—5'			
1½ to 2'	.30	.23	.18
2 to 3'		.30	.25
Banniere. Early, semi-double pure white-8			
2 to 3'	.35	.27	.22
3 to 4'		.35	.30
Bouquet Blanc. Profuse, semi-double pure			.50
Bouquet Blanc. Profuse, semi-double pure	wnite—		
3 to 4'	.50	.40	
4 to 5'	.60	.50	
A GLODIOUG NEW GUDY	Y.D.		
A GLORIOUS NEW SHRU Cole's 1940 Introduction. Not		ad.	
Cole's 1940 Introduction. Not	ratente	eu.	1
Cole's Glorious. Glorious Mockorange—8'			
(Virginale X Rosace). A Cole originat	ion of	great n	nerit.
Mammoth flowers of snowy white; larg			
foliage of leathery texture densely set o	n the sl	hrub. St	rong
upright neat growing compact shrub, p	rofuse	in bloo	m. Ä
most prominent hybridist and horticultur	rist who	has be	rson-
ally done a great deal of work on Mo	ckoran	re proc	laims
Cole's Glorious to be the finest of all.	/ C11 O1 C411;	Bo proc.	
1	Each 5	Each 25	Each
2 to 3'\$.60 \$.50 \$.40
3 to 4'	.80	.65	.55
4 to 5'	.95	.80	.70
	1.25		
0 00 0 ================================		1.00	
community Council Country Country O'	1 Each	5 Each	25 Each
coronarius. Sweet Scented Syringa—9'			
2 to 3'		\$.22	\$.17 .22
3 to 4' 4 to 5'		.27	
		.35	.30
5 to 6'		.50	.40
coronarius aureus. Golden-leaved Mockorar			
15 to 18"	.45	.35	.30
1½ to 2'	.60	.50	.40

falconeri. Star Mockorange-8'

3 to 4'_____

.30

.40

.35

.50

.25

.32

PHILADELPHUS—Continued Girandole. New. Large white. Strong upright; excellent foliage—8'	1 Each	5 Each	25 Each
2 to 3'	8 .45	\$.35	\$.30
3 to 4'	.50	.40	.35
4 to 5'	.65	.55	.45
gordonianus. Strong, upright-10'	****	.00	.10
3 to 4'	.35	.27	.22
4 to 5'	.45	.35	.30
5 to 6'	.50	.40	.35
6 to 7'	.70	.55	.45
grandiflora. Big Scentless Mockorange—12'			
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.65	.50	.40
6 to 8'	.75	.60	.50
8 to 10'lemoinei. Semi-dwarf—5'	1.00	.80	.65
lemoinei. Semi-dwarf—5'			
1½ to 2′	.30	.23	.18
Norma. Mammoth single flowers; fine			
foliage. Bushy and symmetrical—7'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.55	.45	
5 to 6'	.75	.60	
Rosace. Semi-dwarf, large flowers-5'			
1½ to 2'	.35	.30	.25
Virginal, Splendid double—8'			
1½ to 2'	.30	.25	.20
2 to 3'	.45	.35	.30
3 to 4'	.60	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	1.00	.85	.75
6 to 7'	1.35	1.10	.10
	1.00	1.10	
PHOTINIA—villosa. Christmasberry—8'			
3 to 4'	.50	.40	.35
4 to 5'	.65	.55	.45
5 to 6'	.85	.70	.60
villosa laevis—8'			
2 to 3'	.50	.40	.35
3 to 4'	.65	.55	.45
PHYSOCARPUS-monogynus. Dwarf Ninebark	c-5'		
2 to 3'	.30	.25	.20
3 to 4'opulifolia. Ninebark—10'	.40	.32	.27
opulifolia. Ninebark—10'			
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
opulifolia lutens. Goldleaf Ninebark—10'			
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
POTENTILLA—fruticosa. Shrubby Cinquefoil-	4'		
4 4 7	.35	.30	.25
1½ to 2'fruticosa veitchi. Veitch Cinquefoil—3'	.50	.50	.20
10 to 10"	.35	20	
12 to 18		.30	
1½ to 2'	.50	.40	

PRUNUS—(See Shade for other Prunus).			
hessevi Ressey Cherry—5'	1 Each	5 Each	25 Each
1½ to 2′	\$.30	\$.23	\$.18
2 to 3'	.35	.27	.22
3 to 4'	.45	.35	.30
besseyi. Hansen variety (Bush Cherry)—6'			
2 to 3'	.35	.30	.25
glandulosa. Double pink-flowering Almond-	-5'		
glandulosa. Double white-flowering Almone	d5'		
1½ to 2'	.30	.25	.20
2 to 3' (Own Root Almonds at 5c each addition	.45	.35	.30
	iai).		
japonica. Chinese Bush Cherry—8'	45	95	20
2 to 3' 3 to 4'	$.45 \\ .55$.35 .45	.30 .40
	.00	.40	•40
pumila. Sand Cherry—5'			
1 ½ to 2' 2 to 3'	.35	.27	.22
2 to 33 to 4'	.45 .60	.35 .50	.30
4 to 5'	.75	.60	.40
	****	•00	
tomentosa. Nanking Cherry—10' 2 to 3'	.45	.35	.30
3 to 4'	.60	.50	.40
4 to 5'	.70	.55	.45
5 to 6'	.85	.70	.60
triloba plena. Double pink-flowering Plum-	-9'		
2 to 3'	.45	.35	.30
3 to 4'	.60	.50	.40
4 to 5'	.75	.60	.50
PYRACANTHA—coccinea lalandi. Laland Fire 12 to 15", 5" Pots	ethorn-	-6'	
12 to 15", 5" Pots	1.00		.65
15 to 18" (12" Ball)	1.25	1.00	.85
2 to 2 ½' (16" Ball)	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\frac{1.25}{1.75}$	1.00
2 ½ to 3' (18" Ball)	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
3 to 3½' (20" Ball)	3.50	3.10	$\frac{2.00}{2.75}$
Our Pyracantha have been symmetri-			
cally trimmed and root pruned yearly.			
RHAMNUS—cathartica. Buckthorn—12'			
1½ to 2'	.25	.20	.14
2 to 3'	.30	.22	.17
3 to 4'	.35	.27	.22
4 to 5' 5 to 6'	$.45 \\ .65$.35 .50	.30
	.00	.50	.40
chadwicki. Chadwick Buckthorn—10'			
A grand new sort with lovely shiny foli	age. .35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	
dahurica. Dahurian Buckthorn—12'			
2 to 3'	.30	.25	.20
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40

RHAMNUS—Continued	1 Each	5 Each	25 Each
frangula. Glossy Buckthorn—10'			
1½ to 2'	\$.30	\$.22	\$.17
2 to 3'	.35	.27	.22
3 to 4'	.40	.32	.27
4 to 5'		.40	.35
5 to 6'	.70	.55	.45
6 to 7'	.85	.70	.60
RHODOTYPOS—kerrioides. Jetbead—6'	.00	•••	.00
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
	.00	.00	.20
RHUS—canadensis. Fragrant Sumac—5'	0.5	0.0	O.F.
1 ½ to 2'		.30	.25
2 to 3'		.35	.30
3 to 4'	.65	.50	.40
4 to 5'	.85	.70	.60
copallina. Shining Sumac-12'			
2 to 3'	.45	.35	.30
3 to 4'	.65	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	.85	.70	.60
6 to 8'	1.25	1.00	.85
cotinus. Smoketree or Purple Fringe—12'			
1½ to 2'	.45	.35	.30
2 to 3'		.50	.40
3 to 4'	.85	.70	.60
glabra. Smooth Sumac—10'	•00	•••	.00
2 to 3'	.30	.23	.18
3 to 4'		.30	.25
4 to 5'		.40	.35
		.50	.40
5 to 6'		.60	.50
6 to 8'	.10	.00	.50
typhina. Staghorn Sumac—15'	90	0.0	10
2 to 3'		.23	.18
3 to 4'		.30	.25
4 to 5'		.40	.35
5 to 6'		.50	.40
6 to 8'		.60	.50
8 to 10'	1.00	.80	.70
typhina laciniata. Shredded Sumac-15'			
2 to 3'		.25	.20
3 to 4'	.35	.30	.25
4 to 5'		.40	.35
5 to 6'	.65	.50	.40
6 to 8'	.75	.60	.50
RIBES—alpinum. Mountain Currant—4'			
15 to 18"	.45	.35	.30
cdoratum. Golden Currant—10'		•00	.00
3 to 4'	.45	.35	.30
4 to 5'		.50	.40
sanguineum. Winter Currant—8'	.00	.00	.10
3 to 4'	.65	.50	.40
4 to 5'			
		.60	.50
ROBINIA hispida. Rose Acacia. Flowering Los			
1½ to 2'	.35	.30	.25
2 to 3'	.50	.40	.35
3 to 4'		.55	.45
4 to 5'		.65	.55

ROBINIA—Continued			
viscosa. Clammy Locust—8'	1 Each	5 Each	25 Each
2 to 3'	\$.50	\$.40	\$.35
3 to 4'	.70	.55	.45
ROSA—See Pages 59-63			
RUBUS—odoratus. Flowering Raspberry—6'	45	0.5	0.0
2 to 3'	.45	.35	.30
SALIX discolor. Pussy Willow—18' 2 to 3'	.30	.23	10
	.35	.20	.18
3 to 4' 4 to 6'	.50	.40	.35
6 to 8'	.70	.55	.45
gracilistyla. Longstyle Willow—12'	.10	,00	120
2 to 3'	.65	.50	.40
incana. Rosemary Willow-12'	.00	.00	•40
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40
5 to 6'	.70	.55	.45
6 to 7'	1.00	.80	
purpurea nana. Dwarf Purple Osier-4'			
New Blue leaved Arctic Willow			
12 to 18"	.30	.23	.18
1½ to 2'	.35	.30	.25
2 to 2½'	.45	.35	.30
2½ to 3′	.65	.50	.40
SAMBUCUS—canadensis. Common Elder—10'			
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.70	.55	.45
canadensis acutiloba. Cutleaf Elder—8'	0.0	2.0	4.0
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.70	.55	.45
6 to 7'nigra aurea. Golden European Elder—10'	.80	.65	.55
1½ to 2'	.25	.20	1.4
2 to 3'	.30	.23	.14 .18
3 to 4'	.35	.30	.25
4 to 5'	.65	.50	.40
SHEPHERDIA—argentea. Silver Buffaloberry—		.00	.40
2 to 3'	.35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40
5 to 6'	.75	.60	.50
canadensis rubra. Red Fruited Buffaloberry	/— 6′		
2 to 3'	.50	.40	.35
3 to 4'	.65	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	.85	.70	.60
SORBARIA-aitchisoni. Kashmir False-spirea-	-7'		
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
5 to 6'	.75	.60	.50
6 to 7'	.90	.75	.65

CODDADIA			
SORBARIA—Continued arborea. Tree-Spirea—6'	1 Each	5 Each	25 Each
2 to 3'		\$.30	\$.25
3 to 4'	.45	.35	.30
sorbifolia. Ural False-spirea—5'	• • •	****	.00
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	
SPIRAEA			
Anthony Waterer. Dwarf pinkflowering—3'			
15 to 18"	.30	.22	.17
1½ to 2′	.35	.27	.22
arguta. Garland Spirea—7'			
1½ to 2′	.25	.20	.15
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
6 to 7'	.75	.60	.50
billiardi. Pink Flowering—5'	۰. ۳		
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'douglasi. Rosy Red flowers—6'	.50	.40	.35
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
froebeli. Dwarf pink—4'		•••	
1½ to 2'	.25	.20	.16
2 to 2½'	.30	.25	.20
japonica ovalifolia (Callosa alba). White			
Japanese Spirea—3'			
15 to 18"	.25	.20	.16
1½ to 2′	.30	.25	.20
2 to 2½'	.35	.30	.25
1½ to 2'\$. 2 to 3'			Each .20 .25 .30 .40
multiflora. Snowgarland—6' 2 to 3'\$ 3 to 4'	1 Each 30	5 Each \$.25 .30	25 Each \$.20 .25
nipponica rotundifolia. Big Nippon Spirea —White, June, Beautiful foliage—9'	.00	.50	.20
3 to 4'	.65	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	.90	.75	.65
opulifolia—(See Physocarpus).			
prunifolia plena. Double Bridalwreath—8'	0.0	OF.	0.0
1½ to 2' 2 to 3'	.30	.25	.20
2 to 33 to 4'	.35 . 45	.30 .40	.25
0 10 4	.40	.40	.35

SPIRAEA—Continued salicifolia. Willowleaf Spirea. White—5'	1 Each	5 Each	25 Each
2 to 3'	.30	\$.25	\$.20
3 to 4'	.45	.35	.30
thunbergi. Early single white flowering—5'			
1½ to 2'	.25	.20	.16
2 to 2½'	.30	.25	.20
2 ½ to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
4 to 5'	.70	.55	
tomentosa. Hardhack—4'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
tricocarpa. Korean Bridalwreath. New-5'			
1½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
vanhouttei. Single white flowering—10'			
1½ to 2'	.18	.14	.09
2 to 3'	.22	.17	.12
3 to 4'	.25	.20	.16
4 to 5'	.30	.25	.20
	,	0.1	
STEPHANANDRA—flexuosa. Cutleaf Stephane		-6 ′	
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
SYMPHORICARPOS—mollis. Spreading Snowb	erru_	-6′	
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
racemosus. Snowberry or Waxberry—6'	.00	.00	.20
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	
vulgaris. Coralberry or Indian Currant-4'			
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
vulgaris chenaulti. Improved Coralberry-5'			
1½ to 2' (\$120.00 per 1000)	.25	.20	.14
2 to 3' (\$150.00.00 per 1000)	.30	.23	.18
3 to 4' (\$220.00 per 1000)	.35	.30	.25
SYRINGA—Lilac	01		
chinensis (rothomagensis). Red flowering-1			
1½ to 2'	.30	.23	.18
2 to 3'	.35	.27	.22
$\frac{3 \text{ to } 4'}{}$.45	.35	.30
chinensis sangeana. Purple Chinese Lilac-1		0.0	2-
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
dilatata. Korean Lilac—12'	1.00	0.5	
3 to 4'	1.00	.85	

SYRINGA—Continued emodi. Himalayan Lilac—8'	1 Each	5 Each	25 Each
1½ to 2'\$.45	\$.35	\$.30
2 to 3'	.65	.50	.40
3 to 4'	.75	.60	
henryi lutece. Pale violet-purple—8'	0.5	0.0	
2 to 3'	.95	.80	.70
3 to 4' 4 to 5'	$\frac{1.15}{1.50}$	$\frac{1.00}{1.25}$.90
	1.00	1.20	
japonica. Japanese Tree Lilac-20'			
2 to 3'	.50	.40	.35
3 to 4'	.65	.50	.40
6 to 8'	1.75	1.50	
josikaea. Hungarian Lilac—10'			
1½ to 2'	.35	.30	.25
2 to 3'	.45	.35	.30
		.00	*00
microphylla. Littleleaf Lilac. Everblooming-	— 8′		
1½ to 2′	.85	.70	.60
2 to 2½′	1.25	1.10	1.00
palibiniana. (New) Broadleaf Korean Lilac-	19'		
2 to 3'	$-12 \\ .65$.50	.40
3 to 4'	.75	.60	. 50
4 to 5'	.95	.80	.70
5 to 6'	1.25	1.00	.90
6 to 8'	1.60	1.30	1.15
	1.00	1.00	1.10
pekinensis. Peking Lilac—15'			
2 to 3'	.75	.60	.50
persica. Persian Lilac—10'			
1½ to 2'	.35	.27	.22
2 to 3'	.40	.32	.27
3 to 4'	.50	.40	.35
4 to 5'	.75	.60	
reflexa. Nodding Lilac. Carmine buds, light pink pendulous flower panicles. Handson	ma 10	n '	
$1\frac{1}{2}$ to $2'_{}$.85	.70	.60
2 to 3'	1.15	1.00	.90
	1.10	1.00	*00
villosa. Late Lilac—8'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.50	.40	.35
vulgaris. <i>Common Purple Lilac</i> —12' Specimen Clumps, Double Price			
2 to 3'	.30	.25	.20
3 to 4'	.45	.35	.30
4 to 5'	.65	.50	.40
	.00	****	
vulgaris alba. Common White Lilac-12'	0.5	0=	00
1½ to 2'	.35	.27	.22
2 to 3'	.45	.35	.30

Truehedge Columnberry is America's finest hardy hedge plant, See inside front cover.

SYRINGA—Continued	1 Each	5 Each	25 Each
vulgaris. Hybrids-Following Named Sorts-	-10	Φ 40	e 95
1 ½ to 2'	\$.50	\$.40	\$.35
2 to 3'		.50	.45
3 to 4'	.90	.75	.65
Belle de Nancy. Double satiny pink. Congo. Single red.			
Frau Bertha Damman. Single white. D	warf		
Gloire de Lorraine. Heavenly blue. Dou	ible		
La Tour d'Auvergne. Double Red.	ioic.		
Ludwig Spaeth. Single red.			,
Marie Le Graye. Single white.			
Michael Buchner, Double mauve.	-		
Mme. Abel Chatenay. Double white.			
Mme. C. Perier. Double white.		`	
Mme. Lemoinei. Single white.			
President Grevy. Double blue.			
NEWER AND BETTER VARIETIES	OF L	ILACS	
1½ to 2'	8 .70	\$.55	\$.45
2 to 3'	.85	.70	.60
2 to 3' 3 to 4'	1.10	.90	.80
Claude Bernard. Semi-double mauve.		***	***
Descartes. Single mauve pink.			
Doyen Keteleer. Double. Violet.			
Gaudichaud. Deep lilac. Especially fine.			
hyacinthiflora Lamartine. Hyacinth-flowere	d Lilac	2.	
Mammoth trusses of beautiful pale pin	k.	•	
Also 4 to 5'	1.90	1.65	1.50
Also 4 to 5' M. Van Aerschot. Single pale mauve. Large.	2100	2.00	1.00
Also 4 to 5'	1.90	1.65	1.50
TAMARIX africana. Early, light pink—12'	2100	2100	2.00
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.35
	.00	•=0	.00
amurensis. Amur Tamarix—Deep pink.			
Bluish-green foliage. July—8'	20	0.0	10
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40 .55	.35
5 to 6'	.70	.55	.45
gallica. French Tamarix—Deep pink.			
Bluish-green foliage. July—8' 3 to 4'	.35	20	0.5
	.50	.30	.25
4 to 5'hispida aestivalis rubra. Summer Glow Tam			.35
	arix	0	
New. Bright wine red blossoms throughout the summer.			
2 year plants	.50	.40	.35
pentandra (Hispida aestivalis). Fivestamen	$T_{\alpha m \alpha}$.4U	.00
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.20
tetrandra. (purpurea). Fourstamen Tamari		.40	
Deep green foliage—10'	w		
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
4 to 5'	.50	.40	.25
5 to 6'	.70	.55	.45

	,	•	• •
VACCINIUM (Hybrid). Improved Large	1 Each	5 Each	25 Each
Fruiting Blueberry—2 to 4'			
8 to 12", 5" Pots	\$.70	\$.55	\$.45
12 to 18", 5" Pots	1.00	.80	.70
Cabot. Low spreading bush. Early.			
Pioneer. Medium size plant. Midseason.			
Rancocus. Tall, shapely. Midseason.			
Rubel. Tall, shapely. Late.			
IBURNUM—acerifolium. Mapleleaf Viburnun	n-5'		
1½ to 2'		.35	.30
2 to 3'		.50	.40
3 to 4'		.60	.50
americanum (oxycoccos). American Cranbe			
1½ to 2'	.35	.30	.25
2 to 3'	.45	.35	.30
3 to 4'	.65	.50	.40
	.00	.00	.40
carlesi. Fragrant Viburnum-4'	2.22		
1½ to Ž' (12" Ball)	2.00	1.75	1.50
cassinoides. White Rod-6'			
1½ to 2'	.35	.30	.25
2 to 3'	.50	.40	.35
dentatum. Arrowwood—12'			
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.70	.55	.45
5 to 6'	.80	.65	.55
6 to 7'	1.15	.90	
dilatatum. Linden Viburnum—8'	1.10	****	
1½ to 2'	.35	.30	.25
2 to 3'	.50	.40	.35
3 to 4'	.75	.60	.50
4 to 5'	.90	.75	.65
	.00	./ 0	.00
lantana. Wayfaring Tree-15'	20	0.5	00
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.45	.35	.30
4 to 5'	.70	.55	.45
lentago. Sheepberry-20'			
2 to 3'	.50	.40	.35
3 to 4'	.70	.55	.45
4 to 5'	.85	.70	.60
5 to 6'	1.00	.85	.75
6 to 7'	1.50	1.25	
molle. Kentucky Viburnum—10'			
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
opulus. European Cranberrybusk-10'			
1½ to 2'	.35	.30	.25
2 to 3'	.45	.35	.30
3 to 4'	.65	.50	.40
4 to 5'	.75	.60	.50
5 to 6'	.85	.70	.60
6 to 8'	1.10	.90	.80
8 to 10'	1.50	1.25	1.10
10 to 12'	2.00	1.75	7.10
10 00 12	2.00	1.10	

VIBURNUM—Continued	1 Each	5 Each	25 Each
opulus nanum. Very dwarf—2' 6 to 9"		\$.40	\$.35
9 to 12"opulus sterile. Common Snowball—12'	.70	.55	.45
optius sterile. Common Snowout—12 $1\frac{1}{2}$ to $2'$.30	.25	.20
2 to 3'		.30	.25
3 to 4'		.40	.35
prunifolium. Blackhaw—12'			
2 to 2½'	.75	.60	.50
2½ to 3'	85	.70	.60
3 to 4'		.85	.75
4 to 5'	1.35	1.10	
pubescens. Downy Viburnum-6'	F0	40	0.5
1½ to 2′		.40 .55	.35
2 to 3'	.70	.55	.45
sieboldi. Siebold Viburnum—10'	.45	95	20
2 to 3' 3 to 4'		.35 .50	.30
4 to 5'		.60	.50
tementosum. Doublefile Viburnum—8'		.00	.00
2 to 3'	.35	.30	.25
3 to 4'		.40	.35
5 to 6'		.75	.65
6 to 8'	1.25	1.00	.90
tomentosum plicatum. Japan Snowball—8'			
1½ to ½'	.45	.35	.30
2 to 3'		.50	.40
3 to 4'		.60	.50
tomentosum rotundifolium. Early Doublefile		num8'	9.5
2 to 3' 3 to 4'		.40 .55	.35 .45
		.00	.40
VITEX-negundo incisa. Cutleaf Chaste-Shrub			
2 years	35	.30	.25
macrophylla. Big-leaf Chaste Shrub.			
2 years	35	.30	.25
WEIGELA-Abel Carriere. Beautiful rose colo	or—10'		
2 to 3'		.23	.18
3 to 4'		.30	.25
4 to 5'	.50	.40	.35
candida. Snow Weigela—10'			
2 to 3'		.23	.18
3 to 4'		.30	.25
4 to 5' 5 to 6'		.40 .55	.35
		.70	.45
6 to 7'Eva Rathke. Crimson flowering—5'	00	.10	
12 to 18"	.25	.20	.15
1½ to 2′		.23	.18
2 to 3'		.27	.22
3 to 4'	.45	.35	
floribunda. Crimson Weigela—8'			
2 to 3'		.25	.20
3 to 4' 4 to 5'		.30 .40	.25
4 W V	.50	.40	.35

WEIGELA—Continued rosea. Pink Weigela—8'	1	Each	5	Each	25	Each
$1\frac{1}{2}$ to $2'_{}$	\$.25	\$.20	\$.15
2 to 3'		.30		.23		.18
3 to 4'		.35		.30		.25
4 to 5'		.50		.40		.35
rosea folius purpureis. Purple foliage—5'		9.0		20		10
15 to 18"		.30		.23		.18
rosea nana variegata. Variegated-leaved W	Ve	igela-	5	,		
1½ to 2'		.30		.23		.18
2 to 3'		.35		.30		.25
3 to 4'		.45		.35		.30
steltzneri. Steltzner Weigela-8'						
2 to 3'		.30		.25		.20
3 to 4'		.35		.30		.25
4 to 5'		.45		.35		.30
5 to 6'		.65		.50		.40
6 to 8'		.80		.65		.55
vaniceki. Vanicek's Red Weigela—6' Fine new variety. Strong and symmetrical,						
prolific and colorful.						
1½ to 2'		.35		.27		.22
2 to 3'		.40		.33		.28
3 to 4'		.50		.40		.35
ZANTHORHIZA apiifolia. Yellowroot—2'						
8 to 12" clumps		.30		.25		.20
o to 12 clumps		.50		.20		.40

Evergreens

Prices include balling and burlapping roots.

ABIES concolor. White Fir—50'	1 Each	5 Each	25 Each
1½ to 2' (12" Ball)		\$ 1.60	\$ 1.35
2 to 3' (13" Ball)	$_{-}$ 2.25	2.00	1.75
3 to 4' (15" Ball)	3.50	3.10	2.75
5 to 6' (19" Ball)	5.50	5.00	4.50
6 to 7' (21" Ball)	6.75	6.00	5.50
7 to 8' (24" Ball)	9.00	8.00	7.25
8 to 9' (26" Ball)	$_{}$ 12.50	11.00	
9 to 10' (29" Ball)	16.00	14.00	
10 to 11' (31" Ball)		17.00	
11 to 12' (33" Ball)	24.00	22.00	
12 to 14' (36" Ball)		28.00	
14 to 16' (39" Ball)		35.00	
16 to 18' (42" Ball)		45.00	
18 to 20' (46" Ball)		55.00	
CHAMAECYPARIS lawsoniana. Lawson Cy	press-50)′	
1½ to 2' (12" Ball)		2.00	1.75
2 to 2½' (14" Ball)		2.50	2.25
		3.35	2.20
2½ to 3' (15" Ball)	0.10	0.00	

For other Chamaecyparis, see Retinospora.

THE PROPERTY OF THE PROPERTY O			
JUNIPERUS chinensis albovariegata. Whiteleaf	1 Each	5 Each	25 Each
$Chinese\ Juniper - 12'$ $1\ ^1$ $to\ 2'\ (12''\ Ball)$		\$ 1.60	\$ 1.35
1 ½ t0 ½ (1½ Ball)	$\frac{1.65}{2.25}$		
2 to 2½' (14" Ball)		2.00	1.75
2½ to 3′ (15″ Ball)	3.50	3.10	2.75
6 to 7' (22" Ball)	10.00	9.00	
7 to 8' (24" Ball)	10.00	12.00	
8 to 9' (26" Ball)		16.00	
chinensis columnaris glauca. Silver Column	ļ.		
Chinese Juniper—20'			
2 to 3' (13" Ball)	2.50	2.25	2.00
3 to 4' (14" Ball)	3.75	3.35	3.00
4 to 5' (15" Ball)	5.00	4.50	
5 to 6' (16" Ball)	6.00	5.25	
6 to 7' (17" Ball)	7.25	6.50	
7 to 8' (19" Ball)	-9.00	8.00	
8 to 9' (20" Ball) 9 to 10' (22" Ball)	11.50	10.00	
9 to 10' (22" Ball)	14.00	12.50	
10 to 11' (24" Rall)	18.00	16.00	
11 to 12' (27" Ball)	22.50	20.00	
12 to 14' (30" Ball)	28.00	25.00	
chinensis femina. Reeves Juniper-8'			
216 to 3' (15" Rall)	3.75	3.35	
2½ to 3′ (15″ Ball) 3 to 3½′ (16″ Ball)	4.25	3.85	
3½ to 4′ (18″ Ball)	5.00	4.50	
	0.00	4.50	
chinensis mascula—10'			
2 to 2½' (12" Ball)	2.25	2.00	1.75
2 ½ to 3' (14" Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	
5 to 6' (17" Ball)	6.25	5.50	
6 to 7' (18" Ball)	7.25	6.50	
7 to 8' (20" Ball)	9.00	8.00	
8 to 9' (22" Ball)	11.50	10.00	
chinensis pfitzeriana. Pfitzer Juniper-6'			
15 to 18" spread (11" Ball)	1.60	1.40	1.20
1½ to 2' spread (12" Ball)	2.15	1.90	1.75
2 to 2½' spread (13" Ball)	2.75	2.50	2.25
21/2 to 3' spread (15" Ball)	3.35	3.00	2.75
2½ to 3' spread (15" Ball) 3 to 3½' spread (17" Ball)	4.25	3.85	3.50
31/4 to 4' spread (18" Rall)	5 00	4.50	0.00
4 to 5' spread (20" Ball)	6.75	6.00	
5 to 6' spread (23" Ball)	9.50	8.50	
4 to 5' spread (20" Ball) 5 to 6' spread (23" Ball) 6 to 7' spread (26" Ball)	12.50	11.00	
chinensis sargenti. Sargent Juniper—2'	12.00	11.00	
15 to 12" append (11" Poll)	0.00	1 77	1 50
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	2.00	1.75	1.50
2 to 2½' spread (12 Ball)	$\frac{2.50}{2.75}$	2.25	2.00
	3.75	3.35	3.00
communis depressa. Prostrate Juniper—3'	0.16	0 ===	
2½ to 3' spread (15" Ball)	3.10	2.75	
3 to 4' spread (17" Ball)	4.00	3.60	
communis depressa plumosa. Purple Spread	ung Ju		
15 to 18" spread (11" Ball)	1.40	1.15	1.00
1 1/2 to 2' spread (12" Ball)	1.90	1.65	1.50
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.35	3.00	

		5 Each	25 Each
communis hibernica. Irish Juniper—8' 1 ½ to 2' (10" Ball\$			
1½ to 2' (10" Ball\$	1.15	\$.90	\$.70
2 to 2½' (11" Ball) 2½ to 3' (12" Ball)	1.40	1.15	1.00
2½ to 3′ (12″ Ball)	1.65	1.40	1.25
3 to 3½ (13" Ball)	2.25	2.00	
communis suecica. Swedish Juniper-8'			
1½ to 2′ (10″ Ball)	1.30	1.05	.85
2 to 2½' (11" Ball)	1.55	1.30	1.10
2½ to 3' (12" Ball)	2.00	1.75	1.50
excelsa stricta. Spiny Greek Juniper-4'			
19 to 15" (10" Rall)	1.35	1.10	.90
15 to 18" (11" Ball)	1.50	1.25	1.10
15 to 18" (11" Ball)	2.00	1.75	1.50
2 to 2½' (14" Ball)	2.50	2.25	2.00
2½ to 3' (15" Ball)	3.35	3.00	
horizontalis. Trailing Juniper-11/2'			
15 to 18" spread (11" Rall)	1.40	1.15	.90
15 to 18" spread (11" Ball)	1.90	1.65	1.40
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.50	3.10	2.75
horizontalis douglasi. Waukegan Juniper—2'		0.10	2110
15 to 18" enread (11" Rell)	1.40	1.15	.90
15 to 18" spread (11" Ball) 1½ to 2' spread (12" Ball)	1.90	1.65	1.40
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
ianonica Japanese Juniper—8'	2.00	2.20	2.00
15 to 18" spread (11" Ball) 2½ to 3' spread (15" Ball)	1.65	1.40	1.15
2½ to 3' spread (15" Ball)	3.50	3.10	2.75
3 to 3½' spread (17" Ball)	4.25	3.85	3.50
3½ to 4' spread (18" Ball)	5.00	4.50	4.00
4 to 4½' spread (20" Ball)	6.25	5.50	
sahina Savin Juniner—6'			
15 to 18" spread (11" Ball)	1.50	1.25	1.00
1½ to 2' spread (12" Ball)	1.90	1.65	1.40
2 to 2½' spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.15	2.80	2.50
sabina horizontalis. Bar Harbor Juniper—1'			
1½ to 2' spread (12" Ball)	1.90	1.65	1.40
2 to 2½ spread (13" Ball)	2.50	2.25	2.00
2½ to 3' spread (15" Ball)	3.50	3.10	2.75
scopulorum. Colorado Juniper—25'		0.0	
3 to 4' (15" Ball)	3.75	3.35	
4 to 5' (16" Ball)	5.00	4.50	
5 to 6' (17" Ball)	6.75	6.00	
6 to 7' (18" Ball)	8.25	7.25	
7 to 8' (20" Ball)scopulorum Chandlers Silver. New, intense	9.75	8.75 -18'	
scopulorum Chandlers Sliver. New, Intense	3.00	2.75	2.50
2½ to 3′ (13″ Ball) 3 to 4′ (15″ Ball)	4.00	3.60	$\frac{2.50}{3.25}$
4 to 5' (16" Ball)	5.00	4.50	0.20
scopulorum pyramidalis glauca.	0.00	₹.00	
Pyramidal Colorado Juniper—15'			
914 to 9' (13" Rall)	3.00	2.75	2.50
3 to 4' (15" Ball)	4.00	3.60	3.25
4 to 5' (16" Ball)	5.00	4.50	
Z 00 0 (10 200)		2.00	

40 IIIE COEE NORDERT CONTINUESTIE	,		
JUNIPERUS—Continued	1 Each	5 Each	25 Each
squamata meyeri. Meyer Juniper—4' 15 to 18" (11" Ball) 1½ to 2' (12" Ball)			
15 to 18" (11" Ball)	\$ 1.75	\$ 1.50	\$ 1.25
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (13" Ball)	2.75	2.50	2.25
virginiana. Redcedar—25'			
3 to 4' (15" Ball)	2.50	2.25	2.00
4 to 5' (16" Ball)	3.75	3.35	3.00
5 to 6' (17" Ball)	5.00	$\frac{3.50}{4.50}$	$\frac{3.00}{4.00}$
0 to 0 (1/ Dall)	6.25	5.50	5.00
6 to 7' (18" Ball) 7 to 8' (20" Ball)	8.00	$\frac{5.50}{7.25}$	6.50
7 to 8' (20" Ball)	10.00		8.00
8 to 9' (22" Ball) 9 to 10' (24" Ball)	10.00	9.00	
9 to 10 (24 Ball)	10.00	12.00	11.00
10 to 11' (26" Ball)	18.00	16.00	
11 to 12' (28" Ball)	22.50	20.00	
12 to 14' (30" Ball)	28.00	25.00	
virginiana burki (venusta) Burk Redcedar 2 to 2½' (12" Ball)	16'		
2 to $2\frac{1}{2}$ ' (12" Ball)	2.15	1.90	1.65
2½ to 3' (13" Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
virginiana cannarti. Cannart Redcedar—15	′		
2 to 2½' (12" Ball) 2½ to 3' (13" Ball)	2.15	1.90	1.65
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball) 4 to 5' (16" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	
9 to 10' (25" Ball) 10 to 11' (28" Ball)	17.00	15.00	
10 to 11' (28" Ball)	22.50	20.00	
11 to 12' (30" Ball)	28.00	25.00	
11 to 12' (30" Ball) virginiana elegantissima. Goldtip Redcedar	15'		
2 to 2½' (13" Ball) 2½ to 3' (14" Ball)	2.15	1.90	1.65
2½ to 3′ (14″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	-5.00	4.50	4.00
5 to 6' (18" Ball)	6.75	6.00	
6 to 7' (20" Ball)	9.00	8.00	
6 to 7' (20" Ball) virginiana glauca. Silver Redcedar—20' 2 to 2½' (12" Ball)	0.00	0.00	
2 to 2½' (12" Ball)	2.15	1.90	1.65
2½ to 3′ (13″ Ball)	2.75	2.50	2.25
3 to 4' (15" Ball)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	4.00
5 to 6' (17" Ball)	6.25	5.50	5.00
6 to 7' (18" Ball)	7.75	7.00	6.25
7 to 8' (20" Ball)	9.50	8.50	7.50
8 to 9' (22" Ball)	19.50	11.00	10.00
9 to 10' (24" Ball)	15.50	13.50	
9 to 10' (24" Ball) 10 to 11' (26" Ball)	20.00		
11 to 12' (28" Ball)	20.00	18.00	
11 to 12' (28" Ball) 12 to 14' (30" Ball)	20.00	22.50	
virginiana keteleeri. Keteleer Redcedar—15	, 30.00	27.00	
2 to 2½' (12" Ball)	0.15	1 00	1 05
2 to 2 /2 (12 Bail) 2 ½ to 3' (13" Ball)	2.15	1.90	1.65
3 to 4' (15" Ball)	2.75	2.50	2.25
0 to 4 (10 Dall)	3.75	3.35	3.00
4 to 5' (16" Ball)	5.00	4.50	4.00
5 to 6' (17" Ball)	6.25	5.50	5.00
6 to 7' (18" Ball)	7.75	7.00	6.25
7 to 8' (20" Ball)	9.50	8.50	
8 to 9' (22" Ball)	12.50	11.00	
9 to 10' (24" Ball)	15.50	13.50	

JUNIPERUS—Continued	1 Each	5 Each	25 Each
virginiana kosteri. Koster Redcedar—4'			
2 to 2½' spread (13" Ball)	_\$ 2.75	\$ 2.50	
2½ to 3' spread (15" Ball)	3.50	3.10	\$ 2.75
3 to 3½' spread (17" Ball)	_ 4.15	3.75	2.35
3½ to 4' spread (18" Ball)	_ 5.00	4.50	4.00
virginiana pyramidiformia. Dundee Junipe			
2 to 2½' (13" Ball)	$\frac{7-13}{2.15}$	1.90	1.65
2½ to 3' (14" Ball)	$\frac{2.15}{2.75}$	$\frac{1.50}{2.50}$	$\frac{1.05}{2.25}$
3 to 4' (15" Ball)	_ 2.15	$\frac{2.30}{3.35}$	$\frac{2.20}{3.00}$
4 to 5' (16" Ball)	_ 5.15	$\frac{3.55}{4.50}$	
	_ 5.00	4.50	
virginiana schotti. Schott Redcedar—20' 2 to 2½' (12" Ball)	0.15	1.00	1.05
2 to 2 ½ (12 Dall)	$\frac{2.15}{2.75}$	1.90	1.65
2½ to 3′ (13″ Ball)	-2.75	2.50	2.25
3 to 4' (15" Ball)	$_{-}$ 3.75	3.35	3.00
PICEA—canadensis albertiana. Black Hills Sp	ruce—50) '	
4 to 5' (17" Ball)	-4.50	4.00	
5 to 6' (19" Ball)	_ 5.50	5.00	
6 to 7' (21" Ball)	7.00	6.25	
7 to 8' (24" Ball)	9.00	8.00	
8 to 9' (27" Ball)	11.50	10.00	
9 to 10' (29" Ball)	14.00	12.50	
10 to 12' (32" Ball)	18.50	16.50	
excelsa Norman Smuce—80'	10.00	10.00	
excelsa. Norway Spruce—80' 2 to 3' (13" Ball)	1.60	1.35	1.10
3 to 4' (15" Ball)	2.25	2.00	1.75
4 to 5' (16" Ball)	3.75	3.35	3.00
5 to 6' (18" Ball)	4.75	4.25	3.90
	5.75	5.25	4.75
6 to 7' (20" Ball)	_ 0.10 7.0E	6.50	6.00
7 to 8' (23" Ball)			8.00
8 to 9' (26" Ball)		9.00	
9 to 10' (28" Ball)	12.50	11.00	
excelsa maxwelli. Maxwell Spruce—60'	9.75	9.95	
15 to 18" (12" Ball)	3.75	3.35	
1½ to 2′ (13″ Ball)	5.00	4.50	
2 to 2½' (14" Ball)	7.00	6.25	
excelsa pygmea. Pygmy Norway Spruce—	4 50	4.00	
1½ to 2′ (13″ Ball)	4.50	$\frac{4.00}{5.00}$	
2 to 2½' (15" Ball)	5.50	5.00	
2½ to 3′ (16″ Ball)	7.25	6.50	
3 to 3½' (18" Ball)	9.25	8.25	
3½ to 4' (20" Ball)	12.50	11.00	
polita. Tigertail Spruce—70'	1 00	1.05	1 10
1½ to 2' (12" Ball)	. 1.90	1.65	1.40
2 to 2½' (13" Ball)		2.25	2.00
2½ to 3' (14" Ball)		2.75	2.50
3 to 3½' (15" Ball)	4.00	3.65	3.25
3½ to 4′ (17" Ball)	5.50	5.00	
pungens. Colorado Green Spruce-60'			
4 to 5' (17" Ball)	3.75	3.35	
5 to 6' (19" Ball)	5.00	4.50	4.00
6 to 7' (21" Ball)	6.25	5.50	5.00
7 + 0.8' (94'' Rall)	7.75	7.00	6.25
8 to 9' (27" Ball)	10.00	9.00	8.50
9 to 10' (29" Ball)	12.50	11.00	10.00
9 to 10' (29" Ball) 10 to 12' (32" Ball)	15.50	13.50	12.00
19 to 14' (36" Ball)	20.00	18.00	
14 to 16' (40" Ball)	28.00	25.00	
14 to 10 (40 Dan)			

PICEA—Continued	1 Each	5 Each	25 Each
pungens glauca. Colorado Blue Spruce—	-60'		
2½ to 3' (14" Ball)	\$ 3.10	\$ 2.75	
3 to 4' (15" Ball)	4.15	3.65	
4 to 5' (17" Ball)	5.25	4.75	
5 to 6' (19" Ball)	6.75	6.00	
6 to 7' (21" Ball)	8.00	7.25	\$ 6.50
7 to 8' (24" Ball)	9.75	8.75	7.75
8 to 9' (27" Ball)	12.50	11.00	10.00
8 to 9 (27 Ball)	15.00		
9 to 10' (29" Ball) 10 to 12' (32" Ball)	10.00	13.00	11.50
10 to 12' (32" Ball)	19.50	17.50	15.50
12 to 14' (36" Ball)	27.00	24.00	21.00
14 to 16' (40" Ball)	35.00	30.00	
pungens glauca kosteri. Koster's Blue S	pruce-55'		
$1\frac{1}{2}$ to 2' (12" Ball)	2.75	2.50	2.25
2 to 2½' (13" Ball)	3.65	3.25	2.85
2½ to 3' (14" Ball)	4.25	3.85	3.50
3 to 3½' (15" Ball)	5.25	4.75	4.35
3½ to 4′ (16″ Ball)	6.25	5.50	5.00
4 to 5' (17" Ball)	7.75	7.00	6.25
5 to 6' (19" Ball)	9.75	8.75	7.75
6 to 7' (21" Ball)	1950	11.00	10.00
7 to 8' (24" Ball)	10.00	16.00	14.00
7 to 8' (24" Ball)	10.00		
8 to 9' (26" Ball)	22.00	20.00	18.00
9 to 10' (29" Ball)	32.00	28.00	25.00
10 to 11' (31" Ball)	40.00	35.00	30.00
11 to 12' (33" Ball)	47.50	42.50	
12 to 13' (35" Ball)			
pungens moerheimi. Moerheim Blue Spr	uce-45'		
1½ to 2' (12" Ball)	2.75	2.50	2.25
2 to 2½' (13" Ball)	3.65	3.25	2.85
2½ to 3' (14" Ball)	4.25	3.85	3.50
3 to 3½' (15" Ball)	5.25	4.75	4.35
3½ to 4' (16" Ball)	6.25	5.50	5.00
4 to 5' (17" Ball)	7.75	7.00	6.25
5 to 6' (19" Ball)	9.75	8.75	0.20
0 to 0 (10 Ban)	0.10	0.10	
PINUS cembra. Swiss Stone Pine-50'			
4 to 5' (17" Ball)	7.75	7.00	
5 to 6' (19" Ball)	10.00	9.00	
6 to 7' (21" Ball)	13.50	12.00	
densiflora umbraculifera (Tanyosho).		12.00	
Japanese Umbrella Pine—12'			
		7.00	
3' (16" Ball)	7.75	7.00	
flexilis. Limber Pine—80'	10.00	40 50	
8 to 9' (26" Ball)	12.00	10.50	
9 to 10' (29" Ball)	15.00	13.00	11.50
10 to 12' (32" Ball)	20.00	18.00	16.00
12 to 14' (36" Ball)	_ 25.00	22.50	20.00
14 to 16' (40" Ball)	32.00	28.00	
montana mughus, Dwarf Mountain Pin	e-3'		
12 to 15" spread (10" Ball)	1.65	1.40	1.15
15 to 18" spread (11" Ball)	2.25	2.00	1.75
$1\frac{1}{2}$ to 2' spread (12" Ball)	2.75	2.50	2.25
2 to 2½' spread (13" Ball)	3.75	3.35	
1 ()		3.30	

Customers are usually pleasantly surprised to find that their plants are larger and stronger than they expected.

PINUS—Continued resinosa. Red Pine—50' 2 to 3' (13" Ball) 3 to 4' (15" Ball)	1 Each \$ 1.90 3.00	5 Each \$ 1.65 2.75	25 Each \$ 1.40 2.50
strobus. White Pine—80' 10 to 12' (31" Ball) 12 to 14' (35" Ball) 14 to 16' (39" Ball) 16 to 18' (42" Ball)	19.50 25.00 32.00	17.50 22.50 28.00 35.00	
PSEUDOTSUGA—douglasi. Douglas Fir—70' 2 to 3' (13" Ball) 3 to 4' (15" Ball) 4 to 5' (16" Ball) 5 to 6' (18" Ball) 6 to 7' (20" Ball) 7 to 8' (23" Ball) 9 to 10' (27" Ball) 10 to 12' (30" Ball) 12 to 14' (33" Ball) 14 to 16' (36" Ball) 16 to 18' (40" Ball)	5.00 6.00 7.25 9.25 11.50 15.50 20.00 27.00	1.50 2.25 3.35 4.50 5.50 6.50 8.25 10.00 13.50 18.00 24.00	1.25 2.00 3.00 4.00 5.00 6.00 7.50 9.00
RETINOSPORA filifera. Thread-branched Japanese Cypress 1½ to 2' (12" Ball) 2 to 2½' (13" Ball) 4 to 5' (17" Ball) 5 to 6' (20" Ball) 6 to 7' (23" Ball) 7 to 8' (26" Ball)	2.15 5.00 6.25 7.25	1.40 1.90 4.50 5.50 6.50 8.00	
filifera aurea. Golden thread-branched Japa 12 to 18" (11" Ball)	nese C 2.00 2.50 4.75 5.50 6.75 8.75	Typress— 1.75 2.25 4.25 5.00 6.00 7.75 10.00	1.50
pisifera. Pea-fruited Japan Cypress—Sawa 2 to 2½' (12" Ball)	1.65 1.90 2.75 3.75 5.00 7.75 9.50 12.50 17.00 22.50 28.00	1.40 1.65 2.50 3.35 4.50 7.00 8.50 11.00 15.00 20.00 25.00	1.15 1.40 2.25 3.00 4.00
pisifera aurea. Golden Pea-fruited Japan (Sizes and prices same as "pisifera."	ypress	25'	

Cole's evergreens are properly sheared producing dense, symmetrical, colorful specimens.

COLE'S EVERGREENS are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plants.

RETINOSPORA—Continued	1 Each	5 Each	25 Each
plumosa. Plume Cypress—20'			
plumosa. <i>Plume Cypress</i> —20' 1½ to 2' (11" Ball)	\$ 1.35	\$ 1.10	\$.85
2 to 2½' (12" Ball)	1.65	1.40	1.15
2½ to 3' (13" Ball)	1.90	1.65	1.40
3 to 4' (15" Ball)	2.75	2.50	2.25
6 to 7' (20" Ball)	6.25	5.50	
7 to 8' (23" Ball)	7.75	7.00	
8 to 9' (25" Ball)	9.50	8.50	
9 to 10' (27" Ball)	12.50	11.00	
plumosa aurea. Goldenplume Cypress—18'	12.00	11.00	
(Sizes and prices same as "plumosa"	obowo)		
squarrosa. Silver Cypress—20'	above).		
1½ to 2' (11" Ball)	1.95	1 10	0.5
1 ½ 10 ¼ (11 Dall)	1.35	1.10	.85
2 to 2½' (12" Ball)	1.65	1.40	1.15
2½ to 3′ (13″ Ball)	2.15	1.90	1.65
TAXUS baccata repandens. Spreading English	Yew—	2′	
15 to 18" spread (11" Ball)	1.90	1.65	
1½ to 2' spread (12" Ball)	2.75	2.50	
2 to 2½' spread (13" Ball)	3.75	3.35	
cuspidata. Japanese Yew-6'	. 0.10	0.00	
12 to 15' spread (10" Ball)	. 1.65	1.40	1.20
15 to 18" spread (11" Ball)	2.00	1.75	1.50
1½ to 2' spread (12" Ball)	$\frac{2.50}{2.50}$	$\frac{1.75}{2.25}$	$\frac{1.30}{2.00}$
2 to 2½' spread (12" Ball)	3.35	$\frac{2.20}{3.00}$	$\frac{2.00}{2.75}$
2 ½ to 3' spread (15" Ball)	4.00		
3 to 3½' spread (16" Ball)	4.00	3.65	
3 to 3½' spread (16" Ball) 3½ to 4' spread (17" Ball)	5.50	5.00	
	7.25	6.50	
4 to 4½' spread (19" Ball)	9.75	8.75	
4½ to 5′ spread (21″ Ball)	13.00	11.50	
5 to 5½' spread (23" Ball)	18.00	16.00	
5½ to 6' spread (25" Ball)	22.50	20.00	
cuspidata capitata. Upright Japanese Yew-	8′		
1½ to 2' (12" Ball)	2.00	1.80	1.60
2 to 2½' (13" Ball)	2.50	2.25	2.00
2½ to 3' (14" Ball)	3.75	3.35	3.00
3 to 3½' (15" Ball)	5.00	4.50	4.00
3 ½ to 4′ (16″ Ball)	6.75	6.00	
4 to 4 ½ (1'(" Ball)	8.00	7.25	
4 ½ to 5 (18 Ball)	-10.00	9.00	
5 to 5 %' (19" Ball)	12.50	11.00	
$9\frac{7}{2}$ to 6 (20° Ball)	16.00	14.00	
6 to 7' (22" Ball)	19.50	17.50	
7 to 8' (24" Ball)	25.00	22.50	
8 to 9' (26" Ball)	30.00	27.50	
cuspidata nana (brevifolia)—Dwarf Janan	ese Ver	v=4'	
9 to 12" (9" Ball)	1.50	1.25	1.00
12 to 15" (10" Ball)	1.90	$\frac{1.25}{1.65}$	1.40
15 to 18" (11" Ball)	$\frac{1.50}{2.50}$	$\frac{1.05}{2.25}$	$\frac{1.40}{2.00}$
1 ½ to 2' (12" Ball)	$\frac{2.50}{3.35}$		
2 to 2½' (14" Ball)	$\frac{5.35}{5.00}$	3.00	$\frac{2.75}{4.00}$
2 ½ to 3' (16" Ball)		4.50	4.00
= /2 00 0 (10 Dail)	6.75	6.00	

TAXUS—Continued	1 Each	5 Each	25 Each
media. $Semi-Upright-6'$			
2 to 2½' (13" Ball)	\$4.00	\$ 3.60	
2 ½ to 3′ (15″ Ball)	5.00	4.50	
3 to 3½' (16" Ball)	6.25	5.50	
3½ to 4′ (18″ Ball)	8.00	7.25	
4 to 4½' (20" Ball)	10.00	9.00	
	10.00	0.00	
media hatfieldi. Hatfield Yew—8'			
1½ to 2' (12" Ball)	3.00	2.75	\$ 2.50
2 to 2½' (13" Ball)	4.00	3.65	3.25
2½ to 3' (14" Ball)	5.50	5.00	4.50
media hicksi. Hicks Yew-10'			
15 to 18" (10" Ball)	1.75	1.50	1.25
1½ to 2′ (11″ Ball)			
1 72 t0 2 (11 Dail)	2.25	2.00	1.75
2 to 2½' (12" Ball)	3.35	3.00	2.65
THUJA occidentalis. American Arborvitae—25	,		
2 to 3' (12" Ball)	1.40	1.15	1.00
3 to 4' (14" Ball)	1.75	1.50	1.30
4 to 5' (15" Ball)	2.35	2.10	1.85
5 to 6' (16" Ball)	$\frac{2.00}{3.00}$	$\frac{2.10}{2.75}$	$\frac{1.65}{2.50}$
0 to 0 (10 Dall)			
6 to 7' (18" Ball)	3.75	3.35	3.00
7 to 8' (20" Ball)	4.50	4.00	3.60
8 to 9' (21" Ball)	5.50	5.00	4.50
9 to 10' (23" Báll) 10 to 11' (24" Ball)	7.25	6.50	6.00
10 to 11' (24" Ball)	9.25	8.25	7.50
11 to 12' (26" Ball)		11.00	10.00
12 to 13' (28" Ball)	15.50	13.50	12.00
13 to 14' (30" Ball)	10.00		
13 to 14' (30" Ball)	19.00	17.00	
14 to 15' (32" Ball)	22.50	20.00	
occidentalis caucasica. Large Globe—5'			
15 to 18" (11" Ball)	1.50	1.25	1.00
15 to 18" (11" Ball) 1½ to 2' (12" Ball)	1.85	1.60	1.35
2 to 2½' (13" Ball)	2.25	2.00	1.75
occidentalis Columbia. Columbia Arborvita			2110
	1.85	1.60	1 25
2 to 3' (12" Ball)		$\frac{1.60}{2.15}$	1.35
3 to 4' (14" Ball)	2.40	2.15	1.90
occidentalis compacta. Parson's Arborvitae-	-3'		
15 to 18" (11" Ball)	1.45	1.20	1.00
1½ to 2' (12" Ball)	1.75	1.50	1.25
occidentalis douglasi aurea. Douglas Golden			
5 to 6' (16" Ball)	4.00	3.60	4
0 to 0 (10 Dall)			
6 to 7' (18" Ball)	5.00	4.50	
7 to 8' (20" Ball)	6.50	5.75	
8 to 9' (22" Ball)	7.75	7.00	
9 to 10' (24" Ball)	9.25	8.25	
10 to 11' (26" Ball)	11.50	10.00	
occidentalis elegantissima. Goldtip Arborvi	tae20	,	
1 ½ to 2' (11" Ball)	1.50	1.25	
1 ½ to 2' (11" Ball) 2 to 2½' (12" Ball)	1.75	1.50	
2 to 272 (12 Dan)			4.00
6 to 7' (19" Ball)	5.00	4.50	4.00
7 to 8' (21" Ball)	6.00	5.50	5.00
8 to 9' (22" Ball)	7.25	6.50	6.00
9 to 10' (24" Ball)	8.75	7.75	7.00
10 to 11' (26" Ball)	10.75	9.75	8.75
11 to 12' (28" Ball)	14.00	12.50	11.50
12 to 13' (30" Ball)	18.00	16.00	
	29.50	20.00	
13 to 14' (32" Ball)	44.00	40.00	

ROSES

We add a number of thoroughly tested roses to our collection each year and eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See Pages 58 to 62).

THUJA-Continued	1 Each	5 Each	25 Each
occidentalis ellwangeriana. Tom Thumb Ar	borvitae	e6'	
1½ to 2' (12" Ball)	\$ 1.60	\$ 1.35	\$ 1.10
2 to 2½' (13" Ball)	2.00	1.75	1.50
2½ to 3' (14" Ball)	2.35	2.10	1.85
occidentalis globosa. Globe Arborvitae—4'	2.00	2110	1.00
12 to 15" (10" Ball)	1.10	.85	.70
15 to 18" (11" Ball)	$\frac{1.10}{1.35}$	1.10	.90
10 to (11 Dail)	$\frac{1.55}{1.60}$	1.35	
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)			1.10
2 to 2½′ (13″ Ball)	2.00	1.75	1.50
2½ to 3′ (15″ Ball)	2.50	2.25	
3 to 3½′ (16″ Ball)	3.35	3.00	
3½ to 4′ (18″ Ball)	4.50	4.00	
4 to 5' (20" Ball)	5.50	5.00	
occidentalis hoveyi. Hovey Arborvitae-6'			
15 to 18" (11" Ball)	1.35	1.10	.90
1½ to 2' (12" Ball)	1.60	1.35	1.10
2 to 2½' (13" Ball)	2.00	1.75	1.50
occidentalis lutea. George Peabody—Golden 2 to 2½' (12" Ball)	eArbor	vitae-1	.2'
2 to 2½' (12" Ball)	1.75	1.50	1.25
6 to 7' (18" Ball)	5.00	4.50	4.00
7 to 8' (20" Ball)	6.00	5.50	5.00
8 to 9' (22" Ball)	7.25	6.50	6.00
9 to 10' (24" Ball)	8.75	7.75	7.00
10 to 11' (25" Ball)	10.50	9.50	
occidentalis nigra. Dark green dense Ameri	ican tvi	oe20'	
2 to 3' (12" Ball)	1.90	1.65	1.40
3 to 4' (14" Ball)	2.50	2.25	2.00
6 to 7' (19" Ball)	5.00	4.50	4.00
7 to 8' (21" Ball)	6.25	5.75	5.25
8 to 9' (23" Ball)	8.00	7.25	6.50
occidentalis plicata. Moss Arborvitae—15'	0.00	1.40	0.00
2 to 2½' (11" Ball)	1 75	1.50	1.25
2 ½ to 3' (12" Ball)	$\frac{1.75}{2.00}$		
2 72 to 5 (12 Dan)		1.75	1.50
3 to 4' (13" Ball) 4 to 5' (14" Ball)	2.50	2.25	2.00
4 to 5' (14" Ball)	3.60	3.25	2.90
5 to 6 (16" Ball)	4.75	4.25	3.85
6 to 7' (17" Ball)	6.25	5.50	
7 to 8' (19" Ball)	8.00	7.25	
occidentalis pyramidalis. Pyramidal Arboru			
1½ to 2′ (10″ Ball) 2 to 2½ (11″ Ball)	1.25	1.00	.80
2 to 2½ (11" Ball)	1.50	1.25	1.00
2 ½ to 3' (12" Ball)	1.90	1.65	1.40
3 to 4' (13" Ball)	2.60	2.35	2.10
4 to 5' (14" Ball)	3.50	3.15	
5 to 6' (16" Ball)	4.50	4.00	
6 to 7' (17" Ball)	5.50	5.00	
7 to 8' (19" Ball)	6.75	6.00	
8 to 9' (20" Ball)	8.50	7.50	
9 to 10' (22" Ball)	11.50	10.00	
10 to 11' (24" Ball)	14.00	12.50	
11 to 12' (26" Ball)	18.00	16.00	
, , , , , , , , , , , , , , , , , , , ,	-0,00	*0.00	

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis umbraculifera. Umbrella Arbon	vitae—	4'	
15 to 18" (11" Ball)	\$ 1.50	\$ 1.25	\$ 1.00
$1\frac{1}{2}$ to 2' (12" Ball)	1.75	1.50	1.25
2 to 2½' (13" Ball)	2.10	1.85	1.60
occidentalis vervaeneana. Vervene Arborvi	$tae = 10^{\circ}$		1.00
2 to 3' (12" Ball)	1.60	1.35	1.10
4 to 5' (15" Ball)	3.35	3.00	
5 to 6' (17" Ball)	4 00	3.60	
6 to 7' (19" Ball)	5.00	4.50	
7 to 8' (21" Ball)	6.25	5.50	
8 to 9' (22" Ball)	7.25	6.50	6.00
9 to 10' (24" Ball)	8 75	7.75	7.00
10 to 11' (26" Ball)	10.00	9.00	
11 to 12' (28" Ball)	14.00	12.50	
occidentalis wareana. Ware or Siberian Ar	homita	12.00	
1½ to 2' (11" Ball)	1 50		1 00
2 to 2 ½' (12" Ball)	1.50	1.25	1.00
2 10 472 (14 Dall)	1.90	1.65	1.40
2½ to 3′ (14″ Ball)	2.50	2.25	2.00
3 to 3½′ (15″ Ball)	3.35	3.00	2.65
3 ½ to 4' (16" Ball)	4.00	3.60	
4 to 5' (18" Ball)	5.50	5.00	
occidentalis woodwardi. Woodward Globe A	rborvit		
12 to 15" (10" Ball)	1.15	.90	.70
15 to 18" (11" Ball)	1.40	1.15	.90
1½ to 2' (12" Ball)	1.65	1.40	1.15
2 to 2½' (13" Ball)	2.10	1.85	1.60
orientalis. Oriental Arborvitae-20'			
5 to 6' (16" Ball)	4.10	3.75	3.35
6 to 7' (17" Ball)	5.00	4.50	4.00
7 to 8' (19" Ball)	6.25	5.50	
8 to 9' (21" Ball)	7.75	7.00	
orientalis aurea. Golden Oriental Arborvita	e. Hard		_8'
2 to 3' (12" Ball)	2.25	2.00	1.75
3 to 4' (14" Ball)	3.00	$\frac{2.75}{2.75}$	2.50
4 to 5' (15" Ball)	4.25	3.85	3.50
5 to 6' (16" Ball)	5.50	5.00	4.50
	6.75	6.00	5.50
6 to 7' (18" Ball)	8.25	7.50	6.75
7 to 8' (20" Ball)	4 1		0.19
orientalis aurea nana. Berckman's Golden	4roorvi		1 40
15 to 18" (11" Ball)	1.90	1.65	1.40
1½ to 2' (12" Ball)	2.35	2.10	1.85
TSUGA—canadensis. Hemlock Spruce—75'			
1½ to 2' (11" Ball)	1.50	1.25	1.00
2 to 2½' (12" Ball)	1.90	1.65	1.40
2½ to 3' (13" Ball)	2.25	2.00	1.75
3 to 3½' (14" Ball)	2.75	2.50	2.25
3½ to 4' (15" Ball)	3.50	3.10	2.75
4 to 4½' (16" Ball_)	4.00	3.60	3.25
4½ to 5' (17" Ball)	4.75	4.25	3.85
5 to 6' (18" Ball)	5.75	5.25	4.75
6 to 7' (20" Ball)	7.25	6.50	6.00
7 to 8' (23" Ball)	9.25	8.25	7.50
8 to 9' (25" Ball)	12.50	11.00	
9 to 10' (28" Ball)	15.50	13.50	
9 to 10 (20 Dall)	10.00	16.50	
10 to 11' (30" Ball)	10.00		
11 to 12' (32" Ball)	22.00	20.00	
12 to 14' (35" Ball)	29.00	26.00	
14 to 16' (40" Ball)	37.00	33.00	

TSUGA—Continued caroliniana. Carolina Hemlock—50'	1 Each	5 Each	25 Each
2 to 2½' (13" Ball)	¢ 9.25	\$ 2.10	\$ 1.85
2 ½ to 3' (14" Ball)	$\frac{3}{2.75}$	$\frac{4}{2.50}$	$\frac{1.55}{2.25}$
3 to 3½' (15" Ball)	$\frac{2.15}{3.50}$	$\frac{2.50}{3.10}$	$\frac{2.25}{2.75}$
3 TO 3 ½ (10 Bill) =======	4.00		
3 ½ to 4' (16" Ball)	4.00	3.60	3.25
4 to 5' (17" Ball)	5.25	4.75	4.25
5 to 6' (19" Ball)	7.25	6.50	
5 to 6' (19" Ball) 6 to 7' (21" Ball)	9.00	8.00	
7 to 8' (24" Ball)	11.50	10.00	
8 to 9' (26" Ball)	15.50	13.50	
9 to 10' (29" Ball)	20.00	18.00	
10 to 11' (32" Ball)	25.00	22.50	
10 to 11' (32" Ball) sieboldi. Siebold Hemlock—35'			
1½ to 2'	3.00	2.65	
1 /2 00 2	0.00	2.00	
Evergreen Sh	ruh	S	
		5 Each	25 Each
ARCTOSTAPHYLOS—uva ursi. Bearberry One of our best ground cover plants—12"			
12 to 18" spread (11" Ball)	\$ 1.00	\$.80	\$.65
1½ to 2' spread (12" Ball)	1.50	1.25	1.00
DAPHNE—cneorum. Garland Flower—18"			
6 to 9" (7" Ball)	.50	.40	.35
9 to 12" (8" Ball)	.65	.50	.40
12 to 15" (9" Ball)	.80	.65	.55
15 to 18" (10" Ball)	1.00	.85	.75
· · · · · · · · · · · · · · · · · · ·			
EUONYMUS—For other EUONYMUS see "De patens (sieboldi). Spreading Euonymus—6'	e c iduo u s	Shrubs	
12 to 18"	.50	.40	.35
12 to 18"	.70	.55	.45
2 to 2½'	.90	.75	.65
radicans. Wintercreeper—Trailing—2'	.90	.10	.00
1 auteans. Withtercreeper—Training—2	9.0	0.9	10
9 10 12	.30	.23	.18
12 to 15	.35	.27	.22
9 to 12"	.45	.35	.30
1 ½ to 2'	.65	.50	.40
radicans acutus. Sharpleaf Wintercreeper-	-1'		
12 to 15"	.30	.25	.20
15 to 18"	.35	.30	.25
12 to 15" 15 to 18" 1½ to 2'	F 0	4.0	0.5
2 to 2½'	.50	.40	.35
radianna argentas manginatus (Venis este 1)	.70	.55	.35 .45
radicans argenteo-marginatus (variegated)	.70		
radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper—2'	.70		
Silveredge Wintercreener_2'	.70	.55	.45
Silveredge Wintercreener_2'	.70	.23	.18
Silveredge Wintercreener_2'	.70	.55 .23 .27	.45 .18 .22
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18"	.70 .30 .35 .45	.55 .23 .27 .35	.18 .22 .30
Silveredge Wintercreeper—2' 9 to $12''$ 12 to $15''$ 15 to $18''$ $1\frac{1}{2}$ to $2'$.70 .30 .35 .45	.55 .23 .27	.45 .18 .22
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' radicans carrierei. Glossy Wintercreeper—4	.70 .30 .35 .45 .65	.55 .23 .27 .35 .50	.45 .18 .22 .30 .40
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' radicans carrierei. Glossy Wintercreeper—5 9 to 12"	.70 .30 .35 .45 .65	.55 .23 .27 .35 .50	.45 .18 .22 .30 .40
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' radicans carrierei. Glossy Wintercreeper—5 9 to 12"	.70 .30 .35 .45 .65	.55 .23 .27 .35 .50	.45 .18 .22 .30 .40 .20 .25
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' radicans carrierei. Glossy Wintercreeper—5 9 to 12" 12 to 15" 15 to 18"	.70 .30 .35 .45 .65	.55 .23 .27 .35 .50	.45 .18 .22 .30 .40
Silveredge Wintercreeper—2' 9 to 12" 12 to 15" 15 to 18" 1½ to 2' radicans carrierei. Glossy Wintercreeper—5 9 to 12"	.70 .30 .35 .45 .65	.55 .23 .27 .35 .50	.45 .18 .22 .30 .40 .20 .25

Cole's evergreens are frequently transplanted or root pruned— a necessity for success.

THE CODE NORDERT CO., I AIRTESTIEL	L, OIII		33
EUONYMUS—Continued	1 Each	5 Each	25 Each
radicans colorata. Red-leaved Wintercreeper	1'		1
12 to 15"\$.30	\$.25	\$.20
12 to 15"\$ 15 to 18"\$.35	.30	.25
1 ½ to 2'	.50	.40	.35
2 to 2½'	.70	.55	.45
radicans erecta. Upright Wintercreeper—3'	.10	.00	.10
12 to 15"	.30	.25	.20
15 to 18"	.45	.35	.30
1 ½ to 2'	.65	.50	.40
2 to 2½'	.75	.60	.50
radicans kewensis. Prostrate Baby Wintercr	.10	.00	.50
2½" Pot Plants	.35		0.5
		.30	.25
radicans vegetus. Bigleaf Wintercreeper—4		20	0.5
9 to 12"	.35	.30	.25
12 to 15" 15 to 18"	.50	.40	.35
15 to 18	.70	.55	.45
1½ to 2′	.80		.55
ILEX crenata convexa (bullata) Box-leaved Jap		Holly—4	
6 to 10", 3" Pots	.45	.35	.30
12 to 15" (11" Ball)	1.75	1.50	1.25
18 to 21" (12" Ball)	2.75	2.50	
21 to 24" (13" Ball)	3.35	3.00	
2 to 2½' (14" Ball)	4.50	4.00	
crenata latifolia. Bigleaf Japanese Holly			
8 to 12", 5" Pots	.65	.50	.40
12 to 18" (11" Ball)	1.50	1.25	1.00
1½ to 2' (12" Ball)	2.00	1.75	1.50
1 ½ to 2' (12" Ball) 2 to 2½' (13" Ball)	2.50	2.25	2.00
crenata microphylla. Littleleaf Japanese Ho	lly—5'	'	
(Hardier than the type).			
(Hardier than the type). 6 to 10", 3" Pots	.50	.40	.35
crenata rotundifolia. Roundleaf Japanese H	olly—8	3'	
(Hardier than the type).			
8 to 12", 5" Pots	.70	.55	.45
glabra. Inkberry—5'			
12 to 15" (10" Ball)	1.50	1.25	1.00
15 to 18" (11" Ball)	1.85	1.60	1.35
1½ to 2' (12" Ball)	2.25	2.00	1.75
2 to 2½' (13" Ball)	2.75	2.50	2.25
opaca. American Holly—20'			
2 to 3' (14" Ball)	2.50	2.25	
3 to 4' (16" Ball)	3.75	3.35	
4 to 5' (18" Ball)	4.50	4.00	
4 to 5' (18" Ball) KALMIA—angustifolia. Lambkill—6'			
1 ½ to 2' (12" Ball)	2.25	2.00	
1½ to 2' (12" Ball) latifolia. Mountain-laurel—7'			
1½ to 2' (12" Ball)	2.00	1.75	1.50
2 to 2½' (13" Ball)	2.50	2.25	2.00
2½ to 3′ (15″ Ball)	3.50	$\frac{2.20}{3.10}$	2.75
LEUCOTHOE—catesbaei. Drooping Leucothoe—		0.10	2
15 to 18" (11" Ball)	1.50	1.25	1.00
1½ to 2' (12" Ball)	1.75	1.50	1.25
2 to 2½' (13" Ball)	1.10		1.90
(D) (79 LD) D(H)	2 40	2 15	
MAHONIA panifolium Organ Hollygrang 5'	2.40	2.15	1.50
MAHONIA—aquifolium. Oregon Hollygrape—5'			
MAHONIA—aquifolium. Oregon Hollygrape—5'	1.15	.90	.70
MAHONIA—aquifolium. Oregon Hollygrape—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball)	1.15 1.35	.90 1.10	.70 .90
MAHONIA—aquifolium. Oregon Hollygrape—5'	1.15	.90	.70

PACHYSANDRA—terminalis. Japanese		5 Each	25 Each
Spurge—Evergreen ground cover—10"	e 10	a 00	e 0.0
1 year (\$50.00 per 1000)		\$.08	\$.06
2 years (\$70.00 per 1000)	15	.10	.08
PIERIS—floribunda. (Andromeda floribunda). —Mountain Andromeda—3'			
15 to 18" (11" Ball)	2.25	2.00	1.75
1½ to 2' (12" Ball)	3.10	2.75	2.50
2 to 2½' (13" Ball)	3.60	3.25	
japonica. <i>Japanese Andromeda</i> —4' 1 ½ to 2' (12" Ball)			
1½ to 2' (12" Ball)	2.50	2.25	2.00
2 to 2½' (13" Ball)	3.10	2.75	2.50
2½ to 3′ (15″ Ball)	3.60	3.25	
HODODENDRON carolinianum. Carolina Rh		dron-6'	
12 to 18" (11" Ball)	2.00	1.75	1.50
1 1/4 to 2' (12" Ball)	2.75	2.50	
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	3.35	3.00	
2 1/2 (14" Ball)	4.00	3.60	
2½ to 3' (14" Ball) catawbiense. Lavender Pink—6'		5.00	
12 to 18" (11" Ball)	2.00	1.75	1.50
12 to 18" (11" Ball) 1½ to 2' (12" Ball)	2.50	2.25	2.00
2 to 3' (13" Ball)	3.25	2.85	2.60
2 to 3' (13" Ball) 3 to 4' (14" Ball)	4.25	3.85	3.50
maximum Rosebau Rhododendron—8'	. 1.20	0.00	0.00
maximum. Rosebay Rhododendron—8' 12 to 18" (11" Ball)	1.75	1.50	1.25
1½ to 2' (12" Ball)	2.10	1.85	1.60
2 to 3' (13" Ball)	2.60	2.35	2.10
3 to 4' (15" Ball)	3.75	3.35	3.00
3 to 4' (15" Ball) 4 to 5' (17" Ball)	5.00	4.50	
Vines			
CTINIDIA—arguta. Bower Actinidia	1 Each	5 Each	25 Each
2 years	\$.35	\$.30	\$.25
3 years	.45	.35	.30
KEBIA—quinata. Fiveleaf Akebia			
2 years	.30	.25	.20
3 years		.30	.25
MPELOPSIS—heterophylla. Porcelain Ampel		.00	.20
2 years		.30	.25
3 years		.35	.30
het. amurensis maximowiczi., 2 years	.50	.40	.35
quinquefolia. Virginia Creeper	00	.40	.50
1 year (\$65.00 per 1000)	.17	.12	.08
2 years (\$90.00 per 1000)	.20	.12	.08
3 years (\$130.00 per 1000)	.25	.20	.16
quinquefolia engelmanni	.40	.40	.10
2 years	.25	.17	.12
tricuspidata (veitchi). Boston Ivy	.40	.11	.12
2 years, medium \$90.00 per 1000)	.20	.16	.12
2 years (\$130.00 per 1000)	.25	.20	.15
2 years, medium \$90.00 per 1000) 2 years (\$130.00 per 1000) 3 years (\$180.00 per 1000)	.30	.25	
tricuspidata lowi. Geranium Ivy	.50	.20	.20
Pot Plants	.50	.40	25
	.50	.40	.35
RISTOLOCHIA sipho. Dutchmans-pipe			
2 years	.65	.50	.40

		5 Each	25 Each
BIGNONIA grandiflora. Chinese Trumpetcreeper 2 years\$.55	\$.45	\$.35
radicans. Trumpetcreeper			,
2 years, medium (\$80.00 per 1000)	.20	.15	.10
3 years (\$125.00 per 1000)	.25	.20	.15
CELASTRUS- orbiculatus. Oriental Bittersweet			
2 years, medium (\$100.00 per 1000)	.20	.16	.12
2 years (\$130.00 per 1000)	.25	.20	.15
3 years (\$180.00 per 1000) scandens. American Bittersweet	.30	.25	.20
2 years (\$130.00 per 1000)	.25	.20	.15
3 years (\$180.00 per 1000)	.30	.25	.20
CLEMATIS paniculata. Sweet Autumn Clematis	9.0	0.0	10
2 years	.30	.23	.18
hybrid Crimson King. New mammoth vinous red. June to September	75	GE	EE
hybrid Duchess of Edinburg	.75 .50	.65 .40	.55 .35
hybrid Edouard Andre. Single bright red_	.50	.40	.ss .35
hybrid henryi. Single white	.50	.40	.35
hybrid jackmani. Single purple	.50	.40	.35
lawsoniana. Blue flushed mauve. June to	.50	.40	.59
September	.70	.55	.45
texensis syn. coccinea. Scarlet Clematis	.50	.40	.35
HEDERA helix—English Ivy		• - •	
2 years (\$160.00 per 1000)	.30	.25	.20
helix gracilis. Small leaved English Ivy			
2 years	.30	.25	.20
HYDRANĞEA petiolaris. Climbing Hydrangea			
3" Pots, 12 to 18"	.50	.40	.35
3" Pots, 18 to 24"	.65	.50	.40
HYDRANGEA petiolaris. Climbing Hydrangea 3" Pots, 12 to 18" 3" Pots, 18 to 24" LONICERA—aureoreticulata. Yellow Japanese H	oneys	uckle	
2 years	.25	.20	.16
3 years	.30	.25	.20
Goldflame Honeysuckle. (Trade Mark).			
Flame-coral trumpets lined with gold.			
Blooms abundantly from May until	4 5	0.5	0.0
frost. 2 years (25c ea., in 250 lot)	.45	.35	.30
halleana. Hall Japanese Honeysuckle			
2 years (\$90.00 per 1000)	.20	.15	.11
3 years	.25	.20	.15
heckrotti. Everblooming Honeysuckle			
2 years	.35	.30	.25
henryi. Henry Honeysuckle	F 0	40	0.5
2 years	.50	.40	.35
sempervirens. Scarlet Trumpet Honeysuckle	0.0	0.0	10
2 years	.30	.23	.18
LYCIUM—chinense. Chinese Matrimonyvine	or.	20	15
2 years	.25	.20	.15
3 years	.30	.23	.18
POLYGONUM—auberti. China Fleecevine	20	or	90
2 years, medium	$.30 \\ .35$	$.25 \\ .30$	$.20 \\ .25$
2 yearsSCHIZOPHRAGMA—hydrangeoides. Japanese	.00	.50	.25
Hydrangea-vine			
3" Pote 12 to 18"	.50	.40	.35
3" Pots, 12 to 18" 3" Pots, 18 to 24"	.65	.50	.40
0 1000, 10 00 43	.00	.00	• ***

VINCA—minor. Periwinkle or Myrtle	1 Each		25 Each
Strong plants (\$45.00 per 1000)\$ VITIS	.14	\$.09	\$.06
cordifolia. Frost or Winter Grape	0.5	0.0	0.5
2 yearslabrusca. Fox Grape	.35	.30	.25
2 years	.45	.35	.30
rotundifolia. Muscadine Grape	45	0.5	20
2 years WISTERIA floribunda rosea. Rosy Weeping Wi	.45	.35	.30
2 years	.75	.60	.50
frutescens magnifica. Yelloweye Wisteria—	Blue	0.0	25
2 years	.35	.30	.25
sinensis. Chinese Purple Wisteria 2 years (Grafted)	.35	.30	.25
3 years (Grafted)	.50	.40	.35
3 years (Grafted) Tree Shape 3' (14" Ball)	2.75	2.50	
sinensis alba. Chinese White Wisteria			
2 years (Grafted)	.35	.30	.25
3 years (Grafted)	.50	.40	.35
Climbing and Ramble	r R	oses	3
9	1 Each	5 Each	25 Each
American Pillar. Large, single rosy pink\$ BLAZE. New Everblooming Pauls Scar- let. Plant Patent No. 10.	.40	\$.35	\$.31
(Retails \$1.00 each; \$10.00 per dozen)	.65	.55	.50
Climbing American Beauty. Large pink	.40	.35	.31
Doctor Van Fleet. Double flesh pink	.40	.35	.31
DOUBLOONS. Plant Patent No. 152. (Retails \$1.00 each; \$10.00 per dozen) Double cupped, rich gold			
	.60	.55	.50
FLASH. Plant Patent No. 396. (Retails \$1.00 each; \$10.00 per dozen)			
Everblooming. Luminous orange scarlet	.75	.60	
Jacotte. Coppery yellow tinted coppery red	.40	.35	.31
JUNE MORN. (Plant Patent No. 375)	.10	.00	.01
Rose-red with yellow reverse	.75	.70	.60
(Retails \$1.25 each; \$12.50 per dozen)			
Max Graf. Trailing Rugosa. Large waxy single pink flowers. Glossy foliage	.40	.35	.31
Pauls Scarlet Climber	.40	.35	.31
Prosperity. Everblooming. White	.40	.35	.31
Reveil Dijonnais. Light yellow edged car-	•10	.00	.01
mine, crimson and scarlet	.60	.55	.50
Silver Moon. Large single white	.40	.35	.31
THE NEW DAWN. Plant Patent No. 1 (Retails \$1.50 each; \$15.00 per dozen)			
New Everblooming Dr. Van Fleet	1.00	.85	.75
HYBRID RUGOSA	1 Each	5 Each	25 Each
F. J. Grootendorst. Crimson			
Grootendorst Supreme. (New). Crimson	.40	\$.35 .35	\$.31 .31
Max Graf. See Ramblers. Mme. Georges Bruant. Double white	.40	.35	.31

HYBRID RUGOSA—Continued	1 Each	5 Each	25 Each
Pink Grootendorst. Double pink Rosa Rugosa. See Rose Species.		\$.35	\$.31
Sir Thos. Lipton. Snowy white	.40	.35	.31
AUSTRIAN BRIER			
Persian Yellow	.45	.40	.35
Rose Species			
DOGA blands Mandam Book 4'	1 Each	5 Each	25 Each
ROSA blanda. Meadow Rose—4' 1 ½ to 2'	.\$.30	\$.25	\$.20
canina. Dogbrier—8'	.ψ ,θ0	ψ .20	Ψ .40
2 years	.30	.25	.20
cinnamomea. Cinnamon Rose—5'			
2 years	.65	.50	.40
hugonis. Golden Rose of China—6'	25	97	22
1 ½ to 2' 2 to 3'		.27 .35	.22 .30
humilis. Pasture Rose—5'	40	.00	•90
1½ to 2'	35	.27	.22
2 to 3'	.45	.35	.30
lucida. Virginia Rose. Light pink flowers-			
12 to 18"	20	.16	.17
$1\frac{1}{2}$ to $2'_{}$ multiflora japonica. Japanese Rose.	30	.25	.20
Single rose-nink—8'			
2 to 3'	.25	.21	.18
3 to 4'	30	.26	.22
4 to 5'		.35 .40	.30 .35
5 to 6'nitida. Bristly Rose—4'	00	.40	.50
1½ to 2'	.35	.30	.25
2 to 3'	45	.35	.30
palustris. (Carolina). Swamp Rose-5'	or.	20	1.0
12 to 18"1½ to 2'	25	$.20 \\ .25$.16
2 to 3'		.35	.30
rouletti—Swiss Rock Garden			
Rose—8". Small double rose - pink flowers, 3½" pots	4.5	0.5	9.0
rubiginosa. Sweetbriar—6'	45	.35	.30
1½ to 2′	30	.25	.20
1½ to 2′rubrifolia. Redleaf Rose—5′			
3 to 4'	50	.40	.35
rugosa. <i>Rugosa Rose</i> —5' 12 to 18"	.25	.20	.15
1½ to 2'	30	.23	.18
2 to 3'	0.15	.30	.25
setigera. Prairie Rose. Deep pink-6'	25		4.0
1½ to 2'		.20	.16
2 to 3' 3 to 4'	30 35	.25 .30	.20 .25
4 to 5'	50	.40	.35
4 to 5'wichuriana—Memorial Rose. Trailing			
2 years, Medium	30	.25	.20
2 years, No. 1	35	.30	.25

Roses — Hybrid Tea

Prices are for Strong 2 yrs. No. 1 grade. 2 yrs. No. 1½ medium grade deduct 30%. Patented varieties in No. 1 grade only

1	Each	5 Each	25 Each
AMELIA EARHART. Plant Patent No. 63.			
(Retails \$1.25 each: \$12.50 per dozen).			
Yellow to cream with blush overtone\$.75	\$.70	\$.60
Ami Quinard Crimson on maroon	.40	.35	.31
Autumn. Burnt orange and red	.40	.35	.31
Betty Uprichard. Salmon pink	.40	.35	.31
Catherine Kordes. Glowing scarlet	.40	.35	.31
	.45	.40	.35
Christopher Stone. Scarlet-crimson			
Condesa de Sastago. Copper and yellow	.40	.35	.31
COUNTESS VANDAL. Plant Patent No. 3	8.		
(Retails \$1.00 each; \$10.00 per dozen)	0.0		F0
Blended copper, salmon and gold	.60	.55	.50
CRIMSON GLORY. Plant Patent No. 105.			
(Retails \$1.00 each; \$10.00 per dozen) Velvety crimson shaded with deep red	.75	.70	.60
Dainty Bess. Single, ruffled, soft pink	.40	.35	.31
Dame Edith Helen. Clear pink	.40	.35	.31
DICKSONS RED. (Plant Patent No. 376.	• • •	.00	.01
(Retails \$1.00 each; \$10.00 per dozen)			
Glowing scarlet	.60	.55	.50
Director Rubio. Rose-pink; large	.40	.35	.31
Duquesa de Peneranda. Rich coppery apri-			
cot. Autumn flowers beautiful cinna-			
mon peach	.45	.40	.35
ECLIPSE. Plant Patent No. 172.			
(Retails \$1.00 each; \$10.00 per dozen)			
Rich golden yellow	.60	.55	.50
Edith Nellie Perkins, Rich salmon pink	.40	.35	.31
Editor McFarland. New Brilliant pink	$.40 \\ .40$.35	.31
E. G. Hill. Brilliant crimson ETERNAL YOUTH. Plant Patent No. 332.	.40	.35	.31
(Retails \$1.25 each; \$12.50 per dozen).			
Soft pink with yellow at base	.75	.70	.60
Etoile de Hollande. Velvety crimson	.40	.35	.31
Federico Cazas. Coppery pink and orange	.45	.40	.35
GLOAMING. Plant Patent No. 137.	0		****
(Retails \$1.00 each; \$10.00 per dozen)			
Fawn-orange in bud; full blooms-pink			
overlaid salmon	.60	.55	.50
GOLDEN MAIN. Plant Patent No. 254.			
(Retails \$1.00 each; \$10.00 per dozen)			
Dandelion yellow	.60	.55	.50
Golden Sastago, clear buttercup yellow			
(Retails \$1.00 each; \$10.00 per dozen)	00		F0
Deliciously fragrant	.60	.55	.50
rounded by bold cream petals	.40	.35	.31
Joyous Cavalier. Red. Very free bloomer_	.40	.35	.31
Kardinal Piffl. Glorious orange pink	.45	.40	.35
K. A. Viktoria. Pure white. Double	.40	.35	.31
Leonard Barron. Mammoth salmon-rose	,	.00	.51
with amber glow	.40	.35	.31
•			

R

ROSES—Hybrid Tea—Continued	Each	5 Each	25 Each
Margaret McGredy. Brilliant red petals			
on hinges of deep gold\$.40	\$.35	\$.31
McGREDY'S SUNSET. Plant Patent No. 3			
(Retails \$1.25 each; \$12.50 per dozen).			
Yellow flushed scarlet on the inside	.75	.70	.60
Mevrouw G. A. Van Rossem. Brownish yel-			
low, shaded apricot pink	.40	.35	.31
Miss Rowena Thom. Satiny pink, shaded			
orange-flame at the center	.40	.35	.31
MME. CHAS. MALLERIN. Plant Patent No.	. 409.		
(Retails 1.50 each; 15.00 per dozen).			
Orange-salmon	1.25	1.00	.75
MME. COCHET-COCHET. Plant Patent No.	129.		
(Retails \$1.00 each; \$10.00 per dozen)			
Coppery-pink	.60	.55	.50
MME. HENRI GUILLOT. Plant Patent No.	337.		
(Retails $$1.25$ each; $$12.50$ per dozen).			
Watermelon pink	.90	.75	.60
MME. JEAN GAUJARD. Plant Patent No. 3	38.		
(Retails \$1.25 each; \$12.50 per dozen).			
Lovely soft buff	.75	.70	
Mme. Joseph Perraud. Buff, flushed shell-			
pink	.45	.40	.35
Mme. Jules Bouche. White with primrose			
center	.40	.35	.31
Mrs. E. P. Thom. Deep golden yellow	.40	.35	.31
Mrs. Pierre S. DuPont. Golden yellow	.40	.35	.31
Mrs. Sam McGredy Coppery scarlet-orange	.45	.40	.35
Nuntius Pacelli. Fragrant white	.45	.40	.35
President Herbert Hoover. Beautiful suf-			0.4
fusion of maroon, orange, and gold	.40	.35	.31
President Plumecocq. Soft coppery yellow	45	40	95
and salmon	.45	.40	.35

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown Roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

1	Each	5 Each	25 Each
Radiance. Rosy carmine\$.40	\$.35	\$.31
RADIO. Plant Patent No. 197.			
(Retails \$1.00 each; \$10.00 per dozen)	=0	20	
Yellow striped and marked carmine	.70	.60	
Red Radiance. Rose red	.40	.35	.31
REX ANDERSON. Plant Patent No. 335.			
(Retails \$1.25 each; \$12.50 per dozen).			
Mammoth. Cream turning to pure			
white	.75	.70	.60

3E5—III Dicip IEA—Continued	Each	5	Each	25	Eacl
R. M. S. QUEEN MARY. Plant Patent No. 2	49.				
(Retails \$1.00 each; \$10.00 per dozen)					
A blending of rich, glowing salmon with exquisite pure pink, orange base.					
Full flowers, delicately perfumed, free-					
ly produced on vigorous plants\$.60	\$.55	\$.50
RONSARD. Plant Patent No. 284.	***	т		т	
(Retails \$1.25 each; \$12.50 per dozen).					
Scarlet edged yellow	.75		.70		.6
Rouge Mallerin. Rich velvety scarlet	.45		.40		.3
	.40		.40		.0
SIGNORA. Plant Patent No. 201.					
(Retails \$1.00 each; \$10.00 per dozen).	60		.55		.5
Burnt sienna opening to mandarine	.60				
Sir Henry Segrave. Cream yellow	.45		.40		.5
Soeur Therese. Chrome yellow	.40		.35		•6
POLYANTHA					
ANNE POULSEN. Plant Patent No. 182.					
(Retails \$.75 each; \$7.50 per dozen).					
Semi-double, scarlet crimson\$.45	\$.40	-	
Baby Chateau. Maroon	.45		.40	\$. 6
Belvedere. Velvety dark red	.45		.40		. 6
BETTY PRIOR. Plant Patent No. 340.					
(Retails \$.75 each; \$7.50 per dozen).					
Red to shell pink	.50		.45		.4
CARILLON. Plant Patent No. 136.					
(Retails 85c each; \$8.50 per dozen).					
Orange-scarlet bud opening coral-flame	.50		.45		.4
Cole's Pink Lafayette. A light pink form					
of Lafayette	.45		.40		. 6
DONALD PRIOR. Plant Patent No. 377.					
(Retails \$.75 each; \$7.50 per dozen).					
Scarlet flushed crimson	.45		.40		
Eblouissant. Deep red	.45		.40		
Else Poulsen. Bright rose-pink	.45		.40		
	.40		.40		• •
Golden Salmon. Bright orange - salmon.	45		40		
A most worth-while novelty	.45		.40		
Gruss an Aachen. Clusters of flesh-pink	.45		.40		•
Joseph Guy. (Lafayette). Striking cherry-	45		40		
crimson. Large flowers; free bloomer Kirsten Poulsen. Single, bright scarlet	$.45 \\ .45$.40		
LAFAYETTE IMPROVED.	.40		.40		
Glowing red suffused crimson	.45		.40		.:
PERMANENT WAVE. Plant Patent No. 107			.40		• •
(Retails \$.75 each; \$7.50 per dozen).	•				
Rose pink with waved edges	.45		.40		
Pink Gruss an Aachen. Pink	.45		.40	-	
					•
SUMMER SNOW. Plant Patent No. 416.					
SUMMER SNOW. Plant Patent No. 416. (Retails \$.75 each; \$7.50 per dozen).					
SUMMER SNOW. Plant Patent No. 416. (Retails \$.75 each; \$7.50 per dozen). Cluster of snow-white flowers	.45		.40		
SUMMER SNOW. Plant Patent No. 416. (Retails \$.75 each; \$7.50 per dozen). Cluster of snow-white flowers WORLDS FAIR. Plant Patent No. 362.	.45		.40		•
SUMMER SNOW. Plant Patent No. 416. (Retails \$.75 each; \$7.50 per dozen).	.45		.40		

Peonies

Ratin	es for strong 3-5 eye divisions. 3 yr. undivided clumps at twice	thes	e prices
1000011			25 Each
9.0	Baroness Schroeder. Pale flesh-white. Late midsea-season	.30	\$.25
8.4	Chestine Gowdy. Large, light rose, creamy white	.50	φ .Δυ
	collar. Late	.25	.20
8.4	Felix Crousse. Brilliant crimson; late midseason	.25	.20
9.1	Frances Willard. Pale pink fading to white. Late		
2.0	midseason	.30	.25
8.9	Georgiana Shaylor. Very large. Light rose pink;	4 5	
9.0	late midseasonLa France. Light pink splashed crimson. Late	.45	.35
8.3	La Rosiere. Semi-double white, golden stamens. Mid-	.00	.30
0.0	season	.25	.20
9.4	Mme. Jules Dessert. Flesh white, golden center	.30	.25
9.2	Mons. Jules Elie. Light rose-pink; early	.27	.22
8.5	Octavie Demay. Flesh pink fading to white. Early	.25	.20
	Officinalis rubra plena sanguinea. An improved form		
	of the old Decoration Day Peony	.30	.25
8.6	Primevere. Sulphur yellow; midseason	.35	.30
8.8	Richard Carvel. Brilliant crimson. Early midseason_	.35	.30
9.0	Sarah Bernhardt. Rose-pink; late	.30	.25
9.3	Walter Faxon. Vivid shell-pink; midseason	.40 $.20$.35
	Red, pink, white or mixed	.20	.15
	Perennial Plants		
	Items starred (*) are useful for rock garden planti		
ACI	HILLEA 5 Ea	ch	25 Each
*	HILLEA 5 Ea The Pearl. White. June to August—2'\$	ch	25 Each \$.07
ACC	HILLEA— 5 Ea The Pearl. White. June to August—2'\$ ONITUM—	.10	\$.07
ACC	HILLEA— 5 Ea The Pearl. White. June to August—2'\$ DNITUM— fischeri. Dwarf. Dark-blue. August—2½'	ch	
ACC	HILLEA— 5 Ea The Pearl. White. June to August—2'\$ ONITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering	.10 .20	\$.07 .15
ACC	#ILLEA— 5 Ea The Pearl. White. June to August—2'\$ ONITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6'	.10 .20	\$.07 .15
*ACC	### HILLEA— 5 Ea ###################################	.10 .20	\$.07 .15
*ACC	HILLEA— The Pearl. White. June to August—2'\$ ONITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4"	.10 .20 .20 .17	\$.07 .15 .15 .12
*AJ	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" THAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6'	.10 .20 .20 .17	\$.07 .15
*AJ ALT	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" THAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM—	.10 .20 .20 .17	\$.07 .15 .15 .12
*AJ ALT	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" THAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM—	.10 .20 .20 .17 .10	\$.07 .15 .15 .12 .07
*AJ ALT	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" PHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6"	.10 .20 .20 .17 .10	\$.07 .15 .15 .12 .07
*AJ ALT	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" CHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6"	.10 .20 .20 .17 .10 .12 .15 .13	\$.07 .15 .15 .12 .07 .08 .12 .10
*AJ ALT *AL	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" PHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6" *mysotidiflora. Bright Blue. May—1' *mysotidiflora. Bright Blue. May—1'	.10 .20 .20 .17 .10	\$.07 .15 .15 .12 .07
*AJ ALT *AL	HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" CHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6" *mysotidiflora. Blue. June to Sept.—3' *mysotidiflora. Bright Blue. May—1'	.10 .20 .20 .17 .10 .12 .15 .13	\$.07 .15 .15 .12 .07 .08 .12 .10
*AJ ALT *AL	#ILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" PHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6" *mysotidiflora. Blue. June to Sept.—3' *mysotidiflora. Bright Blue. May—1' EMONE— Shupehensis. Early Anemone. Dwarf. Mauve rose,	.10 .20 .20 .17 .10 .12 .15 .13	\$.07 .15 .15 .12 .07 .08 .12 .10 .12
*AJ ALT *AL AN(HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" THAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' saxatile compactum. Yellow. May—1' Serpyllifolium. Dwarf Pale yellow. May—6" *mysotidiflora. Bright Blue. May—1' EMONE— Chupehensis. Early Anemone. Dwarf. Mauve rose, Sept.—1'	.10 .20 .20 .17 .10 .12 .15 .13	\$.07 .15 .15 .12 .07 .08 .12 .10
*AJ ALT *AL AN(HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" PHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6" EHUSA—italica. Blue. June to Sept.—3' *mysotidiflora. Bright Blue. May—1' EMONE— Chupehensis. Early Anemone. Dwarf. Mauve rose, Sept.—1' hupehensis superba. New. Extra large flowers of	.10 .20 .20 .17 .10 .12 .15 .13 .17	\$.07 .15 .15 .12 .07 .08 .12 .10 .12
*AJ ALT *AL AN(### HILLEA— The Pearl. White. June to August—2'\$ Source Source Source Source	.10 .20 .20 .17 .10 .12 .15 .13 .17	\$.07 .15 .15 .12 .07 .08 .12 .10 .12
*AJ ALT *AL AN(### HILLEA— The Pearl. White. June to August—2'\$ Source Source Source Source	.10 .20 .20 .17 .10 .12 .15 .13 .17	\$.07 .15 .15 .12 .07 .08 .12 .10 .12 .12
*AJ ALT *AL AN(HILLEA— The Pearl. White. June to August—2'\$ NITUM— fischeri. Dwarf. Dark-blue. August—2½' sparks. Wilson Monkshood. Mauve. Fall-Flowering —6' UGA—reptans. Carpet Bugle. Blue. May—4" PHAEA—rosea. Hollyhock—6' Double pink, red, white, yellow, salmon—6' YSSUM— saxatile compactum. Yellow. May—1' serpyllifolium. Dwarf Pale yellow. May—6" EHUSA—italica. Blue. June to Sept.—3' *mysotidiflora. Bright Blue. May—1' EMONE— Chupehensis. Early Anemone. Dwarf. Mauve rose, Sept.—1' hupehensis superba. New. Extra large flowers of	.10 .20 .20 .17 .10 .12 .15 .13 .17	\$.07 .15 .15 .12 .07 .08 .12 .10 .12

ACTUL DOLL (C. I. I.)	5 Eac	L	25 Each
			\$.09
chrysantha. Yellow. June—2½′	Ф •-	10 17	ەن. ب 12.
Crimson Star. Crimson. May, June—2'	•	$\frac{17}{15}$.12
coerulea. Blue. June—1½′ *Dobbies Imperial Hybrids. Mixed colors. May, Jun	ne .	15	
1'	•	15	.10
Farquhar's Pink—2½′	•	15	.10
1' Farquhar's Pink—2½' Mrs. Scott Elliott. Long-spurred hybrids—3'		15	.10
*ARABIS—alpina. White. April and May—6"	•	12	.08
ARMERIA— formosa hybrids. Large flowered mixed -15"	•	12	.08
ARTEMESIA—lactiflora. White. August—4'Silver King. (New). Silvery foliage—3'	:	$\frac{12}{10}$.08 .07
ASCLEPIAS—tuberosa. Butterflyweed—2'		10	.07
ASTER—			
nova angliae Adorable. New Salmon-pink. Septer	n-		
her and October—41/6'		30	.25
nova angliae Mt. Rainer. New. The best pure whi	te		0
Fall_4'		25	.20
Sunset. Fine pink. September—1½'	•	$\overline{15}$.10
Sunset. Fine pink. September—1½'_nova_belgii. Beechwood Challenger. Sept.—4'			
The best of the red asters.	•	15	.10
nova belgii Beechwood Charm. New. Deep ros	v-		
red. September to frost—4'nova belgii. Red Rover. Rosy red with yellow center		25	.20
nova belgii. Red Rover. Rosy red with yellow cente			
Ball—3½′	•	15	.10
*nova belgii nana Nancy. Pale flesh-pink. Sept.—9"_Strawberries and Cream. Sept.—4'	•	12	.08
Deep pink fading to soft pink 2 1/4" plants		15	.10
Harringtons Pink. Sept. 3'		25	.20
BAPTISIA—australis. False Indigo. Dark blue, June—1	·- ·	10	.07
CAMPANULA			
medium calycanthema. Blue, rose, or white—2½′		10	.07
*CENTAUREA-montana. Mountain Bluet. Blue.			
June and July—1½'		12	.08
			.00
*CERASTIUM—tomentosum. White—6"		12	.08
*CERATOSTIGMA-plumbaginoides. Dwarf, deep blue),		
September and October—6"	•	15	.10
CHRYSANTHEMUM—			
coccineaum. Jas. Kelway Hybrids. Painted Daisy Velvety red shades. June—12"		15	.10
coccineaum. Pyrethrum roseum. Painted Daisy. Pin	·	10	.10
to red. May and June—2½'	1K	15	.10
maximum. Shasta Daisy. White. July to Oct.—2'		10	.07
CHRYSANTHEMUM—Following varieties		12	.08
Mars. Deep amaranth-red—2'			
Old Orchard. Light pink, yellow center. Midseason.	Larg	ge]	pom-
pom—3'			
Peggy Ann Hover. Quilled lavender pink. Late midseason—2½'			
Saladin, Oriental red shading to coral red—21%'			

NEW AND KOREAN CHRYSANTHEMUMS

Without question the greatest new creation in the perennial world. Korean Chrysanthemums are perfectly hardy—a requisite for satisfaction lacking in the old types; they are easier to grow and are more profuse in blooming. The lovely pastel shades defy description. Wonderful for table decorations and compelling for color effect in the garden.

garden.		
ACACIA. New. Semi-double, brilliant sulphur-yellow,	ich	25 Each
September—2'\$.22	\$.17
APOLLO. Glowing bronze. Fall—2'	.12	.08
ASTRID. Single shell-pink. Early	.15	.10
AUTUMN LIGHTS. New. Semi-double, coppery bronze overcast gleaming orange. September—1½′	.20	.15
EMBER. Brilliant bronze—2½′	.15	.10
GOBLIN. New. Warm golden bronze. October-2'	.25	.20
JUDITH ANDERSON. Clear butter-yellow—15"	.15	.10
KING MIDAS. Soft yellow shaded bronze—2½'	.15	.10
LAVENDER LADY—Large, double. Silvery-lavender.		
Early midseason—2½'	.20	.15
LOUISE SCHLING. Glowing coppery red 21/2'	.15	.10
MRS. PIERRE S. DuPONT. Peach pink tinted rosy salmon		
and fawn	.25	.20
NANCY COPELAND. Spectrum red—2'	.15	.10
PALE MOON. Fluffy loosely-double sulphur-yellow		
flowers. Early midseason—2'	.20	.15
ROMANY. Carmine with bronze tone—21/2'	.17	.12
ROSE GLOW. Large semi-double flowers of raspberry rose shading to opalescent rose are borne in pro-	20	4.5
fusion. Early midseason—1 ½'	.20	.15
SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3'	.25	.20
THE MOOR. Port wine red—2'	.15	.10

CUSHION "MUMS"

Compact little plants bearing myriads of Azalea like flowers throughout October. Your choice of colors: Bronze, Pink, or White______\$.15 \$.10

New Spoon Chrysanthemums. Long, tubular petals flattened at tips to resemble spoons. Pink, yellow. .20

.15

5 E	ach	25 Each
*CONVALLARIA majalis, Lilu of the Valley		
2 year plants. Spring—6"\$.15	\$.10
COREOPSIS lanceolata. Golden yellow. Summer—2'		.07
Mayfield Giants. A vigorous, improved strain—3'	.10	.07
DELPHINIUM—		
Blackmore & Langdon's hybrids. Various colors. July	.17	.12
Cliveden Beauty. Belladonna improved	.15	.10
Giant Pacific Hybrids. Strong wiry stems support		***
spikes of mammoth flowers in all shades of		
blue, mainly doubles. Fine for both the hardy border and for cuttin—5'		
	.20	.15
DIANTHUS—		
barbatus. Sweet William. Newport pink. May and	10	0.77
June—1½'barbatus, New Dwarf Hybrids. Mixed colors—June 6"_	.10	.07
*plumarius semperflorens. Scotch Pink. Mixed. June	.14	.00
and July—9"	.10	.07
DIANTHUS GRENADIN-		
*King of the Blacks Velvety margon, All summer	.10	.07
*Rose Queen. Clear deep rose. All summer—12"	.10	.07
*Rose Queen. Clear deep rose. All summer—12" *White Gold. Yellow—12"	.10	.07
*DICENTRA—eximea. Fringed Bleeding Heart. All		
summer—12"	.15	.10
spectabilis. Bleeding Heart. May, June—2'	.22	.17
Dictamnus fraxinella rubra. Gas plant. Rosy-pink.	17	10
June and July—2½′	.17	.12
DIGITALIS— Ciant Shirley A recent introduction for suppose		
Giant Shirley. A recent introduction far surpass- ing the older types. June, July—3½'	.12	.08
DORONICUM—caucasicum. Leopardbane. Yellow	.12	.00
flowers 2½" across. May. June—2'	.22	.17
ECHINACCEA—purpurea. Rudbeckia purpurea. Purple	.44	.11
cone flower. July, Aug. 3'————————————————————————————————————	.12	.08
ECHINOPS RITRO—Thistle. Steel blue	.10	.07
ERYNGIUM—amethystinum. Amethyst blue. July and	.10	.01
August—2'	.15	.10
EULALIA—(See Miscanthus).	.10	•10
*EUPATORIUM—coelestinum. Blue. September, October—2'	.12	.08
FUNKIA—(See Hosta).	.12	.00
GAILLARDIA—Blanket Flower.		
Burgundy. Wine red. All summer—2'Goblin. Yellow to red. All summer—12"	.12	.08
Goblin. Yellow to red. All summer—12"	.12	.08
Monarch Strain. Yellow to Red. Mammoth—2' Portola hybrids. New Mammoth	.12	.08
Portola hybrids. New Mammoth	.10	.07
The Dazzler. Brilliant red, all summer—2'GERANUIM—sanguineum. Bloodred Cranesbill. All	.12	.08
summer1 1/6'	.15	10
*GEUM—Lady Stratheden Orange all summer 15"	.17	.10 .12
*GEUM—Lady Stratheden. Orange, all summer—15" Mrs. Bradshaw. Ruffled scarlet flowers. All sum-	.11	.14
mer—15"	.17	.12
GYPSOPHILA—Flamingo. New. June flowers light		
pink to white. September flowers, Lilac-pink, A		
sensational introduction. Pots	.35	.30

GYPSOPHILA—Continued 5 E paniculata. Baby's Breath. White, June and July—2'		25 Each \$.07
paniculata Bristol Fairy. Fine double white Baby's · Breath. June and July—30"	.23	
HELIANTHUS Loddon Gold. Enormous double yellow, September and October—5'	.20	.15
HELIOPSIS scabra zinniaeflora. Large double yellow, zinniae-like flowers. Summer—3 to 4'	.15	.10
HEMEROCALLIS—Yellow Day Lily.	20	4.5
Bay State. Deep yellow. August—1½′	.20	.15
flava. Lemon yellow. June—2½′	.10	.07
Goldeni. Golden orange. July-3'	.17	.12
J. A. Crawford. Apricot yellow. July	.17	.12
Lemona. Pale lemon-yellow. June—1 1/2'	.17	.12
Mikado. New. Rich orange marked with purple-		
red. June and July—2½'	.35	.30
minor. Dwarf lemon-yellow. First of June-2'	.10	.07
Mrs. W. H. Wyman. A shade lighter than Lemona.		
June—18"	.17	.12
The Gem. Deep orange yellow. Early July—1½'	.20	.15
thunbergi. Lemon-yellow. July—2½'	.09	.07
HEUCHERA—		
*sanguinea. Coralbells. June to August—1'	.20	.15
HIBISCUS—Mallow Marvels—5' Crimson Eye. White, crimson center. August and		
September	.12	.08
Pink. August and September	.12	.08
Red. August and September	.12	.08
Mixed	.10	.07
coccineus. Scarlet Rosemallow. Deep red. Finely cut foliage. August—6'	.20	.15
HOSTA		
undulata variegata. White and green foliage—1 $\frac{1}{2}$ '	.15	.10
*IBERIS—sempervirens. White. May and June—10"	.15	.10
IRIS—germanica. German Iris. May. June—1½ to 3' S, standards; F, falls.		
B. Y. Morrison. S, violet; F, purple	.15	.10
Darius. S, yellow; F, blue	.10	.07
Lohengrin. Soft cattleya-rose. Very large Lord of June—	.10	.07
S, lavender purple; F, rich violet-purple	.10	.07
Mrs. Sherwin Wright. Golden yellow	.10	.07
Pallida Albert Victor. S, lavender; F, deep lavender_	.10	.07
Shekina. Lemon yellow	.10	.07
IRIS—kaempferi, Japanese Iris. July—3'		
Astarte. Double deep violet	.20	.15
Home Childs White warmed wager plans Danblo	./[1	1 15

	Each	25 Each
Gold Bound. Creamy white, orange center. Early. 6 petaled	\$.20	\$.15
petaled		.20
Nishiki-Yama. Rosy-lavender, veined white. Double Purple and Gold. Rich violet purple. Midseason. 6	.20	.15
petaled	.20	.15
Rose Anna. Ivory white veined ruby red. Double Torch light (Kagari-Bi). Chinese red. Double	.20	.15
Mixed	.12	.08
*IRIS—pumila azurea. Dark violet-blue—4"	.10	.07
*pumila aurea. Yellow—4"	.10	.07
IRIS—sibirica Purple blue June—3'	.10	.07
Furple blue. June—3'Snow Queen. White. June—3'	.10	.07
KNIPHOFIA—uvaria grandis. Tritoma pfitzeri. Red Hot	4.5	1.0
Poker. July to Sept.—3'Tower of Gold. Vigorous, free flowering, rich gol-	.15	.10
den yellow—2½′	.20	.15
*LAVANDULA—officinalis. True Sweet Lavender. July and August—1½'	.15	.10
LIATRIS—pynostachya. Gayfeather. Aug., Sept.—4'	.12	.08
scariosa alba. Pure white. Good for cutting. August		
and SeptemberLILIUM—canadense. Yellow to red. June to August—4'	.20	.15
candidum. Madonna Lily. Pure white. Fragrant, June	.17	.12
phillipinense formosanum. Giant white blooms.	.22	.18
July—4'	.17	.12
4 to 5" circumference5 to 6" circumference	.12	.08
5 to 6" circumference	.15	.10
6 to 7" circumferencesuperbum. Orange. July and August—6'	.17	.12
tenulionum, Coral Luy, June—1½, Tiny scarlet	.15	.10
nowers	.15	.10
LIMONIUM— latifolium. Sea Lavender. Blue. July and Aug.—2'	.12	.08
*LINUM PERENNE. Pale blue. All summer—12"	.10	.07
LOBELIA—cardinalis. Cardinal flower. Scarlet. August		
and September—2½'	.15	.10
LYTHRUM—Roseum superbum. Rosy Red. August and September—3'	d .15	.10
MISCANTHUS—	.10	.10
sinensis gracillimus. Hardy plume grace Groon 6'	.15	.10
sinensis variegatus. White striped plume grass—5'	.12	.08
*MITCHELLA—repens. Partridgeberry. White, shaded pink. March—4"		
pink. March—4"	.12	.08

MONARDA—	Cach	25 Each
didyma. Cambridge Scarlet. August to Sept.—2½'\$		
didyma alba. White. July and August—11/2'	.15	.10
MYOSOTIS— *palustris. Forget-me-Not. Blue. April and May—8"	.12	.08
*NEPETA-mussini. Blue. June, July-1'	.15	.10
OENOTHERA— *missouriensis. Ozark Sundrops. Large yellow. June to August—10"	.15	.10
PACHYSANDRA. (See page 56)		
PAPAVER—Poppy nudicaule. Iceland Poppy schinzianum. Orange-apricot.		
June—12"	.15	.10
orientale. Orange scarlet. June—2½'orientale. following varieties:	.12	.08
Cavalier. Deep scarlet red. June—3'	.35	.30
Joyce. Soft cherry-red. June—3'	.17	.12
Lulu A. Neeley. Ox-blood red. June—3'	.17	.12
Mrs. Perry. Salmon-pink. June—3'	.17	.12
Neeleys Pink Splendor. Glowing pink. June—3'	.20	.15
Perry's White. White. maroon blotch. June—3'	.20	.20
Sass Pink. Flesh pink. June—3'	.25	.20
PENTSTEMON—barbatus torreyi. Coral red. July and August—3'	.12	.08
PEONIES—(See Page 63).		
PHLOX—Columbia Soft cameo pink. Prices, 3 for 75c; 12 for \$2.25; \$12.00 per 100 Retails at 50c each; 3 for \$1.25; \$4.00 per 12; \$30.		
PHLOX—paniculata. Aug., Sept. Baron von Heeckeren. Delicate salmon pink—2½'\$.10	\$.07
B. Compte. Deep rich oxblood-red. Fine—2½'	.15	.10
Beacon. Bright cherry red—3'	.12	.08
Border Queen. Beautiful new pink. Dwarf-11/2'	.15	.10
Bridesmaid. Pure white, crimson eye—2½'	.10	.07
Daily Sketch. Soft salmon-pink. Carmine eye-21/2'	.12	.08
Dr. Chas. Mayo. White, red eye—2½'	.12	.08
Dr. Klehm. White with violet eye-18"	.20	.15
Eclaireur. Brilliant rosy magenta. White eye-2½'	.12	.08
E. I. Farrington, Pleasing salmon, violet eve—3'	.15	.10
Eiffel Tower. Salmon-pink, red eye—3'Enchantress. Salmon pink; dark eye—3'	.15	.10
Enchantress. Salmon pink; dark eye—3'	.15	.10
Ethel Pritchard. French mauve—2'Europe. White, crimson eye—2½'	.12	.08
Eva Foerster. Giant salmon-rose with white center	.12	.08
18"	.20	.15

1 111/071 paintulata Continucu	Cach	25 Eacl
Flash. Carmine-crimson with orange-scarlet center	P 00	(P 1)
2' Fuerbrand. Brilliant orange-scarlet. Free blooming		·
2' Harvest Fire. New. Salmon-red in immense trusses.	.15	.10
Jules Sandeau, Pure pink, Dwarf, Mammoth flow-	.15	.10
ers—2'	.15	.10
Lassburg. Extra fine white—3'	.10	
		.10
Leo Schlageter. Scarlet. One of the best reds—2½′_	.15	
Lillian. Pure pink—2' Miss Lingard. Early waxy white—3' Mrs. Jenkins. White. Late—18"	.17 .17	.12 $.12$
Mrs Jenkins White Late_18"	.10	.07
Mrs. Milly von Hoboken. New Most beautiful soft	.10	.01
pink. Very large flower heads—2½'	.12	.08
Mrs. W. Van Bennigen, Salmon-red—2'	.20	.15
Painted Lady. Tall, delicate silver pink, cherry-red		
eye	.10	.07
Progress Giant lavender—2	.20	.15
Rheinlander. Salmon-pink, claret eye. Fine—2'	.10	.07
Rynstrom. Pink; very large—2½' Special French. Large glowing pink—3'	.12 .12	8 0. 80.
Tigran Orange sagrlet	.17	.12
Tigress. Orange scarlet Widar. Light reddish violet. White eye—2½'	.15	.10
UNNAMED—Ten distinctive varieties, specify	•=0	***
color wanted*PHLOX—divaricata. Lavender. April, May—12"	.09	.06
*PHLOX-divaricata. Lavender. April, May-12"	.15	.10
PHLOX—Creeping Varieties.		
*subulata rosea and alba. Ground cover—4"	.12	.08
*subulata Vivid. Bright pink, red eye. April—4"	.15	.10
PHYSOSTEGIA— Rosy Spire. New Deep rosy-crimson—3'	.17	.12
PLATYCODON—Balloon fliwer. grandiflorum. Blue. July to October—2'	10	00
-	.12	.08
PLUMBAGO—larpentae. (See Ceratostigma).		
*PRIMULA—		
Munstead, Red. Yellow, Cream Separate colors		
Late Spring—9"	.20	.15
Late Spring—9"veris. Yellow. June and July—6"	.17	.12
*RANUNCULUS-repens fl. pl. Creeping Double But-		
tercup. May and June—10"	.10	.07
	•10	.01
RUDBECKIA hirta. Orange yellow, dark eye. Aug.—		
1½'	.10	.07
SALVIA—		
azurea. Rich gentian blue. August and September—4'_	.10	.07
*SAPONARIA—		
ocymoides splendens. Rosy pink. May to July	.12	.08
	.14	,00
SCABIOSA—		
Isaac House Hybrids. A giant strain of new shades	4.5	40
of blue—2'	.17	.12

	Cach	25 Each
SEDUM— *acre. Yellow. June and July—3"	\$ 12	\$.08
*album. White. July—4"	.12	.08
*glaucum. Blue foliage—2"kamschaticum variegatum. Orange-yellow flowers,	.12	.08
leaves edged, dull gold. Midsummer—1'	.17	.12
*spectabile Brilliant. Crimson. August and September—1½'	.15	.10
*Stoloniferum coccineaum. Crimson. July and August	.15	.10
STATICE—latifolia. (See Limonium). STOKESIA—laevis—Cyanea. Blue. August and September 3'	10	07
Blue Moon. Silvery blue suffused lilac. All summer—1'	.10	.07 .12
TEUCRIUM—canadense. Purple to cream. June—11/2'	.17	.12
*THYMUS—azoricus. Beautiful new variety	.12	.08
TRITOMA—pfitzeri. (See Kniphofia).		
TROLLIUS—Golden Queen. Yellow orange. Summer—	. 20	.15
*VERONICA— *incana. White foliage. Blue flowers. July and August—1' *longifolia subsessilis. Blue. Aug. to Oct.—2'	.15 .12	.10 .08
VINCA—(See page 58)		
YUCCA—filamentosa. White. June and July—7'		
2 years3 years		$.07 \\ .10$
variegata. 2 years		.15
2 yours		72.0
Hardy Ferns		
ADIANTUM pedatum. Maidenhair Fern	.15	.10
ATHYRIUM filixfemina. Lady Fern	.15	.10
DICKSONIA punctiloba. Hay Scented Fern	.15	.10
DRYOPTERIS marginalis. Leather-Woodfern	.15	.10
spinulosa. Toothbed Woodfern	.15	.10
ONOCLEA sensibilis. Sensitive Fern	.15	.10
OSMUNDA cinnamomea. Cinnamon Fern	.15	.10
regalis. Royal Fern	.15	.10
POLYSTICHUM acrostichoides. Christmas Fern	.15	.10
PTERETIS nodulosa Ostrich Fern	.15	.10

Fruit Department

APPLES, Standard

	1 Each	5 Each 2	25 Each	250 Each
4½ to 5½', ½ to ½"	\$.45	\$.33	\$.28	\$.25
4½ to 5½', ½ to ½"	.40	.27	.22	.20
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "	35	.23	.18	.16
Bearing Age, 1 to 11/4"	1.50		1.00	
Bearing Age, 11/4 to 11/2"	2.00	1.75		
Bearing Age, 1½ to 1¾"	3.10	2.75	2.50	
Astrachan ^T onathan		Red Ron		ty
Baldwin King		R. I. Gre		
Baldwin King Cortland Macoun Delicious, Red Maiden Blush		Staymar		
Delicious, Red Maiden Blush		Sweet B	ough	
Delicious, Red Maiden Blush Dolgo Crab McIntosh Duchess Melba		Turley		
Grimes Golden Milton		Wealthy Yellow I		
Harvest Northern Spy		Yellow T		
Hyslop Red Northern	Sny	1 enow 1	. ranspa	CIIC
Trystop Red Worthern	ору			
APRICO	OTS			
		1 Each	5 Each	25 Each
3½ to 4½', ½" and up		\$.50	\$.40	\$.35
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}$ "		.40	.30	.25
Hungarian			Moorp	
CHERRIES	S. Sour			
	•	1 Each	5 Each	25 Each
4 to 5', 11' and up		\$.60	\$.50	\$.45
3 to 4'		.50	.40	
4 to 5', 11' and up		-2.25	2.00	
Montmorency			Richmo	ond
CHEDDIES	c .		•	
CHERRIES	, Sweet	1 171	F T31-	05 171-
5 to 7', 11' and up		1 Each	5 Each	
4 to 5' 2 to 11"		\$.65	\$.55 .45	
4 to 5', 1% to 1%"	or Wood	,00 I	Napol	
Schmidt	.01 11 000	Yellow S	nanish	con
		1011011 10	pambn	
NECTAR	INFS			
		1 Each	5 Each	25 Each
$3\frac{1}{2}$ to $4\frac{1}{2}$, $\frac{9}{16}$ and up		\$ 45	\$ 35	\$.30
3½ to 4½', ½" and up		40	.28	.22
Gold Mi	ne	0	,	·
QUINC	ES			
•		1 Each	5 Each	25 Each
3½ to 4½', %" and up		.50	\$.40	\$.35
3 to 4', ½ to 5%"		.40	.30	.25
3½ to 4½′, 5%″ and up 3 to 4′. ½ to 5%″ Bearing Age, 1 to 1¼″		2.50	2.25	2.00
$\operatorname{Champion}$		Oran	ge	

PEACHES

	1 Each	5 Each	25 Each	250 Each
$3\frac{1}{2}$ to 5', $\frac{9}{16}$ to $\frac{3}{4}''_{}$	\$.30	3 .22	\$.16	\$.14
3 to 4', 16 to 16"		5 .17	.12	.10
*Bearing Age, 1 to 13	1.75	1.50		
*Bearing Age, 11/4 to	1.25	1.00		
Belle of Georgia	*Elberta	Salber		
Carmen	*Golden Jubilee		ers Big R	ed
Champion	Hale, J. H.	*South	Haven	
Crawford Early	*Halehaven	*Valian	t	
Crawford Late *Cumberland	Late Elberta	*Vedett		
Early Elberta	Lemon Free *Rochester	Vetera Wilma		
Early Liberta	rochester	vv IIIIIa		
	PEARS, Standar	d		
		1 Each	5 Each	25 Each
5 to 7', $\frac{11}{16}$ " and $up_{}$.			\$.33	\$.28
4 to 5', $\frac{9}{16}$ to $\frac{11}{16}''$.27	.22
3 to 4', $\frac{7}{16}$ to $\frac{9}{16}''_{}$.22	.17
Bearing Age, 6 to 8' to	o 1¼″	1.50	1.25	1.00
Bearing Age, 11/4 to 11/	ź"	2.00	1.75	1.50
Bearing Age 1 1/2 to 2'	, 	3.10	2.75	2.50
Anjou	Clapp's Favorite	Kieffer		
Bartlett	Duahaga	Soalrol		
Buerre Bosc	Flemish Beauty	Worden	Seckel	
Cayuga	Gorham			
Copes Seedless Pe	ears (Patented).			
16" up (Retails \$1	1.50 ea., 3 for \$3.75)_	\$.85	\$.75	\$.60
$\frac{16}{16}$ up (Retails \$1	1.50 ea., 3 for \$3.75)_ ails \$1.25 ea., 3 for \$3.	00) .70	.60	.45
$\frac{16}{16}$ up (Retails \$1	1.50 ea., 3 for \$3.75)_	00) .70		т
$\frac{16}{16}$ up (Retails \$1	1.50 ea., 3 for \$3.75)_ ails \$1.25 ea., 3 for \$3.	00) .70)55	.60 .45	.45
$\frac{16}{16}$ " up (Retails \$1 $\frac{9}{16}$ " to $\frac{16}{16}$ " up (Retails $\frac{7}{16}$ to $\frac{9}{16}$ " (Retails	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf	00) .70)55	.60 .45	.45 .35
116" up (Retails \$1 16" to 116" up (Retails \$1 176 to 116" up (Retails \$1 176 to 116") (Retails \$1 12" to 4 12', 5%" and up	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf	00) .70)55 1 Each \$.45	.60 .45 5 Each \$.33	.45 .35 25 Each \$.28
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" to 16" (Retails \$1 16" to 16" to 16" (Retails \$1 16" to 16	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf	00) .70)55 1 Each \$.45 40	.60 .45 5 Each \$.33 .27	.45 .35 25 Each \$.28 .22
16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" 16" to 16" to 16" to 16" (Retails \$1 16" to 16" t	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf	00) .70)55 1 Each \$.45 40 - 2.00	.60 .45 5 Each \$.33 .27 1.75	.45 .35 25 Each \$.28 .22 1.50
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" to 16" and up 3 to 4', ½ to 5%" Bearing Age, 1 to 1¼ Bearing Age, 6 to 8' 1	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	00) .70)55 1 Each \$.45 40 _ 2.00 _ 2.50	.60 .45 5 Each \$.33 .27 1.75 2.25	.45 .35 25 Each \$.28 .22
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails 16" to 16" 16	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	00) .70)55 1 Each \$.45 40 _ 2.00 _ 2.50 's *I	.60 .45 5 Each \$.33 .27 1.75 2.25 Duchess	.45 .35 25 Each \$.28 .22 1.50
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" to 16" and up 3 to 4', ½ to 5%" Bearing Age, 1 to 1¼ Bearing Age, 6 to 8' 1	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	00) .70)55 1 Each \$.45 40 _ 2.00 _ 2.50	.60 .45 5 Each \$.33 .27 1.75 2.25 Duchess	.45 .35 25 Each \$.28 .22 1.50
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails 16" to 16" 16	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.4540 - 2.00 - 2.50 's *I	5 Each \$.33 .27 1.75 2.25 Duchess kel	.45 .35 25 Each \$.28 .22 1.50 2.00
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" 16"	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.4540 - 2.00 - 2.50 'S *I Sec	5 Each \$.33 .27 1.75 2.25 Duchess kel	.45 .35 25 Each \$.28 .22 1.50 2.00
16" up (Retails \$1 16" up (Retails \$1 16" to 16" up (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" to 16" and up 3 to 4', ½ to 58"Bearing Age, 1 to 1¼ Bearing Age, 6 to 8' 1 *Bartlett *Gorham 5 to 6', 16" and up	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each 5.50	5 Each \$.33 .27 1.75 2.25 Duchess kel	.45 .35 25 Each \$.28 .22 1.50 2.00
16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" and up 16" and	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.45 2.00 - 2.50 'S *I Sec 1 Each\$.5045	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30
16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" and up 16" and up 17" and up 18" and up 19" and	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each\$.5045 2.50	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35 2.25	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30 2.00
16" up (Retails \$1 16" to 16" up (Retails 16" to 16" up (Retails 16" to 16" and 16" an	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each\$.5045 2.5045 3.75	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35 2.25 3.35	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30
16" up (Retails \$1 16" to 16" up (Retails \$1 16" to 16" and up 16" and up 16" and up 17" and up 18" and up 19" and u	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf P	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each\$.5045 2.50	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35 2.25 3.35	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30 2.00
16" up (Retails \$1 16" up (Retails 16" to 16" up (Retails 16" to 16" up (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" and up 16" an	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf p	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each\$.5045 2.5045 3.75	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35 2.25 3.35	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30 2.00
16" up (Retails \$1 16" to 16" up (Retails 16" to 16" up (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" (Retails 16" to 16" and up 16" to 16" and up 16"	1.50 ea., 3 for \$3.75) ails \$1.25 ea., 3 for \$3. \$.75 ea., 3 for \$1.95 PEARS, Dwarf P	1 Each\$.45 2.00 - 2.50 's *I Sec 1 Each\$.5045 2.5045 3.75	5 Each \$.33 .27 1.75 2.25 Duchess kel 5 Each \$.40 .35 2.25 3.35	.45 .35 25 Each \$.28 .22 1.50 2.00 25 Each \$.35 .30 2.00

GRAPE VINES		
	5 Each	25 Each 250 Each
Agawam, 2 years, No. 1\$.09 \$.061/2 \$.051/2
1 year, No. 1	.08	$.05\frac{1}{2}$ $.04\frac{1}{2}$
Caco, 2 years, No. 1	.18	.14
Concord, 2 years, No. 1	.07	$.04\frac{1}{2}$ $.03\frac{1}{2}$
1 year, No. 1	.06	
Delaware, 2 years, No. 1	.12	$.09 .07\frac{1}{2}$
Fredonia, 2 years, No. 1	.12 .09 .08	$.09 .07\frac{1}{2}$
Niagara, 2 years, No. 1	.09	.06 .05
1 year, No. 1	.08	.05 $.04$
Portland, 2 years, No. 1	.14	$\begin{array}{cccc} .03\frac{1}{2} & .02\frac{1}{2} \\ .09 & .07\frac{1}{2} \\ .09 & .07\frac{1}{2} \\ .06 & .05 \\ .05 & .04 \\ .11 & .09 \\ \end{array}$
RHUBARB		
	5 Each	25 Each 250 Each
Victoria. Strong roots\$.06 \$.03½ \$.02¾
BLACKBERRIES		
Eldorado, No. 1	Each 2	25 Each 250 Each
BLUEBERRIES—See Vaccinium-	-Page	41
BOYSENBERRY		
Spring Only	5 Each	25 Each 250 Each
No. 1 Tips\$.07 \$.04 \$.031/2
RASPBERRIES		
	D 10	D 25 D 250
Combanical (Disab) Time	Per 10	Per 25 Per 250
Cumberland (Black) Tips	Per 10	Per 25 Per 250 \$.60 \$ 4.50
Cumberland (Black) TipsIndian Summer (Red Everbearing).	.\$.35	\$.60 \$ 4.50
Cumberland (Black) Tips Indian Summer (Red Everbearing). Suckers No. 1	.\$.35	\$.60 \$ 4.50
Cumberland (Black) Tips	.\$.35	\$.60 \$ 4.50
Cumberland (Black) Tips	.\$.35	\$.60 \$ 4.50
Cumberland (Black) Tips	.\$.35	\$.60 \$ 4.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .65 5.00 .65 5.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .65 5.00 .65 5.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .65 5.00 .65 5.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .65 5.00 .65 5.50
Cumberland (Black) Tips	.\$.35 40 35 35 40 40	\$.60 \$ 4.50 .70 5.50 .60 4.50 .65 5.00 .65 5.50
Cumberland (Black) Tips	-\$.35 40 35 35 40 40 Per 25 -\$.35	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.00 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500
Cumberland (Black) Tips	-\$.35 40 35 35 40 40 Per 25 -\$.35 Samp Per 25	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.00 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500 \$ 1.25 \$ 3.75
Cumberland (Black) Tips	-\$.35 40 35 35 40 40 Per 25 -\$.35 Samp Per 25	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.00 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500 \$ 1.25 \$ 3.75
Cumberland (Black) Tips	-\$.35 40 35 35 40 40 40 40 35 40 40 50 50	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500 \$ 1.25 \$ 3.75
Cumberland (Black) Tips	-\$.35 40 35 35 40 40 40 40 35 40 40 50 50 50	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500 \$ 1.25 \$ 3.75 1.25 3.75
Cumberland (Black) Tips	-\$.3540354040404040505050	\$.60 \$ 4.50 .70 5.50 .60 4.50 .60 4.50 .65 5.00 .65 5.50 Per 100 Per 500 \$.90 \$ 3.00 Wm. Belt ple Per 100 Per 500 \$ 1.25 \$ 3.75 5 Plants 250 Plants\$.50 \$ 3.75

TRUE TO NAME

We frequently secure the services of GOVERNMENT Variety Experts to make thorough inspection of our Fruits. Proper corrections are made if found necessary.

50 Each 200 Each

.12

.05

.09

LINING OUT STOCK

ORDER NOW. Prices will be higher before planting season. Prime thrifty — well rooted — nursery grown material.

(C)—One year rooted hardwood cuttings.

(S)—Seedlings.

Each (T) indicates one transplanting.

ORNAMENTAL TREES

ACER dasycarpum. Silver Maple 50 Each 200
T 3 to 4' branched \$.08 \$

T 4 to 5' branched_____

1 4 to 5 Dianened	.14	.00
T 5 to 6' branched	.15	.12
T 6 to 8' branched	.20	.15
anachamum Caraman Dagla Manla	.20	.10
saccharum. Sugar or Rock Maple	0.0	0.4
S 1 to 2'	.06	.04
T 4 to 6'	.22	.18
T 5 to 7'	.27	.22
JUGLANS cinerea. Butternut		
S 15 to 20"	.04	.02
DILET I ODENDON	.04	.04
PHELLODENDRON amurense. Amur Corktree		
S 9 to 12"	.04	$.02\frac{1}{2}$
POPULUS simoni. Simon Poplar		
C 2 to 3'	.05	.03
simoni fastigiata (New). Columnar Simon Poplar	.00	.00
Simoni rastigiata (New). Columnar Simoni Popuar	10	00
2½ Pots	.10	.08
2½" Pots QUERCUS palustris. Pin Oak S 8 to 12"		
S 8 to 12"	.05	.03
S 12 to 18" 2 yr. (Root pruned at 1 yr)	.07	.05
SALIX matsudana tortuosa (New). Marcel or		.00
$Corkscrew\ Willow$		
C 2 to 3'	.12	.10
niobe. Golden Weeping Willow		
C 2 to 3'	.04	.02
C 2 to 3'vitellina. Golden-barked Willow	.0 1	.02
Vitelina. Golden-ourked Willow	0.4	.02
C 2 to 3'	.04	.02
DECIDUOUS SHRUBS	S	
ACANTHOPANAX pentaphyllum. Five-leaved Aralia		
2 1/4" Pots	.08	.06
AZALEA mollis. Chinese Azalea	.00	•••
AZALEA moins. Chinese Azutea	10	.10
T 4 to 8"	.12	.10
BENZOIN (Lindera) aestivale. Spicebush		
S 6 to 10"	.04	.02
BERBERIS thunbergi minor. Box Barberry		
2" Pots	.07	.05
	.01	.00
BUDDLEIA alternifolia	0.0	0.77
2 1/4 " Pots	.09	.07
Ile de France		
2 1/4" Pots	.07	.05
Champing (Now)		
Charming (New) 2¼" Pots	.08	.06
Z¼ Pots	.00	.00
Concord (New) 2 1/4" Pots	0.0	0.0
2¼" Pots	.08	.06
Duhonnet (New)		
2¼" Pots	.08	.06
2/4 1005		

	50	Each	20	0 Each
CLETHRA alnifolia. Sweet Pepper Bush 2¼" Pots	\$.08	\$.06
CORNUS alba elegantissima. Silverblotch Dogwood 24" Pots	-	.09		.07
alba spaethi. Golden-leaved Dogwood 2 1/4" Pots		.09		.07
paniculata. Gray Dogwood S 6 to 10"	-	.03		.01
stolonifera flaviramea. Goldentwig Dogwood S 9 to 12"	-	.04		$.01\frac{1}{2}$ $.02\frac{1}{2}$
DEUTZIA gracilis. Slender Deutzia 2¼" Pots gracilis rosea. Rose Panicle Deutzia				
2¼" Pots	-	.08		.06
2 1/4 " Pots		.08		.06
lemoinei. $Dwarf\ White$ $2\frac{1}{4}$ " Pots		.08		.06
EUONYMUS ALATUS. Winged Euonymus		.10		.08
alatus compacta. (New) Compact, dwarf 21/4" Pots		.11		.09
FORSYTHIA suspensa. Weeping Forsythia 21/4" Pots		.08		.06
HYDRANGEA arborescens grandiflora. Hills of Sno 2½" Pots	w	.07		.05
paniculata grandiflora. PeeGee 2¼" pots		.07		.05
HYPERICUM arnoldianum (New) Arnold St. Johns				
$2\frac{1}{4}$ " Potskalmianum (New). $Kalm\ Hypericum$.08		.06
2¼" Pots		.10		.08
LIGUSTRUM ibota. Chinese Privet S 6 to 9"		0.0		019
S 9 to 12"		$.02$ $.02\frac{1}{2}$	2	$.012$ $.01\frac{1}{2}$
S 9 to 12"ibota regelianum. Regel Privet 2 1/4" Pots		.07		.05
PHILADELPHUS coronarius aureus. Golden-leaved			20.00	
2¼" Pots		.09	nye	.07
Virginal. Splendid double 2¼" Pots		.09		.07
PHOTINIA villosa. Christmasberru		,,,,		
S 6 to 9" S 9 to 12"		.03 .04		$.01\frac{3}{4}$ $.02\frac{1}{2}$
PRUNUS glandulosa. Double Pink-flowering Almond	7.	•04		.04 /2
2¼" Pots		.09		.07
S 9 to 12"		.02		.01
chadwicki. Chadwick Buckthorn S 9 to 12"				001/
francula Classes Paraletherm		.04		.02½
S 6 to 10'S 10 to 15"		.02 .03		.007
ROSA setigera. Prairie Rose S 10 to 15"		.03		.01

CATTY	50 Each	200 Each
SALIX gracilistyla. (New). Longstyle Willow C 12 to 18"	-\$.12	\$ 10
incana. Rosemary Willow C 12 to 18"	.07	.05
purpurea nana (New). Dwarf Purple Osier 2 ¼" Pots	.08	.06
SPIREA macrothyrsa (New). Improved Billardi C 12 to 18"	.10	.08
prunifolia plena. Double Bridalwreath 2¼" Pots	.09	.07
thunbergi 2 ¼ " Pots	.08	.06
SYMPHORICARPOS racemosus. Snowberry or Waxb C 12 to 18"	erry	.02
SYRINGA vulgaris. Hybrids—Following Named Sort 2½" Pots (grafts)————————————————————————————————————	ts .14	.12
Congo Michael Buchner Frau Bertha Damman Mme. Abel Chaten Gloire de Lorraine Mme. C. Perier La Tour d'Auvergne Mme. Lemoinei Ludwig Spaeth President Grevy	ay	
Newer and Better varieties of Lilacs 2½" Pots (grafts) Claude Bernard Gaudichaud Descartes hyacinthiflora Lan M. Van Aerschot		.16
TAMARIX amurensis. Amur Tamarix		
C 12 to 24"	.04	.03
VIBURNUM americanum (Oxycoccos). American Cranberry Bush 2 4" Pots	.08	.06
dentatum. Arrowwood		
S 9 to 12" S 12 to 15"	.05	$.03\frac{1}{2}$
dilatatum. Linden Viburnum 2 ¼" Pots opulus sterile. Common Snowball	.09	.07
2 ½ " Pots	.08	.06
tomentosum rotundifolium. Early Double Viburi 24" Pots	.10	.08
WEIGELA Abel Carriere 2 1/4" Pots	.08	.06
candida. Snow Weigela 2 ¼" Pots	.08	.06
Eva Rathke 2½" Pots	.08	.06
rosea nana variegata. Variegated-leaved Weigel 2 1/4" Pots	.08	.06
vaniceki (New). Vanicek's Red Weigela	.10	.08

EVERGREENS

50	Each	9n	0 Each
JUNIPERUS communis hibernica. Irish Juniper	Paçii	20	0 Each
TT heavy 12 to 18"\$.22	\$.18
sabina. Savin Juniper TT heavy 10 to 12" communis suecica. Swedish Juniper	.22		.18
TT heavy 10 to 12	.22		.18
PICEA excelsa pygmea. Pygmy Norway Spruce	.20		.16
TAXUS cuspidata. Japanese Yew TT heavy 10 to 12"	.22		.18
cuspidata capitata. Upright Japanese Yew	.15		.12
cuspidata nana (brevifolia). Dwarf Japanese Yew 2 1/4 " Pots	.15		.12
media hicksi Hicks Vew			
TT heavy 12 to 15"	.27		.23
TT heavy 12 to 15"TT heavy 9 to 12"	.22		.18
2½" Pots	.15		.12
THUJA occidentalis compacta. Parson's Arborvitae TT heavy 9 to 12"	.20	,	.16
occidentalis pyramidalis. Pyramidal Arborvitae TT heavy 12 to 15"			
TT heavy 12 to 15"	.22 e		.18
TT heavy 9 to 12"	.20		.16
EVERGREEN SHRUB			
2" Pots\$.10	\$.08
EUONYMUS patens (sieboldi). Spreading Euonymus 2½" Pots	.08		0.0
radicans. Wintercreeper			.06
2.1/4 " Pots	.08		
2¼" Potsradicans acutus. Sharpleaf Wintercreeper	.08		.06
2 ¹ / ₄ " Pots radicans acutus. Sharpleaf Wintercreeper 2 ¹ / ₄ " Pots radicans argenteo-marginatus (Variegated)	.08		
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots			.06
24" Pots radicans acutus. Sharpleaf Wintercreeper 24" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 24" Pots radicans carrierei. Glossy Wintercreeper 24" Pots	.08		.06
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots radicans carrierei. Glossy Wintercreeper 2 '4" Pots radicans colorata. Red-leaved Wintercreeper 2 '4" Pots	.08		.06
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots radicans carrierei. Glossy Wintercreeper 2 '4" Pots radicans colorata. Red-leaved Wintercreeper 2 '4" Pots radicans erecta. Unright Wintercreeper	.08		.06 .06 .06
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots radicans carrierei. Glossy Wintercreeper 2 '4" Pots radicans colorata. Red-leaved Wintercreeper 2 '4" Pots radicans erecta. Upright Wintercreeper 2 '4" Pots radicans vegetus. Bigleaf Wintercreeper	.08 .08 .08 .08		.06 .06 .06 .06
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots radicans carrierei. Glossy Wintercreeper 2 '4" Pots radicans colorata. Red-leaved Wintercreeper 2 '4" Pots radicans erecta. Upright Wintercreeper 2 '4" Pots radicans vegetus. Bigleaf Wintercreeper 2 '4" Pots radicans vegetus. Bigleaf Wintercreeper	.08 .08 .08 .08 .08 .08 .08 .08 .08	-	.06 .06 .06 .06 .06
2½" Pots radicans acutus. Sharpleaf Wintercreeper 2½" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2½" Pots radicans carrierei. Glossy Wintercreeper 2½" Pots radicans colorata. Red-leaved Wintercreeper 2½" Pots radicans erecta. Upright Wintercreeper 2½" Pots radicans vegetus. Bigleaf Wintercreeper 2½" Pots radicans vegetus. Bigleaf Wintercreeper 2½" Pots ILEX crenata convexa (bullata) Box-leaved Japanese 3" Pots	.08 .08 .08 .08 .08 .08 .08 .18	-	.06 .06 .06 .06 .06 .06
2 '4" Pots radicans acutus. Sharpleaf Wintercreeper 2 '4" Pots radicans argenteo-marginatus (Variegated) Silveredge Wintercreeper 2 '4" Pots radicans carrierei. Glossy Wintercreeper 2 '4" Pots radicans colorata. Red-leaved Wintercreeper 2 '4" Pots radicans erecta. Upright Wintercreeper 2 '4" Pots radicans vegetus. Bigleaf Wintercreeper 2 '4" Pots radicans vegetus. Bigleaf Wintercreeper	.08 .08 .08 .08 .08 .08 .08 .08 .08	-	.06 .06 .06 .06 .06

(Continued on Inside Back Cover)

BALLING SCHEDULE

In this catalogue where ball sizes are shown, viz., (15" Ball) etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted to conform to following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to listed price according to the following schedule.

Ball Size	Weight Shrub or Pounds Flowering Tree	1 Each 2 Each	5 Each	25 Each
10 x 10"	32 1½ to 2'\$.40 \$.35	\$.30	\$.25
11 x 10	38	.45 .40	.33	.28
12 x 11	47 2 to 3'	.55 .50	.38	.32
13 x 11	58 3 to 4'	.60 .55	.45	.36
14 x 12	80	.75 $.65$.55	.45
15 x 12	90 4 to 5'	.90 .75	.65	.55
16 x 13	110 5 to 6'	1.25 1.00	.80	.70
17 x 13	130	1.60 1.30	1.10	.90
18 x 14	160 6 to 7'	2.10 1.75	1.50	1.20
20×15	210 7 to 8'	3.00 2.50	2.10	1.75
22×16	270 8 to 10'	4.00 3.30	2.70	2.30
	SHADE T	REES		
20×15	210 1¼ to 1½"	3.00 2.50	2.10	1.75
22×16	270 1½ to 1¾"	4.00 3.30	2.70	2.30
24×17	340 1¾ to 2"	5.25 4.25	3.35	2.85
26 x 18	410 2 to 2 ½"	6.50 5.25	4.00	3.40
30×20	620 2½ to 3"	9.50 7.50	5.50	4.50
33×22	820 3 to 3 ½"	11.00 8.75	6.75	5.75
36×23		13.00 10.75	8.50	7.00
40×25	1350 4 to 4½"	15.00 12.75	10.00	8.50
44×27	1800 4½ to 5″	17.50 15.00	12.00	10.00
48 x 29	2300 5 to 5 ½"	20.00 17.00	13.50	11.50
52×30	2900 5½ to 6"	23.00 19.50	15.50	13.00
56 x 31	3500 6 to 6 ½"	27.00 22.50	18.00	15.00
60 x 32	4200 6½ to 7"	32.00 - 26.50	21.50	17.50
64 x 33	5000 7 to 7 ½"	36.00 31.00	26.00	21.00
68 x 34	5800 7½ to 8"	43.00 37.00	31.00	25.00

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

Be sure to add these costs when paying cash before shipment.

PRICES FOR BOXING AND PACKING

	v 30	\$	over 6 feet	Per foot 6 feet and less	If Paper Lined, add 10%. Small Boxes, 35c to 1.00 according to size.	
				$.47\frac{1}{2}$	BALES	
	x 24			$.42\frac{1}{2}$	Minimum charge\$.35	•
			$.32\frac{1}{2}$.35	Up to 100 lbs., per lb01	
16	5 x 16		$.27 \frac{1}{2}$.30	- 1	
14	x 14		.25	$.27\frac{1}{2}$	Excess over 100 lbs.,	
12	x 12		$.22\frac{1}{2}$.25	per lb00 34	
	D 1	C	1 11 4	· (amofted	hoods ota) halled trees and other	

Bales for bulky trees (grafted heads etc.), balled trees and other exceptions will be charged at cost.

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsibile for a greater amount than the TERMS price paid.

5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will elimate C. O. D. costs. Over-payments will be returned

promptly.

To parties having satisfactory credit arrangements or account

with us 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained unless made within 10 days after arrival of goods.

5 to 25 of one variety and size will be furnished at the 10 rate, 25 to 250 at 100 rate; 250 or more at 1000 rate.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SUPPLIES				
Burlap, used, per 100 lbs\$	6.50			
Sphangum Moss, Wired bales (10 Bales \$11.50), per bale	1.30			
Granulated Peat, per bale (20 to 22 bushels)	3.90			
Paper, Krinkled Waterproof Kraft, per lb., 12½c; per 100 lbs.	9.75			
Paper, Kraft 50 lb. rolls, Basis 40 lb.—36" wide, per lb	7 ½ c			
Labels, Copper Wired, 3½ inches, per 1000	2.00			
Per 10,000	18.00			
Labels, Paper, per 1,000	1.35			
10 lbs.	50 lbs.			
Twine, Java—1 Ply Fine (10 lb. Balls) Per lb\$.19	\$.16			
2, 3, or 6 Ply Medium (50 lb. Reels) per lb19	.15			
TRUCK DEL WEDLES				

TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE — PROPAGATION RIGHTS RESERVED

The Truehedge Columnberry is protected by Plant Patent No. 110

The ILS Patent Laws Assexual reproduction or disposition by Asexual reproduction or disposition by under the U. S. Patent Laws. sale, gift or otherwise, of scions, buds, or cuttings for such reproduction is prohibited unless license is previously obtained from the patent owners. Unauthorized reproduction, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which

THE COLE NURSERY COMPANY PAINESVILLE, OHIO

THE COLE NURSERY CO., PAINESVILLE,	OHIO	
LINING OUT STOCK — Continued from	_	
ILEX—Continued	50 Each	200 Each
crenata microphylla. Littleleaf Japanese Holly 21/4" Pots crenata rotundifolia. Roundleaf Japanese Holly	_\$.12	\$.10
crenata rotundifolia. Roundleaf Japanese Holly 2¼" Pots	12	.10
glabra. Inkberry 24" Pots	12	.10
opaca. American Holly 3" Pots	22	.18
PACHYSANDRA terminalis. Japanese Spurge. Evergreen Groundcover		
2 1/4 " Pots	06	.05
VINES	-	
AMPELOPSIS heterophylla. Porcelain Ampelopsis	u.),	
2 ¹ / ₄ " Potsheterophylla amurensis maximowiczi	.09	.07
2 ¹ / ₄ " Pots	.10	.08
quinquefolia. Virginia Creeper		.00
S No. 1	.03	$.01\frac{1}{2}$
tricuspidata. (veitchi). Boston Ivy	_	.01/2
S No. 1	.04	$.02\frac{1}{2}$
S No. 2		.01 3/4
CELASTRUS orbiculatus. Oriental Bittersweet		
S No. 1	.03	$.01\frac{1}{2}$
scandens. American Bittersweet		
HYDRANGEA petiolaris. Climbing Hydrangea		
2" Pots	.10	.08
LYCIUM chinense. Chinese Matrimonyvine		
S 9 to 12"	.03	$.01\frac{1}{2}$
POLYGONUM auberti. China Fleecevine		
2 1/4" Pots	.10	.08
SCHIZOPHRAGMA hydrangeoides. Japanese Hydr	angea-vii	ne
2" Pots	.10	.08

COLE'S

Fuchsia riccartoni -- "SCARLET BEAUTY"

Has proven one of the most popular plants for the hardy border.

NEW REDUCED PRICES


3 inch pot plants	5 Each \$.22	25 Each \$.18	\$.15
Field Grown Plants	40 Retails 50c eac	.35 ch; 3 for \$1.	.30

Spring delivery only

_Retails 85c each; 3 for 2.00

Field Grown

Write for Special Folder telling the interesting story of the development of "Scarlet Beauty"—gives cultural direction, etc.



A branch from a mature plant showing the profusion of bloom of

COLE'S

New Hardy Fuchsia riccartoni "SCARLET BEAUTY"

Plant Patent No. 440

See Inside Cover for Prices, etc.